

“Pyrenomycetes”
***sensu lato* éléments de bibliographie récente**
Année 2000

A.* et C. BELLEMÈRE

* *Attaché au Laboratoire de Cryptogamie*
du Museum National d’Histoire Naturelle, 12, rue de Buffon, F 75005 Paris

Cette revue comporte deux parties :

- Bibliographie thématique.
- Liste de références.

I – BIBLIOGRAPHIE THÉMATIQUE

Les numéros figurant dans chacune des rubriques sont ceux des références de la seconde partie de l'article qui sont classées par ordre alphabétique. Les numéros suivis d'un astérisque indiquent que la référence comporte des données de systématique moléculaire.

MYCÉLIUM VÉGÉTATIF

Morphologie, Cytologie – 121, 122

Métabolisme – 109, 112

Développement – 122

REPRODUCTION

Reproduction végétative

Systématique

Anamorphes

Antennariella 40 – *Chalara* 75 – *Capnodendron* 40 – *Cercospora* 29^{bis}* – *Chloridium* 6 – *Dendryphion* 23 – *Dictyochoaeta* 6 – *Fusarium* 34, 67, 68*, 126 – *Fusicoccum* 7, 70*, 76 – *Graphium* 71* – *Helminthosporium* 73* – *Leptographium* 34^{bis}* – *Phialophora* 27, 62 – *Phomopsis* 49, 92 – *Septoria* 115 – *Sporoschisma* 97

Téléomorphes concernés – Dothideales 17

Botryosphaeria 19*, 70*, 76*, 106 – *Calonectria* 94 – *Camillea* 90 – *Capnodendron* 40 – *Copronia** 111 – *Ceratocystis* 34^{bis}, 75 – *Chaetosphaeria* 84*, 87* – *Diaporthe* 49, 92 – *Gaeumannomyces* 62 –

Lembosia 108 – *Leptosphaeria et al.* 73* – *Melanochaeta* 97 – *Mycosphaerella* 13, 14, 21, 29^{bis*}, 108, 115 – *Nectria* 68* – *Ophiostoma* 34^{bis*} – *Plagiostoma* 72 – *Teratosphaeria* 108 – “Pyrenomyces” divers 27

Morphologie

Macroconidies cylindriques 94 (*Calonectria*)

Biologie

Champignons parasites de *Fusarium* 34

Reproduction sexuée (voir aussi “Anamorphes” ci-dessus)

Ascomes

Stroma – 122

Périthèces – 110 (développement)

Asques et ascospores

Ultrastructure – 80 (*Linocarpon*)

Libération des ascospores – 66

GÉNÉTIQUE

Identification des gènes – 5

Transmission des caractères – 6, 15, 95, 126

Complexes de taxa – Polymorphisme – 36, 64, 69, 74, 117

Individualisation de taxa – 63

LES “PYRENOMYCETES” ET L’ENVIRONNEMENT

Facteurs physiques

Température – 100

ACTION DES “PYRENOMYCETES” SUR L’ENVIRONNEMENT

Parasitisme

Hôtes

– Plantes supérieures

Graminées – *Mycosphaerella* 21 ; *Claviceps* 29 ; *Gaeumannomyces* 62 ; *Epichloë* 63 ; *Magnaporthe* 117 ; Clavicipitaceae 125 ; *Schoenoplectus* 128

Autres plantes herbacées – *Pleospora* 23 (Pavot)

Vigne – *Diaporthe* 49, 92

Arbres – *Venturia* 46 (Poirier) ; *Botryosphaeria* 70 (Pommier) ; *Ophiostoma* 109 (Orme)

– Lichens (voir § Milieux et substrats, lichénicoles)

– Homme – Herpotrichiellaceae 32

Structure de l’interface – Lichénicoles 18^{bis}

Modifications cytologiques de l’hôte – *Mycosphaerella* 21

MILIEUX ET SUBSTRATS

Milieu aérien

Sur plantes supérieures – Généralités 102 (Ascomycetes méristématiques)

Sur écorces – 48, 74, 114

Sur bois – 31, 113

Sur tiges

– Sur Dicotylédones – 22 (*Medicago*), 54 (Mûrier), 70 (Pommier), 74 (Bouleau), 76 (Peuplier), 92 (Vigne), 105 (Dicotylédones tropicales), 106 et 108 (Proteaceae), 118 (*Draba*)

– Sur Monocotylédones 39, 58, 128

 Sur graminées – 59, 63, 114, 117, 121, 122, 129, 130

 Sur palmiers – 3, 24, 25, 26, 41, 42^{qua}

 Sur bananier – 77

– Sur Coniférales – 113

Sur feuilles – 13, 23

Sur fruits – 49, 70, 77

Sur Cryptogames

Lichénicoles

 Etudes systématiques – 9, 20, 33, 37, 65

 Cytologie de l'interface avec l'hôte – 18^{bis}

 Présence en milieu subaquatique – 2

Fungicoles – 78

Endophytes – 25, 26, 68

Fimicoles – 4, 20^{bis}

Terricoles – 98, 99, 100

Milieu aquatique

Généralités – 42^{bis}

Eaux douces – 35, 41^{bis}, 42, 43, 44, 82, 83, 97

Eaux marines – 1, 42^{ter}, 50, 66, 128

Mangroves – 2, 45, 79, 101, 123

BIOGÉOGRAPHIE ET FLORISTIQUE

Europe

France – 12, 28, 54, 55

Europe méditerranéenne – 7, 20^{bis}, 56^{bis}, 91, 99, 118

Europe occidentale – 60, 76

Europe centrale – 118

Europe du Nord – 47, 52, 53, 81, 116

Afrique

Afrique occidentale – 59, 98

Afrique du Sud – 61^{bis}

Amérique

Amérique du Nord – 6, 81, 104, 113

Amérique centrale – 30

Amérique du Sud – 14, 18, 90

Asie

Turquie – 22

Inde – 38, 117

Chine – 11, 39, 44, 58, 88, 119, 128, 129, 130, 131

Indonésie – 43, 57, 61

Japon – 31, 33, 46, 49, 64

Australie et Nouvelle-Zélande – 1, 48, 81**Océanie** – 61^{ter} (Nouvelle-Calédonie)**SYSTÉMATIQUE**

Les numéros de références suivants qui, dans le texte, sont suivis d'un astérisque, comportent des données de systématique moléculaire – 19*, 29^{bis}, 32*, 34^{bis}*, 47*, 50*, 51*, 56*, 68*, 69*, 70*, 71*, 73*, 81*, 84*, 87*, 91*, 93*, 94*, 95*, 96*, 107*, 111*

Les noms de genres nouveaux (année 2000) sont soulignés.

Des renseignements sur les différents genres cités ci-dessous se trouvent dans les références 22^{bis} et 22^{ter}.

La classification utilisée ici est pratiquement calquée sur celle d'“Outline of Ascomycota” 2001 : O.E. Eriksson et al. : < <http://www.umu.se/myconet/curr/outline.01.html> >

SORDARIOMYCETES**Sordariomycetes sensu stricto****Halosphaerales**

Halosphaeriaceae – Généralités 51* – *Halosphaeria* 51* ; *Lignincola* 51* ; *Nais* 51*

Hypocreales

Généralités 56*, 78, 91*

Bionectriaceae – *Bionectria* 96* ; *Hydropisphaera* 131 ; *Nectriella* 26

Clavicipitaceae – Généralités 125 – *Epichloë* 63 ; *Hyperdermium* 105 ; *Hypocrea* 107* ; *Hypocreopsis* 10^{bis}

Nectriaceae – *Calonectria* 94*, 95* ; *Cosmospora* 67 ; *Gibberella* 69* ; *Glionectria* 94* ; *Nectria* 68* ; *Nectricladiella* 94* ; *Xenocalonectria* 94*

MicroascalesMicroascales Inc. Sed. – *Ceratocystis* 34^{bis}*, 75**Diaporthales**Valsaceae – *Diaporthe* 49, 92 ; *Plagiostoma* 72**Ophiostomatales**Ophiostomataceae – *Ophiostoma* 34^{bis}*, 113

Sordariales

Annulatascaceae – *Annulatascus* 43 ; *Submersisphaeria* 129 ; *Torrenti-
spora* 42 ; *Vertexicola* 83

Ceratostomataceae – *Corynascus* 100 ; *Persiciospora* 34

Chaetomiaceae – *Guanomyces* 30

Chaetosphaeriaceae – *Chaetosphaeria* 84*, 87* ; *Melanochaeta* 97

Lasiosphaeriaceae – *Apiosordaria* 98 ; *Podospora* 119 ; *Zygopleurage* 18

Nitschkiaceae – *Rhagadostoma* 65

Papulosaceae – *Papulosa* 127

Sordariaceae – *Neurospora* 16, 121

Amphisphaeriales

Cainiaceae – *Ommatomyces* 44

Xylariales

Xylariaceae – Généralités 89, 124 – *Anthostomella* 39, 57, 58, 60, 61, 61^{bis},
104 ; *Ascotricha* 99 ; *Biscogniauxia* 90, 124 ; *Camillea* 90 ; *Cyanopulvis* 24 ; *Daldinia*
47 ; *Halorosellinia* 123 ; *Hypoxylon* 93* , 124 ; *Nemania* 53 ; *Pandanicola* 59 ;
Podosordaria 122 ; *Rosellinia* 64, 114 ; *Striatodecospora* 130 ; *Xylaria* 25, 56^{bis}, 124

Sordariomycetes sensu lato

Calosphaeriales

Calosphaeriaceae – *Melanochaeta* 97

Lulworthiales 50*

Lulworthiaceae 50* – *Lulworthia* 50

Sordariales incertae sedis

Magnaporthaceae – *Magnaporthe* 117

CHAETOTHYRIOMYCETES

Chaetothyriales

Herpotrichiellaceae – Généralités 32* – *Capronia* 15, 111*

DOTHIDEOMYCETES

Généralités 102

Capnodiales

Antennulariellaceae – *Antennulariella* 40

Pleosporales

Leptosphaeriaceae – *Leptosphaeria* 73*, 81* ; *Leptosphaerulina* 45

Lophiostomataceae – *Lophiostoma* 41 ; *Massarina* 3

Melanommataceae – *Astrosphaeriella* 41

Pleosporaceae – *Pleospora* 23 ; *Pyrenophora* 116 ; *Teratosphaeria* 108

Dothideales sensu stricto

Dothideaceae – *Botryosphaeria* 19*, 70*, 76, 106

Dothideales sensu lato

Asterinaceae – *Lembosia* 108

Dacampiaceae – *Polycoccum* 9

Microthyriaceae – *Hemigrapha* 20

Mycosphaerellaceae – *Mycosphaerella* 13, 14, 21, 29^{bis*}, 108, 115

- Phaeosphaeriaceae – *Ophiosphaerella* 10 ; *Paraphaeosphaeria* 128 ;
Phaeosphaeria 15
 Pleomassariaceae – *Pleomassaria* 74
 Tubeufiaceae – *Acanthostigma* 85
 Venturiaceae – *Venturia* 37^{bis}, 46
 Vizellaceae – *Vizella* 48

ORDRES INCERTAE SEDIS

CorynelialesCoryneliaceae – *Caliciopsis* 81**Pyrenulales**Pyrenulaceae – *Distopyrenis* 33Requienellaceae – *Mauritiana* 79

GENRES D'ASCOMYCETES INCERTAE SEDIS

Ascominuta 82 (bituniqué)*Cornuvesica* 117^{bis} et *Rivulicola* 83 (unituniqués)

II – RÉFÉRENCES BIBLIOGRAPHIQUES

1. ABDEL-WAHAB M.A. & JONES E.B.G. – Three new marine ascomycetes from driftwood in Australian sand dunes. *Mycoscience* 41(4): 379-388.
2. ALIAS S.A. & JONES E.B.G. – Vertical distribution of marine fungi on *Rhizophora apiculata* at Morib mangrove, Selangor, Malaysia. *Mycoscience* 41(4): 431-436.
3. APTROOT A., FRÖLICH J. & HYDE K.D. – Fungi from palms. 44. – Two new *Massaria* species with pigmented ostioles. *Nova Hedwigia* 70(1-2): 227-232.
4. BARR M.E. – Notes on coprophilous bitunicate Ascomycetes. *Mycotaxon* 76 : 105-112.
5. BETH-DIN A. & YARDEN O. – The *Neurospora crassa* ch5, 3 gene encodes an essential class I chitin synthase. *Mycologia* 92(1): 65-73.
6. BRASIER C.M. & KIRK S.A. – Survival of clones of NAN *Ophiostoma novo-ulmi* around its probable center of appearance in North America. *Mycological Research* 104(11): 1322-1332.
7. CACIALLI G., CAROTI V. & DOVERI F. – *Poronia erici* Lohm et Benk. : primo ritrovamento italiano de una rare specie. *Funghi et Ambiente* 83: 5-12.
8. CACIALLI G., CAROTI V. & DOVERI F. – Ammerkungen zu *Podospora setosa* (Winter) Niessl und taxonomische Überlegungen über die Lasiosphaeriaceae Nannf. emend Lundqvist. – *Zeitschrift zur Mykologie* 66(1): 95-100.
9. CALATAYUD V. & ATIENZA V. – *Polycoccum epizoharyi* (Dacampiaceae, Fungi), a new lichenicolous fungus on *Buellia zoharyi* in Spain. *Nova Hedwigia* 70(1-2): 265-271.
10. CÂMARA M.P.S., O'NEILL N.R., van BERKUM P., DERNOEDEN P.H. & PALM M.E. – *Ophiosphaerella agrostis* sp. nov. and its relationship to other species of *Ophiosphaerella*. *Mycologia* 92(2): 317-325.
- 10^{bis} CHEVROLET J.P. – *Hypocreopsis lichenoides*. *Bulletin de la Société Mycologique du Territoire de Belfort* 12: 73.
11. CHUNG C.H. & TZEAN S.S. – Notes on Fungi from Taiwan : two new names. *Mycotaxon* 75: 477-478.
12. COSTE C. & REY H. – Contribution à l'étude des Ascomycètes du Tarn (F-81). – *Bulletin de Liaison de la Société tarnaise de Sciences Naturelles* 2000: 5-18.
13. CROUS P.W., APTROOT A., KANG J.-C., BRAUN U. & WINGFIELD M.J. – The genus *Mycosphaerella* and its anamorphs. *Studies in Mycology* 45: 107-121.

14. CROUS P.W., BENCHMOL R.L., ALBUQUERQUE F.C. & ALFENAS A.C. – Follicolous anamorphs of *Mycosphaerella* from South America. *Sydowia* 52(2): 78-91.
15. CZEMBOR P.C. & ARSENIUK E. – Segregation and recombination of PCR based markers in sexual progeny of *Phaeosphaeria* species. *Mycological Research* 104(8): 919-926.
16. DAVIS R.H. – *Neurospora : contributions of a model organism*. Oxford University Press. 333 p.
17. DE HOOG G.S., ZALAR P., URZI C., de LEO F., YURLOVA N.A. & STERFLINGER K. – Relationships of dothideaceous black yeasts and meristematic fungi based on 5,8S and ITS2 rDNA sequence comparison. *Studies in Mycology* 43: 31-37.
18. DELGADO A.E, KIMBROUGH J.W. & HANLIN R.T. – *Zygopleurage zygospora*, a new record from Venezuela. *Mycotaxon* 75: 257-263.
- 18^{bis}. DE LOS RÍOS A. & GRUBE M. – Host parasite interfaces of some lichenicolous fungi in the Dacampiaceae (Dothideales, Ascomycota). *Mycological Research* 104(11): 1348-1353.
19. DENMAN S., CROUS P.W., TAYLOR J.E., KANG J.C., PASCOE I. & WINGFIELD M.J. – An overview of the taxonomic history of *Botryosphaeria* and a re-evaluation of its anamorphs based on morphology and ITS rDNA phylogeny. *Studies in Mycology* 45: 129-140.
20. DIEDERICH P. & WEDIN M. – The species of *Hemigrapha* (lichenicolous Ascomycetes Dothideales) on Peltigerales. *Nordic Journal of Botany* 20(2): 203-214.
- 20^{bis}. DOVERI F., CACIALLI G. & CAROTI V. – A guide to the classification of fimicolous Pyrenomyces *ss. lato* from Italy. – Contribution to the study of fimicolous fungi. XXXIII. *Micologia* 2000 n° sp.: 603-705.
21. DUNCAN K.E. & HOWARD R.J. – Cytological analysis of wheat infection by the leaf blotch pathogen *Mycosphaerella graminicola*. *Mycological Research* 104(9): 1074-1082.
22. EKEN C. & DEMIRCI E. – *Trematosphaeria circinans* on *Medicago sativa* in Turkey. – *Mycotaxon* 75: 213-214.
- 22^{bis}. ERIKSSON O.E. – Notes on ascomycete systematics, n° 2756 – 2933. *Myconet* 4: 1-21.
- 22^{ter}. ERIKSSON O.E. – Notes on ascomycete systematics, n° 2940 – 3127. *Myconet* 5: 1-25.
23. FARR D.F., O'NEILL N.R. & van BERKUM P.B. – Morphological and molecular studies on *Dendryphon penicillatum* and *Pleospora papaveracea*, pathogens of *Papaver somniferum*. *Mycologia* 92(1): 145-153.
24. FRÖHLICH J. & HYDE K.D. – *Palm microfungi*. Hong-Kong Fungal Diversity Press. Fungal Diversity Research series 3: 308.
25. FRÖHLICH J., HYDE K.D. & PETRINI O. – Endophytic fungi associated with palms. *Mycological Research* 104(10): 1202-1212.
26. FRÖHLICH J., LOWEN R. & HYDE K.D. – Fungi from palms 40. *Nectriella erythroclypea* sp. nov. (Bionectriaceae, Hypocreales). *Nova Hedwigia* 70(3-4): 425-430.
27. GAMS W. – *Phialophora* and some similar morphologically little differentiated anamorph of divergent ascomycetes. *Studies in Mycology* 45: 187-199.
28. GAUTHIER L. – Quelques Lophiostomataceae. *Bulletin de la Société Mycologique du Gâtinais* 11: 4-10.
29. GIACOMONI L. – Le mal des Ardents. La véridique histoire de l'Ergot du Seigle et du feu sacré (2^e édition revue et considérablement augmentée). *Bull. A.E.M.B.A.* 33-34, fasc. 2: 2-116.
- 29^{bis}. GOODWIN S.B., DUNKLE R.D. & ZISMAN V.L. – Phylogenetic analysis of *Cercospora* and *Mycosphaerella* based on the internal transcribed spaced region of ribosomal DNA. *Phytopathology* 91: 648-658.
30. GONZÁLEZ M.C., HANLIN R.T. & ULLOA M. – *Guanomyces*, a new genus of Ascomycetes from Mexico. *Mycologia* 92(6): 1138-1148.

31. GORTON C. & WEBBER J.F. – Re-evaluation of the status of the blue stain fungus and bark beetle associate *Ophiostoma minus*. *Mycologia* 92(6): 1071-1075.
32. HAASE G., SONNTAG L., MELZER-KRICK B. & de HOOG G.S. – Phylogenetic interference by SSU gene analysis of members of the Herpotrichiellaceae with special reference to human pathogenic species. *Studies in Mycology* 43: 80-97.
33. HARADA H. – *Distopyrenis japonica* (Ascomycota, Pyrenulaceae) a new lichen-allied lichenicolous fungus from Chiba-Ken, central Japan. *Mycoscience* 41(5): 491-493.
34. HARVESON R.M. & KIMBROUGH J.W. – First report of *Persiciospora moreaui*, a parasite of *Fusarium oxysporum*, in the western hemisphere. *Mycotaxon* 76: 361-365.
- 34^{bis}. HAUSNER G., REID J. & KLASSEN G.R. – On the phylogeny of members of *Ceratocystis* ss. and *Ophiostoma* that possess different anamorphic states, with emphasis on the anamorph genus *Leptographium*, based on partial ribosomal DNA sequences. *Canadian Journal of Botany* 78(7): 903-916.
35. HO W.H. & HYDE K.D. – A new family of freshwater ascomycetes. *Fungal Diversity* 4: 21-36.
36. HOEGGER P.J., RIGLING D., HOLDENRIEDER O. & HEINIGER U. – Genetic structure of newly established populations of *Cryphonectria parasitica*. *Mycological Research* 104(9): 1108-1116.
37. HOFFMANN N. & HAFELLNER J. – Ein Revision der lichenicolen Arten den Sammelgattungen *Guignardia* und *Physalospora*. *Bibliotheca Lichenologica* 77: 1-181.
- 37^{bis}. HOLM K. & HOLM L. – *Venturia glacialis*, an overlooked species. *Czech Mycology* 52(4): 323-327.
38. HOSAGOUDAR V.B., BIJU C.K., ABRAHAM T.K. & CRANE J.L. – Meliolaceae of Kerala, India. VII. *Mycotaxon* 76: 299-304.
39. HU B.S. & HYDE K.D. – *Anthostomella longa* sp. nov. and note on other species on monocots from Hong-Kong. *Cryptogamie, Mycologie* 21(4): 207-214.
40. HUGHES S.J. – *Antennulariella batistae* n. sp. and its *Capnodendron* and *Antennariella* synanamorphs, with notes on *Capnodium capsuliferum*. *Canadian Journal of Botany* 78(9): 1215-1226.
41. HYDE K.D., APTROOT A., FRÖLICH J. & TAYLOR J.E. – Fungi from palms. 43. – *Lophiostoma* and *Astrophaeriella* species with slit-like ostioles. *Nova Hedwigia* 70(1-2): 143-160.
- 41^{bis}. HYDE K.D. & GOH T.-K. – Fungi on submerged wood from the River Coln, England. *Mycological Research* 103(12): 1561-1574.
42. HYDE K.D., HO W.H., JONES E.B.G., TSUI C.K.M. & WONG W.S.W. – *Torrentispora fibrosa* gen. sp. nov. (Annulatascaceae) from freshwater habitats. *Mycological Research* 104(11): 1399-1403.
- 42^{bis}. HYDE K.D., HO W.H. & POINTING S.B. – Aquatic mycology across the Millenium. *Fungal Diversity* 5.
- 42^{ter}. HYDE K.D. & POINTING S.B. – Marine Mycology, a practical approach. *Fungal Diversity Research Series* 1: 1-377.
- 42^{qua}. HYDE K.D., TAYLOR J.E. & FRÖLICH J. – Genera of Ascomycetes from Palms. – Hong-Kong Fungal Diversity Press. *Fungal Diversity Research Series* 2: 1-242.
43. HYDE K.D. & WONG S.W. – *Annulatascus fusiformis* sp. nov., a new freshwater ascomycete from the Philippines. *Mycologia* 92(3): 553-557.
44. INDERBITZIN P. – *Ceratostomella hyalocoronata*, a new pyrenomycete from a stream in Southern China. *Mycoscience* 41(2): 167-169.
45. INDERBITZIN P., JONES E.B.J. & VRIJMOED L.L.P. – A new species of *Leptosphaerulina* from decaying mangrove wood from Hong-Kong. *Mycoscience* 41(3): 233-237.
46. ISHII H. & YANASE H. – *Venturia nashicola*, the scab fungus of Japanese and Chinese pears: a species distinct from *V. pirina*. *Mycological Research* 104(6): 755-759.
47. JOHANNESSEN H., LAESSØE T. & STENLID J. – Molecular and morphological investigation of *Daldinia* in northern Europe. *Mycological Research* 104(3): 275-280.

48. JOHNSTON P.R. – *Vizella metrosideri* sp. nov. *New Zealand Journal of Botany* 38(4): 629-633.
49. KAJITANI Y. & KANEMATSU S. – *Diaporthe kyushuensis* sp. nov., the teleomorph of the causal fungus of grapevine swelling arm in Japan and its anamorph *Phomopsis vitimegaspora*. *Mycoscience* 41(2): 111-114.
50. KOHLMAYER J., SPATAFORA J.W. & VOLKMANN-KOHLMEYER B. – Lulworthiales, a new order of marine Ascomycota. *Mycologia* 92(3): 453-458.
51. KONG R.Y.C., CHAN J.Y.C., MITCHELL J.I., VRIJMOED L.L.P. & JONES E.B.J. – Relationships of *Halosarpehia*, *Lignincola* and *Nais* inferred from partial 18S rDNA. *Mycological Research* 104(1): 35-43.
52. LAESSØE T., HEILMANN-CLAUSEN J. & CHRISTENSEN M. – Slaegterne *Nemania*, *Euepixylon* og *Kretschmaria* i Danmark. *Swampe* 42: 17-29.
53. LAESSØE J. & SCHUMAKER T. – The genus *Nemania* in Norden. *Sommerfeldtia* 27, Botanical Garden and Museum, Oslo. 96 p.
54. LEROY P., GAUTHIER L. & BARR M.E. – Un champignon du mûrier peu connu en France : *Splanchnonema phorioides*. *Bulletin de la Société Société Mycologique de France* 116(3): 209-215 .
55. LEROY P. & PACAUD R. – Trois Ascomycota rares ou intéressants de Vendée (France). Contribution n° 37 au programme national d'inventaire mycologique et de cartographie des Mycota français. *Documents Mycologiques* 30(117-118): 115-121.
56. LIECKFELDT E. & SEIFERT K.A. – An evaluation of the use of ITS sequences in the taxonomy of the Hypocreales. *Studies in Mycology* 45: 35-44.
- 56^{bis}. LOSI C. & ZECCHIN G. – *Xylaria guepini* (Fr.: Fr.) Fr., descrizione di un recente ritrovamento in Friuli. *Micologia* 2000: 319-322.
57. LU B.-S. – Species of *Anthostomella* from the Philippines including *A. variabilis* sp. nov. and *A. flagellariae* comb. nov. *Nova Hedwigia* 70(1-2): 255-263.
58. LU B.-S. & HYDE K.D. – *Anthostomella longa* sp. nov. and note on other species on monocots from Hong-Kong. *Cryptogamie, Mycologie* 21(4): 207-214.
59. LU B.-S. & HYDE K.D. – *Pandanicola graminella* comb. nov. from *Festuca filiformis* from the Canary Islands, West Africa. *Mycoscience* 41(1): 83-85.
60. LU B.-S. & HYDE K.D. – Species of *Anthostomella* from Portugal, including *A. cyperaceicola* sp. nov. and *A. scirpi* sp. nov. *Mycotaxon* 74(2): 379-390.
61. LU B.-S. & HYDE K.D. – Species of *Anthostomella* from Brunei, including *A. oblongata* sp. nov. *Mycoscience* 41(3): 223-226.
- 61^{bis}. LU B.-S., HYDE K.D. & LIEW E.C.Y. – Eight new species of *Anthostomella* from South Africa. *Mycological Research* 104(6): 742-754.
- 61^{ter}. MOUCHACCA J. – Mycologic literature relevant to New Caledonia. *Mycotaxon* 74(1): 83-104.
62. MONTARINI M., INNOCENTI G. & GOVI G. – Studio del complesso *Gaeumannomyces graminis* – *Phialophora* in terreno provemente da diverse situazioni culturali. *Micologia Italiana* 29(1): 13-23.
63. MOON C.D., SCOTT B., SCHAROL C.L. & CHRISTENSEN M.J. – The evolutionary origins of *Epichloë* endophytes from annual ryegrasses. *Mycologia* 92(6): 1103-1118.
64. NAKAMURA H., UETAKE Y., ARAKAWA M., OKABE I. & MATSUMOTO M. – Observations on the teleomorph of the white root rot fungus *Rosellinia necatrix*, and a related fungus *Rosellinia aquila*. *Mycoscience* 41(5): 503-507.
65. NAVARRO-ROSINÉS P., ETAYO J., CALATAYUD V. – *Rhagadostoma collematum* sp. nov. (ascomycetes lichenícolas, Sordariales) y nuevos datos para otras especies del género. *Bulletin de la Société Linnéenne de Provence* 50: 233-241.
66. NEWELL S.Y. & ZAKEL K.L. – Measuring summer patterns of ascospore release by saltmarsh fungi. *Mycoscience* 41(3): 211-215.
67. NIRENBERG H.I. & SAMUELS G.J. – *Nectria* and *Fusarium* II. *Cosmospora zealandica* comb. nov. and its anamorph *Fusarium zealandicum* sp. nov. *Canadian Journal of Botany* 78(11): 1482-1487.

68. O'DONNELL K. – Molecular phylogeny of the *Nectria haematococca* – *Fusarium solani* species complex. *Mycologia* 92(5): 919-938.
69. O'DONNELL K., NIRENBERG H.I., AOKI T. & CIGELNIK E. – A multigene phylogeny of the *Gibberella fujikuroi* species complex: detection and additional phylogenetically distinct species. *Mycoscience* 41(1): 61-78.
70. OGATA T., SANO T. & HARADA Y. – *Botryosphaeria* ssp. isolated from apple and several deciduous fruit trees are divided into three groups based on the production of warts on twigs, size of conidia and nucleotide sequences of nuclear ribosomal DNA ITS-regions. *Mycoscience* 41(4): 331-337.
71. OKADA G., JACOBS K. KIRISITS T., LOIS-SEIZE G.W., SEIFERT K.A., SUGITA T., TAKEMATSU A. & WINGFIELD M.J. – Epitypification of *Graphium penicillioides* Corda, with comments on the phylogeny and taxonomy of *Graphium*-like synnematosus fungi. *Studies in Mycology* 45: 169-186.
72. OKADA M. & KATUMOTO K. – A new species of *Plagiostoma* (Ascomycota, Diaporthales) with a *Phomopsis* anamorph. *Mycoscience* 41(6): 615-622.
73. OLIVIER C., BERBEE M.L., SHOEMAKER R.A. & LORIA R. – Molecular phylogenetic support from ribosomal DNA sequences for origin of *Helminthosporium* from *Leptosphaeria*-like loculoascomycetes ancestors. *Mycologia* 92(4): 736-746.
74. PAAVOLINEN L., KURKELA T., HÄLLÄKSELA A.M. & HANTULA J. – *Pleomassaria siparia* is composed of two biological species, both of which occur in dead twigs of *Betula pendula* and *B. pubescens*. *Mycologia* 92(2): 253-258.
75. PAULIN A.E. & HARRINGTON T.E. – Phylogenetic placement of anamorphic species of *Chalara* among *Ceratocystis* species and other Ascomycetes. *Studies in Mycology* 45: 209-222.
76. PHILLIPS A.J.L. – *Botryosphaeria populi* sp. nov. and its *Fusicoccum* anamorph from poplar trees in Portugal. *Mycotaxon* 76: 135-140.
77. PHOTITA W.S., LUMYONG S., LUMYONG P. & HYDE K.D. – *Durispora musae*, a new species of ascomycetes from banana in Hong-Kong. *Nova Hedwigia* 71(1-2): 101-105.
78. PÖLDMAA K. – Generic delimitation of the fungicolous Hypocreaceae. *Studies in Mycology* 45: 83-94.
79. POONYTH A.D., HYDE K.D., APTROOT A. & PEERALLY A. – *Mauritiana rhizophorae* gen. and sp. nov. (Ascomycetes, Requiellaceae), with a list of terrestrial saprobic mangrove fungi. *Fungal Diversity* 4: 101-116.
80. POONYTH A.D., HYDE K.D., WONG S.W. & PEERALLY A. – Ultrastructure of asci and ascospores appendages in *Linocarpon appendiculatum* and *L. nipae*. *Botanica Marina* 43(3): 213-221.
81. PURWANTARA A., BARRINS J.M., COZIJNSEN A.J., ADES P.K. & HOWLE B.J. – Genetic diversity of isolates of the *Leptosphaeria maculans* species complex from Australia, Europe and North America using amplified fragment length polymorphism analysis. *Mycological Research* 104(7): 772-781.
82. RANGHOO V.M. & HYDE K.D. – *Ascominuta lignicola*, a new loculoascomycete from submerged wood in Hong-Kong. *Mycoscience* 41(1): 1-5.
83. RANGHOO V.M., HYDE K.D., WONG S.-W., TSUI C.K.M. & JONES E.B.G. – *Vertexicola caudatus* gen. and sp. nov. and a species of *Rivulicola* from submerged wood in freshwater habitats. *Mycologia* 92(5): 1019-1026.
84. RÉBLOVÁ M. – The genus *Chaetosphaeria* and its anamorphs. *Studies in Mycology* 45: 149-168.
85. RÉBLOVÁ M. & BARR M.E. – The genus *Acanthostigma* (Tubeufiaceae, Pleosporales). *Sydowia* 52(2): 258-285.
86. RÉBLOVÁ M. & GAMS W. – Life history of Ascomycetes: two new species of *Chaetosphaeria* with *Chloridium* and *Chloridium-Dictyochaeta* anamorphs. *Mycoscience* 41(2): 129-138.
87. RÉBLOVÁ M. & WINKA K. – Phylogeny of *Chaetosphaeria* and its anamorphs, based on morphological and molecular data. *Mycologia* 92(5): 939-954.
88. RIKKINEN J. – Two new species of *Caliciopsis* (Coryneliaceae) from Hunan Province, China. *Karstenia* 40: 147-151.

89. ROGERS J.D. – Benefactor’s lecture thoughts and musing on tropical Xylariaceae. *Mycological Research* 104(12): 1412-1420.
90. ROGERS J.D., SAN MARTÍN F., JU Y.-M. & HANSEN K. – Venezuelan fungi: *Biscogniauxia viscosicentra* sp. nov. and the anamorph of *Camillea cyclops*. *Nova Hedwigia* 71(3-4): 431-437.
91. ROSSMAN A.Y. – Towards monophyletic genera in the holomorphic Hypocreales. *Studies in Mycology* 45: 27-34.
92. SCHEPER R.W.A., CRANE D.C., WHISSON D.L. & SCOTT E.S. – The *Diaporthe* teleomorph of *Phomopsis* Taxon 1 on grapevine. *Mycological Research* 104(2): 226-231.
93. SÁNCHEZ-BALLESTEROS J., GONZÁLES V., SALAZAR O., ACERO J., PORTAL M.A., JULIÁN M., RUBIO V., BILLS G.F., POLISHOOK J.D., PLATAS G., MOCHALES S. & PELÁEZ F. – Phylogenetic study of *Hypoxyton* and related genera based on ribosomal ITS sequences. *Mycologia* 92(5): 964-977.
94. SCHOCH C.L., CROUS P.W., WINGFIELD M.J. & WINGFIELD B.D. – Phylogeny of *Calonectria* and selected hypocrealean genera with cylindrical macroconidia. *Studies in Mycology* 45: 45-62.
95. SCHOCH C.L., CROUS P.W., WITTHUHN R.C., CRONRIGHT G., EL-GHOLL N.E. et WINGFIELD B.D. – Recombination in *Calonectria morgani* and phylogeny with other heterothallic small-spored *Calonectria* species. *Mycologia* 92(4): 665-673.
96. SCHOERS H.J. – Generic delimitation of *Bionectria* (Bionectriaceae, Hypocreales) based on holomorph characters and rDNA sequences. *Studies in Mycology* 45: 63-82.
97. SIVICHAL S., HYWEL-JONES N.L. & SOMRITHIPOL S. – Lignicolous freshwater Ascomycota from Thailand: *Melanochaeta* and *Sporoschisma* anamorph. *Mycological Research* 104(4): 478-485.
98. STCHIGEL A.M., CANO J., GUARRO J. & GUGNANI H.C. – A new *Apiosordaria* from Nigeria, with a key to the soil-borne species. *Mycologia* 92(6): 1206-1209.
99. STCHIGEL A.M., GUARRO J., GARCÍA SANCHEZ D. & ACOSTA HERNÁNDEZ B. – Soil Ascomycetes from Spain. XII – *Ascotricha canariensis* sp. nov. *Mycologia* 92(4): 805-809.
100. STCHIGEL A.M., SAGUES M., CANO J. & GUARRO J. – Three new thermotolerant species of *Corynascus* from soil, with a key to the known species. *Mycological Research* 104(7): 879-887.
101. STEINKE T.D. – Mangrove fungi on dead proroofs of *Rhizophora micronata* at three localities in South Africa. *South Africa Journal of Botany* 66(2): 91-95.
102. STERFLINGER K., de HOOG G.S. & HAASE G. /in de HOOG G.S./ – Phylogeny and ecology of meristematic ascomycetes. *Studies in Mycology* 43: 5-22.
104. STONE J.K. & PUTNAM M.L. – First report of *Anthostomella pedemontana* from North-America. *Mycotaxon* 74(2): 505-506.
105. SULLIVAN R., BILLS G.F., HYWEL-JONES N.L. & WHITE J.F.Jr. – *Hyperdermium*: a new clavicipitalean genus for some tropical epibionts of dicotyledonous plants. *Mycologia* 92(5): 908-918.
106. SWART L., CROUS P.W., PETRINI O. & TAYLOR J.E. – Fungal endophytes of Proteaceae, with particular emphasis on *Botryosphaeria proteae*. *Mycoscience* 41(2): 123-127.
107. TAMURA M., MITANI S., MIYAZAKI K., LIU P.-G. & DOI Y. – A taxonomic study of *Hypocrea pallida* and *H. pezizoides* based on sequences of ITS et 5,8 sr DNA. *Memoirs of the National Science Museum, Tokyo* 32: 83-92.
108. TAYLOR J.E. & CROUS P.W. – Fungi occurring on Proteaceae: new anamorphs for *Teratosphaeria*, *Mycosphaerella* and *Lembosia*, and other fungi associated with leaf spots and cankers of proteaceous hosts. *Mycological Research* 104(5): 618-636.
109. TEMPLE B. & HORGEN P.A. – Biological roles for cerato-ulmin a hydrophobic secreted by the elm pathogens, *Ophiostoma ulmi* and *Ophiostoma novo-ulmi*. *Mycologia* 92(1): 1-3.

110. TRAIL F. & COMMON R. – Perithecial development by *Gibberella zeae*, a light microscopy study. *Mycologia* 92(1): 130-138.
111. UNTEREINER W.A. – *Capronia* and its anamorphs: exploring the value of morphological and molecular characters in the systematics of the Herpotrichiellaceae. *Studies in Mycology* 43: 141-142.
112. UNTEREINER W.A., GERRITS van den ENDE A.H.G. & de HOOG G.S. – Nutritional physiology of species of *Capronia* (Herpotrichiellaceae) with black yeast anamorphs /in de HOOG G.S. / *Studies in Mycology* 43: 98-106.
113. UZUNOVIC A., SEIFERT K.A., KIM S.H. & BREUIL C. – *Ophiostoma setosum*, a common sapwood staining fungus from Western North America, a new species of the *Ophiostoma piceae* complex. *Mycological Research* 104(4): 486-494.
114. VAN RYCKEGEM G. & VERBEKEN A. – *Rosellinia musispora* sp. nov. een nieuw Tepelkogeltje op Riet (*Phragmites australis*). *Sterbeecia* 19: 6-8 .
115. VERKLEY G.J.M. & PRIEST M.J. – *Septoria* and similar coelomycetous anamorphs of *Mycosphaerella* / in SEIFERT K.A. et al. *Studies in Mycology* 45: 123-128.
116. VESTERHOLT J. – “*Pyrenophora phaeocomes*”. *Swampe* 41: 34-35.
117. VIJI G., GNAMAMICKAM S.S. & LEVY M. – DNA polymorphisms of isolates of *Magnaporthe grisea* from India that are pathogenic to finger millet and rice. *Mycological Research* 104(2): 161-167.
- 117^{bis}. VILJOEN C.D., WINGFIELD M.J., JACOBS K. & WINGFIELD B.D. – *Cornuvesica*, a new genus to accomodate *Ceratocystiopsis falcata*. *Mycological Research* 104(3): 305-307.
118. VUKOJEVIC J., LJALJEVIC-GRBIC M. & DULETIC-LAUSEVIC S. – *Pleospora pyrenaica* on *Draba aspera* recently found in Yugoslavia. *Mycotaxon* 75: 389-393.
119. WANG Y.Z. – The genus *Podospora* in Taiwan. *Mycotaxon* 76: 373-399.
120. WANG Y.Z., WONG M.K.M. & HYDE K.D. – *Ommatomyces*, with one new species and one new combination. *Fungal Diversity* 4: 125-131.
121. WATTERS M.K., HUMPHRIES C., DE VRIES I. & GRIFFITHS A.J.F. – A homeostatic set point for branching in *Neurospora crassa*. *Mycological Research* 104(5): 557-568.
122. WEBSTER J. & WEBER R.W.S. – Rhizomorphs and perithecial stromata of *Podosordaria tulasnei*. *Mycologist* 14(1): 41-44.
123. WHALLEY A.J.S., JONES E.B.G., HYDE K.D. & LAESSØE T. – *Halorosellinia* gen.nov. to accomodate *Hypoxylon oceanicum*, a common mangrove species. *Mycological Research* 104(3): 368-374.
124. WHALLEY M.A., JU Y.M., ROGERS J.D. & WHALLEY A.J.S. – New xylariaceous fungi from Malaysia. *Mycotaxon* 74(1): 135-140.
125. WHITE J.F. Jr., SULLIVAN R., MOY M., PATEL R. & DUNCAN R. – An overview of problems in the classification of plant-parasitic Clavicipitaceae /in SEIFERT K.A. et al. / *Studies in Mycology* 45: 95-105.
126. WIKLER K., GORDON T.R., CLARK S.L., WINGFIELD M.J. & BRITZ H. – Potential for outcrossing in an apparently asexual population of *Fusarium circinatum*, the casual agent of pitch canker disease. *Mycologia* 92(6): 1085-1090.
127. WINKA K. & ERIKSSON O.E. – *Papulosa amerospora* accomodated in a new family (Papulosaceae, Sordariomycetes, Ascomycota) inferred from morphological and molecular data. *Mycoscience* 41(2): 97-103.
128. WONG M.K.M., GOH T.K. & HYDE K.D. – *Paraphaeosphaeria schoenoplecti* sp. nov. from senescent culms of *Schoenoplectus litoralis* in Hong-Kong. *Fungal Diversity* 4: 171-175.
129. ZHOU D. & HYDE K.D. – *Submersisphaeria bambusicola* sp. nov. from bamboo in Hong-Kong. *Fungal Diversity* 4: 181-186.
130. ZHOU D.Q., HYDE K.D. & LU B.-S. – *Striatodecospora* gen. nov. from bamboo in Hong-Kong. *Mycotaxon* 76: 141-147.
131. ZHUANG W.Y. – New species of fungi from tropical China: a new species of *Hydropisphaeria* (Bionectriaceae). *Mycotaxon* 76: 93-95.