



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

C. R. Palevol 2 (2003) 725–727



Keyword index Vol. 2, 2003

12S mtDNA – Schmitz A., 703

A

Académie des sciences – Philip J., 181**adaptation** – Tillier S., 435**Africa** – Martínez-Navarro B., 695**agnosticist** – Blanc M., 329**alkaloids** – Hladik C.-M., 281**allometry** – Gayon J., 353**amber** – Lourenço W.R., 213 – Néraudeau D., 221**ambition** – Debrenne F., 361**Ammonicrinus** – Le Menn J., 205**Ammonitina** – Courville P., 535**Amur Region** – Godefroit P., 143**anatomy** – Janvier P., 523**ancient DNA** – Béraud-Colomb , 125**Ancyrocrinus** – Le Menn J., 205**Angiosperms** – Gomez B., 197 – Damerval C., 241**Anthracotheridae** – Ducrocq S., 261**« Antsingiavo »** – Gommery D., 639**Aquitain Basin** – Néraudeau D., 563**Arabidopsis** – Damerval C., 241**Araucariaceae** – Néraudeau D., 221**Armoricane Massif** – Le Menn J., 205**Asia** – Ducrocq S., 261 – Cavin L., 291**Australopithecus boisei** – Prat S., 685**authenticity** – Blanc M., 329

B

Barberton – Westall F., 485**basic tastes** – Hladik C.-M., 281**Bayesian analysis** – Schmitz A., 703**Belgium** – Godefroit P., 3 – Schulp A.S., 67**Berriasian–Valanginian** – Rossi A., 133**biogeography** – Merle D., 547**biometry** – Bárdossy G., 317**body weight** – Bacon A.-M., 251**bony remains** – Dal Sasso C., 45**Bornholm** – Bonde N., 13**Brachyodus** – Ducrocq S., 261**breccia** – Gommery D., 639

C

C. niloticus – Schmitz A., 703**C. suchus** – Schmitz A., 703**Calcichordates** – Lefebvre B., 509**Cambrion** – Janvier P., 523**Canidae** – Martínez-Navarro B., 695**carbon-14** – Pigeaud R., 161**Catarrhines** – Pickford M., 649**Cenomanian–Turonian** – Néraudeau D., 563, 587**cherts** – Westall F., 485**Chuaria** – Teyssèdre B., 503**cleaning bone method** – Béraud-Colomb É., 125**coal** – Pigeaud R., 161**coefficient of variability** – Joly B., 231**compassion** – Blanc M., 329**constraints** – Padian K., 335**continuity** – Chaline J., 413**Corbières** – Philip J., 181**Correspondence Factor Analysis (CFA)** – Thireau M., 373**Cretaceous** – Allain R., 27 – Mateus O., 77 – Grigorescu D., 97 – Blanco A., 299**Crinoids** – Le Menn J., 205**Crocodylus** – Schmitz A., 703**CYC subfamily** – Damerval C., 241**Cycloidea** – Damerval C., 241

D

Darwinian theories – Debrenne F., 383**Darwinism** – Padian K., 335**dating** – Pigeaud R., 161**Denmark** – Bonde N., 13**developmental constraints** – Sauvède T., 399**Devonian** – Le Menn J., 205 – Crônier C., 577**Dictyostelium** – Teyssèdre B., 503**dinosaurs** – Godefroit P., 3 – Allain R., 27 – Dal Sasso C., 45 – Grigorescu D., 97**discontinuity** – Chaline J., 413**dispersion** – Debrenne F., 383**distribution** – Schulp A.S., 67**doubtful origin** – Debrenne F., 361**Dromaeosaurine** – Bonde N., 13

E

Early Acheulean – Roche H., 663**Early Archaean** – Westall F., 485**Early Cenomanian** – Néraudeau D., 221**Early Cretaceous** – Bonde N., 13 – Meyer A., 103 – Lourenço W.R., 213**early Homo** – Braga J., 269**echinoderms** – Lefebvre B., 509**embryology** – Saucède T., 399**encephalization** – Thireau M., 373**Eocene** – Bárdossy G., 317 – Hervet S., 617**epidermal placodes** – Janvier P., 523**epistemology** – Padian K., 335**Eurasia** – Martínez-Navarro B., 695**Evolution** – Damerval C., 241 – Gayon J., 353 – Debrenne F., 383 – Chaline J., 413 – Tillier S., 435 – Vianey-Liaud M., 455 – Westall F., 485**evolutionary innovations** – Hartenberger J.-L., 473**evolutionary theory** – Blanc M., 329 – Padian K., 335**evolutive lineages** – Hartenberger J.-L., 119**exocyclism** – Saucède T., 399**extinction** – Joly B., 231

F

faked fossils – Debrenne F., 361**Far East Asia** – Demeter F., 625**footprints** – Meyer C.A., 103

fossil – Lourenço W.R., 213

fossil record – Allain R., 27

France – Allain R., 27 – Pigeaud R., 161

– Le Menn J., 205 – Lourenço W.R., 213 – Teilhol V., 289 – Néraudeau D., 563 – Hervet S., 617

fuzzy sets – Bárdossy G., 317

G

Gastropoda – Tillier S., 435

geographic pattern variation – Demeter F., 625

Gondwana – Joly B., 231

Gould – Padian K., 335 – Tillier S., 435
– Westall F., 485

gradualism versus punctualism – Via-
ney-Liaud M., 455

Gravettian – Pigeaud R., 161

Gryphaeidae – Néraudeau D., 563

gustatory nerves – Hladik C.-M., 281

H

heterochronies – Joly B., 231 – Padian
K., 335 – Gayon J., 353 – Courville P.,
535 – Merle D., 547 – Néraudeau D.,
563 – Crônier C., 577

hierarchy – Padian K., 335

hippuritids – Philip J., 181

History – Blanc M., 329

History of Sciences – Padian K., 335 –
Gayon J., 353

hoax – Debrenne F., 361

Hominids – Prat S., 685

Hominoidea – Pickford M., 649

Homo – Prat S., 685

Homo cepranensis – Mallegni F., 153

Homo sapiens – Demeter F., 625

homologous series – Debrenne F., 383

human evolution – Mallegni F., 153 –
Teilhol V., 289

human palaeopathology – Boeuf O.,
169

HVSI region – Béraud-Colomb, 125

I

Iguanodontidae – Néraudeau D., 221

insects – Néraudeau D., 221

irony – Blanc M., 329

irregular echinoids – Saucède T., 399

Italy – Dal Sasso C., 45

J

Jurassic – Allain R., 27 – Mateus O., 77

K

Kenya – Roche H., 663 – Brugal J.-P.,
675 – Prat S., 685

Komdraai – Braga J., 269

L

La Chaise-de-Vouthon – Teilhol V.,
289

Lambeosaurinae – Godefroit P., 143

Late Cretaceous – Gomez B., 197 –
Bardet N., 307, 607

Late Jurassic – Meyer C.A., 103

Late Triassic – Meyer C.A., 103

Late Upper Pleistocene – Demeter F.,
625

lesion – Boeuf O., 169

linear – Chaline J., 413

long bones – Bacon A.-M., 251

Longfengshania – Teyssèdre B., 503

Louis Thaler – Hartenberger J.-L., 119

Lower Cretaceous – François , 597

Lower Pleistocene – Prat S., 685

Lusitan – Mateus O., 77

Lycaon – Martínez-Navarro B., 695

M

Maastrichtian – Schulp A.S., 67 – Go-
defroit P., 143

macroevolution – Neige P., 423

Madagascar – Gommery D., 639

Mammalia – Hartenberger J.-L., 473

Maximum-likelihood – Schmitz A.,
703

Mayenne – Pigeaud R., 161

Mayenne-Sciences (cave) – Pigeaud
R., 161

Mecistops – Schmitz A., 703

Mexico – Blanco A., 299

microbialites – Westall F., 485

microfauna – Gommery D., 639

Middle Miocene – Ducrocq S., 261

Middle Pleistocene – Mallegni F., 153

Miocene – Pickford M., 649

mitochondrial DNA – Béraud-

Colomb É., 125

mitrates – Lefebvre B., 509

molecular genetics – Hartenberger J.-
L., 119

molecular phylogeny – Damerval C.,
241

monsters – Lefebvre B., 509

Morocco – Rossi A., 133 – Bardet N.,
307, 607

morphological disparity – Neige P.,
423

morphological variability – Crô-
nier C., 577

morphology – Gayon J., 353

Mosasauroidea – Bardet N., 607

multivariate analysis – Thireau M.,

373 – Demeter F., 625

Muricidae – Merle D., 547

N

neural crest – Janvier P., 523

neuroanatomy – Thireau M., 373

neurotaxonomy – Thireau M., 373

new genus – Pickford M., 649

new species – Pickford M., 649

new taxon – Cavin L., 291 –

Blanco A., 299 – Bardet N., 307, 607

nonlinear – Chaline J., 413

North-West Tethyan margin – François É., 597

Nummulites – Bárdossy G., 317

O

Oceanic Anoxic Event – Desmarest D.,
587

Oldowan – Roche H., 663

ontogenetic heterochronies – Desma-
res D., 587

ontogeny – Tillier S., 435 – Lefebvre B.,
509 – Merle D., 547 – François É.,
597

origin centers – Debrenne F., 383

Ornithischia – Mateus O., 77

Ornithopoda – Schulp A.S., 67

osteoarthritis – Boeuf O., 169

ostracods – Rossi A., 133

P

P.A. de Sauvages – Philip J., 181

palaeoanthropology – Blanc M., 329

palaeobiogeography – Dal Sasso C., 45

palaeodemography – Néraudeau D.,
563

Palaeoemys – Hervet S., 617

Palaeogene–Neogene – Vianey-
Liaud M., 455

palaeogeography – Godefroit P., 143

Palaeozoic – Lefebvre B., 509

paleoenvironments – Néraudeau D.,
221 – Brugal J.-P., 675

paleoneurology – Thireau M., 373

paradox – Blanc M., 329

Paranthropus – Braga J., 269

parietal art – Pigeaud R., 161

Paris – Philip J., 181

peramorphosis – Courville P., 535

Phacopida – Crônier C., 577

Phyllocerataceae – Joly B., 231

phylogeny – Godefroit P., 143 – Harten-
berger J.-L., 473 – Janvier P., 523

Picot de Lapeyrouse – Philip J., 181

Pilbara – Westall F., 485

Piolenc – Gomez B., 197

- Pisces** – Cavin L., 291
planktic foraminifera – Desmares D., 587
plant cuticles – Gomez B., 197
Plesiosauria – Bardet N., 307
Plio-Pleistocene – Brugal J.-P., 675 – Martínez-Navarro B., 695
Plio-Pleistocene archaeology – Roche H., 663
Polycotylidae – Bardet N., 307
polymorphism – Néraudeau D., 563
punctuate equilibria – Blanc M., 329
Pongo pygmaeus – Bacon A.-M., 251
populations – Hartenberger J.-L., 119
Portugal – Mateus O., 77
Pre-Oldowan – Roche H., 663
Precambrian – Teyssèdre B., 503
Prehistory – Demeter F., 625
primates – Gommery D., 639
profit – Debrenne F., 361
prokaryotes – Westall F., 485
prosauropods – Meyer C.A., 103
punctuated equilibria – Tillier S., 435
- R**
- radiation** – Hartenberger J.-L., 473
radiolitids – Philip J., 181
real-time PCR – Béraud-Colomb , 125
recognition thresholds – Hladik C.-M., 281
resampling – Braga J., 269
Rhaetian – Godefroit P., 3
Rhynchosstreon suborbiculatum – Néraudeau D., 563
rodents – Hartenberger J.-L., 119 – Vianey-Liaud M., 455
Romania – Grigorescu D., 97
- rudists** – Philip J., 181
Russia – Godefroit P., 143
- S**
- Sahara** – Courville P., 535
Sauropoda – Mateus O., 77
sauropods – Bonde N., 13 – Meyer C.A., 103
scale relativity – Chaline J., 413
scoliosis – Boeuf O., 169
scorpion – Lourenço W.R., 213
Semionotidae – Cavin L., 291
sequence stratigraphy – Schulp A.S., 67 – Rossi A., 133
skull development – Teilhol V., 289
skull morphology – Teilhol V., 289
soft-tissue preservation – Dal Sasso C., 45
southeastern France – Gomez B., 197
southwestern France – Néraudeau D., 221
spatangoids – François É., 597
species concept – Tillier S., 435
spiral sculpture – Merle D., 547
Squamata – Bardet N., 607
statistical methods – Bárdossy G., 317
stromatolites – Westall F., 485
stylophorans – Lefebvre B., 509
sub-Present – Boeuf O., 169
subfossils – Gommery D., 639
sugars – Hladik C.-M., 281
synthetic theory – Padian K., 335
- T**
- tannins** – Hladik C.-M., 281
taphonomy – Néraudeau D., 563
Tawuia – Teyssèdre B., 503
taxonomic diversity – Neige P., 423
taxonomy – Tillier S., 435 – Schmitz A., 703
- TCP family** – Damerval C., 241
teeth – Godefroit P., 3 – Bonde N., 13 – Bacon A.-M., 251 – Prat S., 685
Teleostei – Blanco A., 299
Testudinoidea – Hervet S., 617
Tethys – Joly B., 231
The Netherlands – Schulp A.S., 67
Theropoda – Schulp A.S., 67 – Mateus O., 77
theropods – Meyer C.A., 103
thyreophorans – Meyer C.A., 103
tooth morphology – Braga J., 269
Toxaster – François É., 597
tracksites – Dal Sasso C., 45
Triassic – Allain R., 27
trilobites – Crônier C., 577
Tuanshanzi – Teyssèdre B., 503
Turonian – Bardet N., 307, 607
- U**
- Uganda** – Pickford M., 649
uncertainties – Bárdossy G., 317
universality – Blanc M., 329
Upper Cretaceous – Courville P., 535
Upper Palaeolithic – Pigeaud R., 161
- V**
- variability** – Joly B., 231
Vertebrates – Janvier P., 523 – Brugal J.-P., 675
Vietnam – Bacon A.-M., 251
- W**
- West Turkana** – Roche H., 663 – Brugal J.-P., 675
Western Europe – Vianey-Liaud M., 455
Western Interior Basin (USA) – Desmares D., 587
writing – Blanc M., 329