

Erratum: volume 20 (45) 2021: 931-939, December 13, 2021.  
***Hoffmanigraptus* n. gen., a new retiolitine (Graptolithina),  
an early member of the *Plectograptus* lineage from the  
Silurian of Baltica, Poland**

**KOZŁOWSKA Anna**

Institute of Paleobiology Polish Academy of Sciences,  
Twarda 51/55, 00-818 Warszawa (Poland)  
[akd@twarda.pan.pl](mailto:akd@twarda.pan.pl)

---

Published on 23 December 2021

---

[urn:lsid:zoobank.org:pub:36F2ACAB-4DA8-4F7F-80B1-8554E6669A2E](https://zoobank.org/pub:36F2ACAB-4DA8-4F7F-80B1-8554E6669A2E)

---

Kozłowska A. 2021. — Erratum: volume 20 (45) 2021: 931-939, 13 December 2021. *Hoffmanigraptus* n. gen., a new retiolitine (Graptolithina), an early member of the *Plectograptus* lineage from the Silurian of Baltica, Poland. *Comptes Rendus Palevol* 20 (46): 941-942. <https://doi.org/10.5852/cr-palevol2021v20a46>

On page 933, the paragraph “Diagnosis” of the new genus *Hoffmanigraptus* n. gen. is missing. The “Diagnosis” paragraph has been reproduced here.

À la page 933, le paragraphe « Diagnose » du nouveau genre *Hoffmanigraptus* n. gen. est absent. Le paragraphe « Diagnose » a été reproduit ici.

Phylum HEMICHORDATA Bateson, 1885  
Class PTEROBRANCHIA Lankester, 1877  
Subclass GRAPTOLITHINA Bronn, 1849  
Superfamily RETIOLITOIDEA Lapworth, 1873  
Family RETIOLITIDAE Lapworth, 1873  
Subfamily RETIOLITINAE Lapworth, 1873

*Hoffmanigraptus* n. gen.

[urn:lsid:zoobank.org:act:9F4AAB20-6612-4CF8-B5E7-97BB32538530](https://doi.org/10.3896/BI.2021.9F4AAB20-6612-4CF8-B5E7-97BB32538530)

ETYMOLOGY. — In honor of the late Polish biologist and paleontologist, Antoni Hoffman, author of significant books and papers on evolution and paleoecology; *graptus* – graptolite (Graptolithina).

TYPE SPECIES. — *Hoffmanigraptus varsoviensis* n. sp.

TYPE LOCALITY. — Bartoszyce IG-1 core, depth 1643.0 m, Poland.

SPECIES INCLUDED. — *Hoffmanigraptus varsoviensis* n. gen., n. sp., *Plectograptus? ovatus* Kozłowska-Dawidziuk, Lenz & Štorch, 2001; *Plectograptus? karlsteinensis* Kozłowska-Dawidziuk, Lenz & Štorch, 2001.

DIAGNOSIS. — Proximal end of tubarium is narrow, tubarium widens medially and tapers distally forming a finite tubarium; ancora umbrella shallow; proximal lateral orifices small, kidney-shaped; well-developed primary lists of ancora sleeve forming regular hexagonal meshes with zigzag pattern in the middle part and reticulum; ancora sleeve lists, pleural lists and thecal lips meet at triple junctions; mid-ventral lists may be partly developed or absent; genicular process of reticulofusellar nature maybe present; nema maybe thicker, nematularium may be present.

*Published on 23 December 2021.*