

# Inventory of Mesozoic radiolarian species (1867-2008)

**Luis O'DOGHERTY**

Facultad de Ciencias del Mar, Universidad de Cádiz,  
E-11510 Puerto Real (Spain)  
lodogher@uca.es

---

O'Dogherty L. 2009. — Inventory of Mesozoic radiolarian species (1867-2008). *Geodiversitas* 31 (2): 371-481.

## ABSTRACT

This paper presents, for the first time, a complete list of Mesozoic radiolarian species (mainly Polycistina) described between 1867 and 2008. It records 6296 taxa names described originally as new species or subspecies. The list provides only an objective record without revision of taxonomic status, and thus includes invalid taxa, junior objective or subjective synonyms, *nomina dubia* and *nomina nuda*.

## KEY WORDS

Radiolaria,  
Polycistina,  
Mesozoic species,  
Taxonomy.

## RÉSUMÉ

*Inventaire des espèces des radiolaires mésozoïques (1867-2008).*

Ce travail présente pour la première fois un inventaire complet des espèces de radiolaires (Polycistinea pour la plupart) décrites entre 1867 et 2008. Les noms de 6296 taxons sont présentés, qu'ils appartiennent au groupe espèce ou au groupe sous-espèce. La liste présentée correspond à un inventaire objectif, sans révision du statut taxonomique, on y trouve donc indifféremment des taxons valides, des synonymes objectifs ou subjectifs, des *nomina dubia* et des *nomina nuda*.

## MOTS CLÉS

Radiolaires,  
Polycistina,  
espèces mésozoïques,  
Taxonomie.

## OBJECTIVES

We present a comprehensive list of all Mesozoic radiolarian species described between 1867 and 2008. It records 6296 taxa described originally as either new species or subspecies. It provides in a single file, the names of all Mesozoic species that have been published. However, it is an objective record without revision of taxonomic status, i.e. it includes invalid taxa, junior objective or subjective synonyms, *nomina dubia* and *nomina nuda*.

The purpose of this list is to provide information on: 1) the original Linnean combination used when a species was erected as new in Mesozoic material, with indication of type species (T, valid type species; Td, types that are *nomina dubia*; Th, types that are homonyms; Ti, type species that are invalid names; Ts, types that are synonyms); 2) the page on which it is described; 3) the age of the holotype as originally published; and 4) the order to which the species belongs (A, Alballiellaria; E, Entactinaria; N, Nassellaria; S, Spumellaria; P, Phaeodaria).

## COMPILATION OF SPECIES NAMES

This master list has been compiled following a detailed bibliographic search of over 2300 papers dealing with Mesozoic radiolarians. Another valuable source has been the taxonomic database of Zoological Record and Nomenclator Zoologicus provided by uBIO. The bibliographic investigations resulted in 420 references dealing with new species or subspecies. The list of these publications is given in the references.

Following a two-step process, the data were compiled in a spreadsheet linked to the holotype's image folder. The first step has been accomplished and consisted of compiling the basic information on the species:

- original combination;
- author and year of publication;
- order;
- page of description;
- designed holotype (or lectotype if available);
- author's type series;
- holotype's sample;
- holotype's age (assumed by author at stage or

substage precision);

- type locality;
- country or geographic area.

Synonyms and species descriptions are not included because this is beyond the scope of the project and would require several years of work by many research groups. The second step is in progress and consists of scanning the holotype images. Thus the list presented herein is just an extract of the complete and auxiliary catalogue produced for the "Genera revision project" of the Mesozoic Working Group. The general agreement of participants at the workshops was that it would be extremely useful for everyone if we could use this opportunity to take a step forward in the taxonomy of species once the revision of genera has been fully achieved. Such effort would have the additional benefit of providing a better-defined starting point for future taxonomists.

## FUTURE WORK

Revision of the taxonomic status of species is the next step towards attaining a full proper standard of taxonomy and stratigraphy for Mesozoic radiolarians. Checking the taxonomic status of a name, unless one is personally familiar with it, is a time consuming task depending on the availability of literature. However, we have developed the tools (two image databases of type species and holotypes) to help succeed in this objective. Even though checking and correcting a list of more than 6000 names is an enormous job for a single specialist it should be one of the future tasks of the Mesozoic Working Group.

Using the catalogue of genera as a standard, the first task would be to actualize the list of species, validating or replacing the genus name by the most accurate one possible. Once the species are placed in the correct genus, the next step would be to validate the species and to edit the synonymies. In this way the full revision of the Mesozoic name is ensured.

I fully understand that this is an ambitious plan, but it is not unrealistic. I also feel that it is necessary to move towards this goal in the next few years to define a better starting point for Mesozoic taxonomy, but this will need the full support of the Mesozoic radiolarian community to insure its success.

Original combination	Author, year: page	Age	Order
<i>Abnormisphaera intraentis</i> (Td)	Tikhomirova, 1986: 19	L. Tr.	S
<i>Acaeniospongius multinodosus</i> (Ts)	Kozur & Mostler, 1981: 44	M. Tr.	S
<i>Acaeniotyle diaphorogona</i> (Th)	Foreman, 1973: 258	E. Cret.	S
<i>Acaeniotyle diaphorogona dentata</i>	Baumgartner, 1984: 754	E. Cret.	S
<i>Acaeniotyle diaphorogona variata</i>	Ozoldova, 1979b: 251	L. Jur.	S
<i>Acaeniotyle ? florea</i>	Ozoldova in Ozoldova & Petercakova, 1992: 314	E. Cret.	S
<i>Acaeniotyle gedrangta</i>	Empson-Morin, 1981: 261	L. Cret.	S
<i>Acaeniotyle ? ghostensis</i>	Carter in Carter <i>et al.</i> , 1988: 33	E. Jur.	S
<i>Acaeniotyle glebulosa parvispina</i>	Marcucci & Salvini in Marcucci <i>et al.</i> , 1994: 28	L. Cret.	S
<i>Acaeniotyle helicta</i>	Foreman, 1975: 607	E. Cret.	S
<i>Acaeniotyle parva</i>	Yang, 1993: 92	L. Jur.	S
<i>Acaeniotyle rebellis</i>	O'Dogherty, 1994: 287	L. Cret.	S
<i>Acaeniotyle starka</i>	Empson-Morin, 1981: 260	L. Cret.	S
<i>Acaeniotyle tribulosa</i>	Foreman, 1973: 258	E. Cret.	S
<i>Acaeniotyle tuberosa</i>	Steiger, 1992: 27	L. Jur.	S
<i>Acaeniotyle vitalis</i>	O'Dogherty, 1994: 287	L. Cret.	S
<i>Acaeniotylopsis splendens</i>	Kito & De Wever, 1994: 132	M. Jur.	S
<i>Acaeniotylopsis triacanthus</i> (T)	Kito & De Wever, 1994: 132	M. Jur.	S
<i>Acanthocircus angustus</i>	Donofrio & Mostler, 1978: 25	L. Cret.	S
<i>Acanthocircus bestiarius</i>	O'Dogherty, 1994: 257	L. Cret.	S
<i>Acanthocircus breviaculeatus</i>	Donofrio & Mostler, 1978: 26	L. Jur.	S
<i>Acanthocircus burnensis</i>	Blome, 1984a: 21	L. Tr.	S
<i>Acanthocircus calvus</i>	Dumitrica & Zügel, 2008: 76	L. Jur.	S
<i>Acanthocircus carinatus</i> (T)	Foreman, 1973: 260	E. Cret.	S
<i>Acanthocircus coronatus</i>	Squinabol, 1903: 126	L. Cret.	S
<i>Acanthocircus dendroacanthos</i>	Squinabol, 1903: 125	L. Cret.	S
<i>Acanthocircus dotii</i>	Blome, 1984a: 22	L. Tr.	S
<i>Acanthocircus dumitricai</i>	Kiessling, 1999: 36	L. Jur.	S
<i>Acanthocircus echinocircus</i>	Dumitrica & Zügel, 2008: 80	L. Jur.	S
<i>Acanthocircus floridus</i>	O'Dogherty, 1994: 262	E. Cret.	S
<i>Acanthocircus furiosus</i> (T)	Jud, 1994: 59	E. Cret.	S
<i>Acanthocircus harrisonensis</i>	Blome, 1984a: 22	L. Tr.	S
<i>Acanthocircus horridus</i>	Squinabol, 1903: 125	L. Cret.	S
<i>Acanthocircus imperfectus</i>	Bragina, 2004: S443	L. Cret.	S
<i>Acanthocircus impolitus</i>	O'Dogherty, 1994: 261	E. Cret.	S
<i>Acanthocircus irregularis</i> (T)	Squinabol, 1903: 125	L. Cret.	S
<i>Acanthocircus izeensis</i>	Blome, 1984a: 22	L. Tr.	S
<i>Acanthocircus kozuri</i>	Pessagno & Hull, 2002: 242	L. Jur.	S
<i>Acanthocircus largus</i>	Blome, 1984a: 23	L. Tr.	S
<i>Acanthocircus laxus</i>	Blome, 1984a: 23	L. Tr.	S
<i>Acanthocircus longispinosus</i>	Donofrio & Mostler, 1978: 29	E. Cret.	S
<i>Acanthocircus lupheri</i>	Blome, 1984a: 23	L. Tr.	S
<i>Acanthocircus macoyensis</i>	Blome, 1984a: 24	L. Tr.	S
<i>Acanthocircus meyerhofforum</i>	Hull, 1997: 30	L. Jur.	S
<i>Acanthocircus minispineus</i>	Yang, 1993: 81	L. Jur.	S
<i>Acanthocircus moctezumaensis</i>	Yang, 1993: 82	L. Jur.	S
<i>Acanthocircus nanus</i>	O'Dogherty, 1994: 263	L. Cret.	S
<i>Acanthocircus ochocoensis</i>	Blome, 1984a: 24	L. Tr.	S
<i>Acanthocircus postsuboblongus</i>	Kozur, 1991: without description	M. Jur.	S
<i>Acanthocircus prinevillensis</i>	Blome, 1984a: 24	L. Tr.	S
<i>Acanthocircus rarus</i>	Squinabol, 1903: 125	L. Cret.	S
<i>Acanthocircus rotundus</i>	Blome, 1984a: 24	L. Tr.	S
<i>Acanthocircus silverensis</i>	Blome, 1984a: 25	L. Tr.	S
<i>Acanthocircus spelae</i>	Dumitrica & Zügel, 2008: 78	L. Jur.	S
<i>Acanthocircus squinaboli</i>	Donofrio & Mostler, 1978: 30	L. Cret.	S
<i>Acanthocircus suboblongus minor</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 66	L. Jur.	S
<i>Acanthocircus supleensis</i>	Blome, 1984a: 25	L. Tr.	S
<i>Acanthocircus tansinhoki</i>	Pessagno & Hull, 2002: 243	L. Jur.	S
<i>Acanthocircus trizonalis angustus</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 70	L. Jur.	S
<i>Acanthocircus tuberosus</i>	Donofrio & Mostler, 1978: 31	E. Cret.	S
<i>Acanthocircus tympanum</i>	O'Dogherty, 1994: 259	L. Cret.	S
<i>Acanthocircus usitatus</i>	Blome, 1984a: 25	L. Tr.	S
<i>Acanthocircus vigrassi</i>	Blome, 1984a: 26	L. Tr.	S
<i>Acanthocircus waigaloensis</i>	Pessagno & Hull, 2002: 243	L. Jur.	S
<i>Acanthocircus yaoi</i>	Yang, 1993: 87	L. Jur.	S
<i>Acanthocorys cretacea</i> (Td)	Squinabol, 1904: 214	L. Cret.	N

<i>Acanthopyle depressa</i>	Tikhomirova, 1984: 21	L. Jur.	S
<i>Acanthopyle dreyeri</i> (Td)	Vinassa de Regny, 1899: 227	L. Jur.	S
<i>Acanthopyle ovata</i>	Tikhomirova, 1984: 22	L. Jur.	S
<i>Acanthosphaera atatchaika</i>	Aliev, 1976: 119	E. Cret.	S
<i>Acanthosphaera austriaca</i>	Kozur & Mostler, 1979a: 49	L. Tr.	S
<i>Acanthosphaera awaensis</i>	Nakaseko & Nishimura, 1979: 67	L. Tr.	S
<i>Acanthosphaera capellinii</i>	Neviani, 1900: 649	L. Jur.	S
<i>Acanthosphaera carterae</i>	Kozur, Krainer & Mostler, 1996b: 221	M. Tr.	S
<i>Acanthosphaera castanella</i>	Rüst, 1898: 12	L. Jur.	S
<i>Acanthosphaera cenomanica</i>	Kazintsova, 1981: 90	L. Cret.	S
<i>Acanthosphaera Hahnii</i>	Rüst, 1898: 12	L. Jur.	S
<i>Acanthosphaera hexagona</i>	Rüst, 1898: 12	L. Jur.	S
<i>Acanthosphaera knipperii</i>	Vishnevskaya, 2001: 143	M. Jur.	S
<i>Acanthosphaera ? lucida</i>	Hull, 1997: 73	L. Jur.	S
<i>Acanthosphaera magnimamma</i>	Rüst, 1898: 12	L. Jur.	S
<i>Acanthosphaera ? mocki</i>	Kozur & Mostler, 1979a: 49	L. Tr.	S
<i>Acanthosphaera ? multispinosa</i>	Kozur & Mostler, 1979a: 50	L. Tr.	S
<i>Acanthosphaera nicorae</i>	Kozur, Krainer & Mostler, 1996b: 221	M. Tr.	S
<i>Acanthosphaera paronai</i>	Neviani, 1900: 649	L. Jur.	S
<i>Acanthosphaera parvipora</i>	Squinabol, 1903: 115	L. Cret.	S
<i>Acanthosphaera parvispina</i>	Vinassa de Regny, 1899: 227	L. Jur.	S
<i>Acanthosphaera ramustyla</i>	Lahm, 1984: 62	M. Tr.	S
<i>Acanthosphaera reiffingensis</i>	Lahm, 1984: 61	L. Tr.	S
<i>Acanthosphaera robustissima</i>	Rüst, 1898: 12	L. Jur.	S
<i>Acanthosphaera tenuispina</i>	Squinabol, 1903: 115	L. Cret.	S
<i>Acanthosphaera tissaloensis</i>	Tikhomirova, 1983b: 83	E. Cret.	S
<i>Acanthosphaera trigonoporosa</i>	Zhamoïda, 1972: 107	L. Cret.	S
<i>Acanthosphaera wisniowskii</i>	Squinabol, 1903: 114	L. Cret.	S
<i>Acanthotetrapaurinella ? bifida</i>	Kozur & Mostler, 2006: 30	M. Tr.	S
<i>Acanthotetrapaurinella subovalis</i>	Kozur & Mostler, 2006: 30	M. Tr.	S
<i>Acanthotetrapaurinella variabilis</i> (T)	Kozur & Mostler, 2006: 30	M. Tr.	S
<i>Acastea acer</i>	Yang, 1993: 94	L. Jur.	S
<i>Acastea bipes</i>	Yang, 1993: 95	L. Jur.	S
<i>Acastea dura</i>	Yang, 1993: 96	L. Jur.	S
<i>Acastea incontraria</i>	Hull, 1997: 34	L. Jur.	S
<i>Acastea minispinea</i>	Yang, 1993: 97	L. Jur.	S
<i>Acastea prolixa</i>	Hull, 1997: 34	L. Jur.	S
<i>Acastea remusa</i>	Hull, 1997: 35	L. Jur.	S
<i>Acastea tenuis</i>	Hull, 1997: 35	L. Jur.	S
<i>Acidnomelos apteron</i> (T)	Foreman, 1968: 24	L. Cret.	N
<i>Acidnomelos ? laevis</i>	Petrushevskaya, 1977: 11	L. Cret.	N
<i>Acidnomelos proapteron</i>	Foreman, 1978b: 749	L. Cret.	N
<i>Acotripus sphericus</i> (T)	Ozvoidova, 1988: 376	L. Jur.	N
<i>Acotripus urceolus</i> (Td)	Rüst, 1885: 312	L. Jur.	N
<i>Acrosphaera hirsuta</i>	Perner, 1891: 261	L. Cret.	S
<i>Acrosphaera mirabilis</i>	Squinabol, 1904: 187	L. Cret.	S
<i>Actinomma ? davisensis</i>	Pessagno, 1976: 43	L. Cret.	S
<i>Actinomma ? douglasi</i>	Pessagno, 1976: 43	L. Cret.	S
<i>Actinomma dubia</i>	Neviani, 1900: 650	L. Jur.	S
<i>Actinomma frigida</i>	Kiessling, 1999: 15	L. Jur.	S
<i>Actinomma ? hexocontum</i>	Li & Wu, 1985: 65	L. Cret.	S
<i>Actinomma interessanta</i>	Kiessling, 1999: 16	L. Jur.	S
<i>Actinomma ishidai</i>	Sashida & Uematsu, 1996: 48	L. Jur.	S
<i>Actinomma ? joaquinensis</i>	Pessagno, 1976: 43	L. Cret.	S
<i>Actinomma longinggapensis</i>	Kiessling, 1999: 16	L. Jur.	S
<i>Actinomma matsukoi</i>	Sashida & Uematsu, 1996: 48	L. Jur.	S
<i>Actinomma pachyspina</i>	Neviani, 1900: 650	L. Jur.	S
<i>Actinomma ? pleiadescensis</i>	Ellis, 1993: 954	E. Cret.	S
<i>Actinomma ? rude</i>	Li & Wu, 1985: 65	L. Cret.	S
<i>Actinomma siciliensis</i>	Kito & De Wever, 1994: 128	M. Jur.	S
<i>Actinomma tochidaniensis</i>	Sashida & Uematsu, 1996: 49	L. Jur.	S
<i>Actinomma ? tuberculatum</i>	Li & Wu, 1985: 65	L. Cret.	S
<i>Actinomma verwirra</i>	Kiessling, 1999: 16	L. Jur.	S
<i>Actinomma vetusta</i>	Parona, 1890: 152	L. Jur.	S
<i>Acusten ordinarius</i> (T)	Yang, 1993: 98	L. Jur.	S
<i>Acutacapsula gassanovi</i> (Td)	Tikhomirova, 1983a: 61	E. Cret.	N
<i>Acutacapsula geisuensis</i>	Tikhomirova, 1983a: 62	E. Cret.	N
<i>Acutacapsula porrecta</i>	Tikhomirova, 1983a: 62	L. Jur.	N

<i>Acuticassis gotica</i> (T)	Dumitrica & Zügel, 2003: 38	L. Jur.	N
<i>Adelocyrtis cometa</i> (Td)	Pantanelli, 1880: 54	L. Jur.	N
<i>Adelocyrtis pala</i> (Td)	Pantanelli, 1880: 54	L. Jur.	N
<i>Adelocyrtis spinosa</i>	Pantanelli, 1880: 54	L. Jur.	N
<i>Advena mystica</i> (Ts)	Hull, 1997: 19	L. Jur.	S
<i>Afens liriodes</i> (T)	Riedel & Sanfilippo, 1974: 775	L. Cret.	N
<i>Aitau bipartitum</i>	Pessagno & Hull, 2002: 248	L. Jur.	N
<i>Aitau yehae</i> (T)	Pessagno & Hull, 2002: 248	L. Jur.	N
<i>Alatipicapora gediki</i> (Ts)	Tekin, 1999: 145	L. Tr.	N
<i>Alatipicapora latoalata</i>	Kozur, Moix & Ozsvárt, 2007c: 200	L. Tr.	N
<i>Alatipicapora spinosa</i>	Kozur, Moix & Ozsvárt, 2007c: 199	L. Tr.	N
<i>Alatipicapora tetrapedis</i>	Kozur, Moix & Ozsvárt, 2007c: 198	L. Tr.	N
<i>Albaillella aotearoa</i>	Takemura & Aono, 2007: 197	E. Tr.	A
<i>Alievium antiquum</i>	Pessagno, 1972: 298	E. Cret.	S
<i>Alievium ? echinus</i>	Dumitrica, 1997: 224	E. Cret.	S
<i>Alievium ? fatuum</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 23	E. Cret.	S
<i>Alievium helenae</i>	Schaaf, 1981: 431	E. Cret.	S
<i>Alievium ? helenae picum</i>	Kiessling, 1995: 326	E. Cret.	S
<i>Alievium ? juskatlaensis</i>	Carter in Carter <i>et al.</i> , 1988: 44	E. Jur.	S
<i>Alievium longispinum</i>	Yang & Wang, 1990: 204	L. Jur.	S
<i>Alievium murphyi</i>	Pessagno, 1972: 300	L. Cret.	S
<i>Alievium nodulosum</i>	Dumitrica, 1997: 224	E. Cret.	S
<i>Alievium olferievi</i>	Vishnevskaya, 2007: 496	L. Cret.	S
<i>Alievium praegallowayi</i>	Pessagno, 1972: 301	L. Cret.	S
<i>Alievium rozanovi</i>	Vishnevskaya, 2007: 496	L. Cret.	S
<i>Alievium zartum</i>	Empson-Morin, 1981: 257	L. Cret.	S
<i>Amphibrachium (Amphibrachella) californicum</i>	Campbell & Clark, 1944: 17	L. Cret.	S
<i>Amphibrachium abbreviatum</i>	Rüst, 1888: 199	E. Cret.	S
<i>Amphibrachium acum</i>	Vinassa de Regny, 1901: 504	L. Cret.	S
<i>Amphibrachium acuminatum</i>	Parona, 1890: 156	L. Jur.	S
<i>Amphibrachium amphigyum</i>	Li, 1986: 312	L. Jur.	S
<i>Amphibrachium clavatum</i>	Rüst, 1888: 199	E. Cret.	S
<i>Amphibrachium clavatum</i>	Tikhomirova, 1984: 24	L. Jur.	S
<i>Amphibrachium concentricum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 125	L. Cret.	S
<i>Amphibrachium conzeum</i>	Rüst, 1885: 297	L. Jur.	S
<i>Amphibrachium cordiformis</i>	Hinde, 1900: 23	Jur.	S
<i>Amphibrachium crassum</i>	Hinde, 1893: 233	Cret.	S
<i>Amphibrachium crassum</i>	Hinde, 1900: 23	Jur.	S
<i>Amphibrachium cylindricum</i>	Rüst, 1885: 296	L. Jur.	S
<i>Amphibrachium dilatatum</i>	Rüst, 1898: 24	L. Jur.	S
<i>Amphibrachium diminutum</i> (Td)	Rüst, 1885: 296	L. Jur.	S
<i>Amphibrachium elongatum</i>	Rüst, 1898: 25	L. Jur.	S
<i>Amphibrachium exornatum</i>	Rüst, 1898: 25	L. Jur.	S
<i>Amphibrachium farcimen</i>	Rüst, 1898: 25	L. Jur.	S
<i>Amphibrachium femur</i>	Li, 1986: 312	L. Jur.	S
<i>Amphibrachium flexuosum</i>	Khabakov, 1937: 108	E. Cret.	S
<i>Amphibrachium fragile</i>	Hinde, 1893: 233	Cret.	S
<i>Amphibrachium grande</i> (Td)	Rüst, 1888: 199	E. Cret.	S
<i>Amphibrachium ? hastatum</i>	Renz, 1974: 788	E. Cret.	S
<i>Amphibrachium irazuense</i>	Aita, 1987: 68	L. Jur.	S
<i>Amphibrachium Isseli</i>	Squinabol, 1912: 283	L. Jur.	S
<i>Amphibrachium leptum</i>	Foreman, 1978a: 841	E. Cret.	S
<i>Amphibrachium mucronatum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 126	L. Cret.	S
<i>Amphibrachium ornatum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 126	L. Cret.	S
<i>Amphibrachium ossiforme</i>	Muzavor, 1977: 59	L. Jur.	S
<i>Amphibrachium ossiforme</i>	Muzavor, 1980: 115	L. Jur.	S
<i>Amphibrachium ovale</i>	Vinassa de Regny, 1900: 338	L. Jur.	S
<i>Amphibrachium peregrinum</i>	Parona, 1890: 157	L. Jur.	S
<i>Amphibrachium petersoni</i> (Ts)	Pessagno, 1971a: 21	L. Jur.	S
<i>Amphibrachium ? phantomensis</i>	Carter in Carter <i>et al.</i> , 1988: 39	E. Jur.	S
<i>Amphibrachium pisciforme</i>	Rüst, 1898: 25	L. Jur.	S
<i>Amphibrachium pugio</i>	Parona, 1890: 156	L. Jur.	S
<i>Amphibrachium sansalvadorensis</i> (T)	Pessagno, 1971a: 21	L. Jur.	S
<i>Amphibrachium sibiricum</i>	Gorbovetz in Kozlova & Gorbovetz, 1966: 83	L. Cret.	S
<i>Amphibrachium spongiosum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 127	L. Cret.	S
<i>Amphibrachium taramellii</i>	Neviani, 1900: 654	L. Jur.	S
<i>Amphibrachium tenuissimum</i>	Rüst, 1898: 25	L. Jur.	S
<i>Amphibrachium truncatum</i>	Hinde, 1893: 233	Cret.	S

<i>Amphibrachium venetum</i>	Squinabol, 1914: 272	E. Cret. S
<i>Amphibrachium vialovi</i>	Tikhomirova, 1984: 24	L. Jur. S
<i>Amphibrachium zillense</i>	Rüst, 1888: 199	E. Cret. S
<i>Amphicraspedum sigmoideum</i>	Rüst, 1898: 26	L. Jur. S
<i>Amphiparvex breviori</i> (Ts)	Garg & Jain, 1978: 165	L. Cret. N
<i>Amphipyndax awaensis</i>	Nakaseko & Nishimura in Nakaseko <i>et al.</i> , 1979b: 21	L. Cret. N
<i>Amphipyndax conicus</i>	Nakaseko & Nishimura, 1981: 143	L. Cret. N
<i>Amphipyndax durisaeptum</i>	Aita, 1987: 69	M. Jur. N
<i>Amphipyndax ellipticus</i>	Nakaseko & Nishimura, 1981: 144	L. Cret. N
<i>Amphipyndax enesseffi</i> (T)	Foreman, 1966: 356	L. Cret. N
<i>Amphipyndax ? epiplatys</i>	Renz, 1974: 788	E. Cret. N
<i>Amphipyndax plousios</i>	Foreman, 1968: 79	L. Cret. N
<i>Amphipyndax ? pyrgodes</i> (Ts)	Renz, 1974: 788	E. Cret. N
<i>Amphipyndax riedeli</i>	Garg & Jain, 1978: 163	L. Cret. N
<i>Amphipyndax tsunoensis</i>	Aita, 1987: 69	M. Jur. N
<i>Amphipyndax tylotus</i>	Foreman, 1978b: 745	L. Cret. N
<i>Amphisphaera (Amphisphaerella) gracilis</i>	Campbell & Clark, 1944: 6	L. Cret. S
<i>Amphisphaera armata</i>	Rüst, 1888: 193	E. Cret. S
<i>Amphisphaera gratiosa</i>	Parona, 1890: 150	L. Jur. S
<i>Amphisphaera mesotriassica</i>	Dumitrica, Kozur & Mostler, 1980: 11	M. Tr. S
<i>Amphistylus zitteli</i>	Vinassa de Regny, 1899: 224	L. Jur. S
<i>Amphymenium lanceolatum</i>	Rüst, 1898: 25	L. Jur. S
<i>Amphymenium sibiricum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 128	L. Cret. S
<i>Amphymenium vishnevskayae</i>	Amon, 2000: 57	L. Cret. S
<i>Amuria impensa</i> (Th)	Whalen & Carter in Carter <i>et al.</i> , 1998: 56	E. Jur. S
<i>Amuria macfarlanei</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 56	E. Jur. S
<i>Anachoreta sagitta</i> (T)	O'Dogherty, 1994: 138	L. Cret. N
<i>Anaticapitula clauda</i> (T)	Dumitrica & Zügel, 2003: 54	L. Jur. N
<i>Anaticapitula germanica</i>	Dumitrica & Zügel, 2003: 54	L. Jur. N
<i>Anaticapitula omanensis</i>	Dumitrica in Goričan <i>et al.</i> , 2006: 20	E. Jur. N
<i>? Anaticapitula parvireticulata</i>	Bertinelli & Marcucci, 2006: 146	E. Jur. N
<i>Anaticapitula pennata</i>	Dumitrica & Zügel, 2003: 56	L. Jur. N
<i>Anaticapitula tenera</i>	Dumitrica & Zügel, 2003: 56	L. Jur. N
<i>Andromeda crassa</i> (T)	Baumgartner in Baumgartner <i>et al.</i> , 1980: 50	L. Jur. N
<i>Andromeda danielae</i>	Tonielli, 1992: 164	M. Jur. N
<i>Andromeda praecrassa</i>	Baumgartner, 1984: 755	M. Jur. N
<i>Andromeda praepodbielensis</i>	Baumgartner, 1984: 756	M. Jur. N
<i>Andromeda violae</i>	Baumgartner in Baumgartner <i>et al.</i> , 1980: 50	L. Jur. N
<i>Angulobracchia biordinale</i>	Ozoldova in Ozoldova & Sykora, 1984: 262	L. Jur. S
<i>Angulobracchia bulbosa</i>	Hull, 1997: 17	L. Jur. S
<i>Angulobracchia cava</i>	Ozoldova, 1990: 300	L. Jur. S
<i>Angulobracchia digitata</i>	Baumgartner, 1980: 310	L. Jur. S
<i>Angulobracchia jasperensis</i>	Hull, 1997: 18	L. Jur. S
<i>Angulobracchia ozoldovae</i>	Hull, 1997: 18	L. Jur. S
<i>Angulobracchia ? portmanni</i>	Baumgartner, 1984: 757	E. Cret. S
<i>Angulobracchia ? rugosa</i>	Jud, 1994: 62	E. Cret. S
<i>Angulobracchia sicula</i>	Kito & De Wever, 1992: 136	M. Jur. S
<i>Angulobracchia zeissi</i>	Steiger & Steiger, 1994: 456	L. Jur. S
<i>Angulobracchia heteroporata</i>	Steiger, 1992: 48	L. Jur. S
<i>Angulobracchia latifolia</i>	Steiger, 1992: 49	L. Jur. S
<i>Angulobracchia media</i>	Steiger, 1992: 49	L. Jur. S
<i>Angulobracchia mediopulvilla</i>	Steiger, 1992: 50	E. Cret. S
<i>Angulobracchia trifolia</i>	Steiger, 1992: 49	E. Cret. S
<i>Angulocircus laterospinosus</i>	Lahm, 1984: 101	L. Tr. S
<i>Angulocircus longispinosus</i>	Lahm, 1984: 101	L. Tr. S
<i>Angulocircus multispinosus</i>	Lahm, 1984: 100	L. Tr. S
<i>Angulopaurinella arborea</i>	Kozur & Mostler, 2006: 31	M. Tr. S
<i>Angulopaurinella crassa</i> (T)	Kozur & Mostler, 2006: 31	M. Tr. S
<i>Angulopaurinella procera</i>	Kozur & Mostler, 2006: 32	M. Tr. S
<i>Angulopaurinella spiralis</i>	Kozur & Mostler, 2006: 32	M. Tr. S
<i>Anisicyrtis conica</i>	Kozur & Mostler, 1994: 78	M. Tr. N
<i>Anisicyrtis foremanae</i>	Kozur & Mostler, 1994: 79	M. Tr. N
<i>Anisicyrtis goricanae</i>	Kozur & Mostler, 1994: 79	M. Tr. N
<i>Anisicyrtis hungarica</i> (T)	Kozur & Mostler, 1981: 105	M. Tr. N
<i>Anisicyrtis italica</i>	Kozur & Mostler, 1994: 80	M. Tr. N
<i>Anisicyrtis jurassica</i>	Takemura, 1986: 53	M. Jur. N
<i>Anisicyrtis mocki</i>	Kozur & Mostler, 1994: 81	M. Tr. N
<i>Anisicyrtis nodosa</i>	Kozur & Mostler, 1994: 81	M. Tr. N



<i>Anisicyrtis postillyrica</i>	Kozur & Mostler, 1994: 82	M. Tr.	N
<i>Anisicyrtis recoaroensis</i>	Kozur & Mostler, 1994: 83	M. Tr.	N
<i>Anisicyrtis recoaroensis deweveri</i>	Kozur & Mostler, 1994: 84	M. Tr.	N
<i>Anisicyrtis spinosa</i>	Kozur & Mostler, 1994: 84	M. Tr.	N
<i>Anisicyrtis trettoensis</i>	Kozur & Mostler, 1994: 85	M. Tr.	N
<i>Anisicyrtis trettoensis postera</i>	Kozur & Mostler, 1994: 86	M. Tr.	N
<i>Annikaella omanensis</i> (T)	De Wever, Bourdillon-De Grissac & Beurrier, 1988: 168	L. Cret.	N
<i>Annulobulbocyrtilium inflatum</i>	Kozur & Mostler, 2006: 56	M. Tr.	N
<i>Annulobulbocyrtilium longum</i> (T)	Kozur & Mostler, 2006: 55	M. Tr.	N
<i>Annulohaেকেlella brevipedis</i>	Kozur & Mostler, 2006: 62	M. Tr.	N
<i>Annulohaেকেlella longipedis</i> (T)	Kozur & Mostler, 2006: 62	M. Tr.	N
<i>Annulohaেকেlella pulchra</i>	Kozur & Mostler, 2006: 63	M. Tr.	N
<i>Annulopoulpus antalyaensis</i>	Tekin, 1999: 158	L. Tr.	N
<i>Annulopoulpus costatus</i> (T)	Kozur & Mostler, 1981: 84	L. Tr.	N
<i>Annulopoulpus reticulatus</i>	Kozur & Mostler, 1981: 84	L. Tr.	N
<i>Annulosaturnalis trispinosus</i> (T)	Dosztaly, 1991: 345	M. Tr.	S
<i>Annulotriassocampe baldii</i> (T)	Kozur in Kozur & Mostler, 1994: 249	L. Tr.	N
<i>Annulotriassocampe campanilis</i>	Kozur & Mostler, 1994: 132	M. Tr.	N
<i>Annulotriassocampe campanilis longiporata</i>	Kozur & Mostler, 1994: 132	M. Tr.	N
<i>Annulotriassocampe eoladinica</i>	Kozur & Mostler, 1994: 133	M. Tr.	N
<i>Annulotriassocampe multisegmentatus</i>	Tekin, 1999: 169	M. Tr.	N
<i>Annulotriassocampe spinosa</i>	Kozur & Mostler, 1994: 133	M. Tr.	N
<i>Anthocorys divaricata</i>	Rüst, 1885: 312	L. Jur.	N
<i>Anthocorys induta</i>	Rüst, 1885: 312	L. Jur.	N
<i>Anthocorys podbielensis</i>	Ozsvoldova, 1979b: 257	L. Jur.	N
<i>Anthocorys regularis</i> (Td)	Rüst, 1885: 312	L. Jur.	N
<i>Anthocyrtis campanula</i>	Rüst, 1898: 44	L. Jur.	N
<i>Anthocyrtis elisabethae</i>	Rüst, 1888: 207	E. Cret.	N
<i>Anthocyrtis hemisphaerica</i>	Rüst, 1888: 207	E. Cret.	N
<i>Anthocyrtis parva</i>	Richter, 1925: 555	L. Cret.	N
<i>Arachnoplecta architectonica</i> (T)	Dumitrica & Zügel, 2003: 14	L. Jur.	N
<i>Arcanicapsa sphaerica</i> (T)	Takemura, 1986: 54	M. Jur.	N
<i>Archaeoacanthocircus angustianulatus</i>	Kozur, Moix & Ozsvárt, 2007b: 178	L. Tr.	S
<i>Archaeoacanthocircus latiannulatus</i> (T)	Kozur, Moix & Ozsvárt, 2007b: 178	L. Tr.	S
<i>Archaeoacanthocircus ovalis</i>	Kozur, Moix & Ozsvárt, 2007b: 179	L. Tr.	S
<i>Archaeoacanthocircus rectangularis</i>	Kozur, Moix & Ozsvárt, 2007b: 179	L. Tr.	S
<i>Archaeoacanthocircus transitus</i>	Kozur, Moix & Ozsvárt, 2007b: 180	L. Tr.	S
<i>Archaeocenosphaera laseekensis</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 203	E. Jur.	S
<i>Archaeocenosphaera limbata</i>	Kito & De Wever, 1994: 125	M. Jur.	S
<i>Archaeocenosphaera ? mellifera</i>	O'Dogherty, 1994: 375	E. Cret.	S
<i>Archaeocenosphaera nodulosa</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 17	E. Cret.	S
<i>Archaeocenosphaera ruesti</i> (T)	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 203	L. Jur.	S
<i>Archaeocenosphaera steigeri</i>	Ebli, 1997: 86	M. Jur.	S
<i>Archaeodictyomitra ? amabilis</i>	Aita, 1987: 70	M. Jur.	N
<i>Archaeodictyomitra annulata</i>	Kozur & Mostler in Grill & Kozur, 1986: 257	M. Jur.	N
<i>Archaeodictyomitra cellulata</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 430	M. Jur.	N
<i>Archaeodictyomitra coniforma</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 38	E. Cret.	N
<i>Archaeodictyomitra curta</i>	Vishnevskaya in Vishnevskaya <i>et al.</i> , 1999: 34	M. Jur.	N
<i>Archaeodictyomitra delicata</i>	Bragina, 2004: S370	L. Cret.	N
<i>Archaeodictyomitra elliptica</i>	Vishnevskaya in Vishnevskaya <i>et al.</i> , 1999: 34	M. Jur.	N
<i>Archaeodictyomitra etrusca</i>	Chiari, Cortese & Marcucci in Chiari <i>et al.</i> , 1997: 63	M. Jur.	N
<i>Archaeodictyomitra exigua</i>	Blome, 1984b: 356	M. Jur.	N
<i>Archaeodictyomitra gifuensis</i>	Takemura, 1986: 51	M. Jur.	N
<i>Archaeodictyomitra immenhauseri</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 38	E. Cret.	N
<i>Archaeodictyomitra inornata</i>	Hull, 1997: 78	L. Jur.	N
<i>Archaeodictyomitra ioniana</i>	Danelian, 2008: 4	E. Cret.	N
<i>Archaeodictyomitra labronica</i>	Chiari, Cortese & Marcucci in Chiari <i>et al.</i> , 1997: 64	M. Jur.	N
<i>Archaeodictyomitra longovata</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 39	E. Cret.	N
<i>Archaeodictyomitra masirahensis</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 40	E. Cret.	N
<i>Archaeodictyomitra ? mirabilis</i>	Aita, 1987: 71	M. Jur.	N
<i>Archaeodictyomitra mitra</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 40	E. Cret.	N
<i>Archaeodictyomitra nuda</i>	Schaaf, 1981: 432	E. Cret.	N
<i>Archaeodictyomitra oleadita</i>	Hull, 1997: 79	L. Jur.	N
<i>Archaeodictyomitra patricki</i>	Kocher, 1981: 57	L. Jur.	N
<i>Archaeodictyomitra praeapiarium</i>	Cordey, 1998: 99	L. Jur.	N
<i>Archaeodictyomitra praegutta</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 41	E. Cret.	N
<i>Archaeodictyomitra praeprimigena</i>	Kozur & Mostler in Grill & Kozur, 1986: 257	M. Jur.	N
<i>Archaeodictyomitra primigena</i>	Pessagno & Whalen, 1982: 116	M. Jur.	N

<i>Archaeodictyomitra prisca</i>	Kozur & Mostler <i>in</i> Grill & Kozur, 1986: 258	M. Jur. N
<i>Archaeodictyomitra puga</i>	Schaaf, 1981: 432	E. Cret. N
<i>Archaeodictyomitra riedeli</i>	Taketani, 1982: 57	L. Cret. N
<i>Archaeodictyomitra rigida</i>	Pessagno, 1977a: 81	L. Jur. N
<i>Archaeodictyomitra shengi</i>	Yang, 1993: 111	L. Jur. N
<i>Archaeodictyomitra simplex</i>	Pessagno, 1977b: 43	E. Cret. N
<i>Archaeodictyomitra sixi</i>	Yang, 1993: 112	L. Jur. N
<i>Archaeodictyomitra sliteri</i>	Pessagno, 1977b: 43	L. Cret. N
<i>Archaeodictyomitra ? speciosa</i>	Bragina, 2004: S372	L. Cret. N
<i>Archaeodictyomitra spelae</i>	Chiari, Cortese & Marcucci <i>in</i> Chiari <i>et al.</i> , 1997: 64	M. Jur. N
<i>Archaeodictyomitra squinaboli</i> (T)	Pessagno, 1976: 50	L. Cret. N
<i>Archaeodictyomitra suzukii</i>	Aita, 1987: 71	L. Jur. N
<i>Archaeodictyomitra transita</i>	Kozur & Mostler <i>in</i> Grill & Kozur, 1986: 259	M. Jur. N
<i>Archaeodictyomitra tumandae</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 42	E. Cret. N
<i>Archaeodictyomitra tyughtonensis</i>	Cordey, 1998: 98	M. Jur. N
<i>Archaeodictyomitra unica</i>	Wu, 1993: 123	L. Jur. N
<i>Archaeodictyomitra vulgaris</i>	Pessagno, 1977b: 44	E. Cret. N
<i>Archaeodictyomitra wangi</i>	Yang, 1993: 113	L. Jur. N
<i>Archaeodictyomitra whalenae</i>	Kozur & Mostler <i>in</i> Grill & Kozur, 1986: 260	M. Jur. N
<i>Archaeohagiastrium exile</i>	Yang, 1993: 27	L. Jur. S
<i>Archaeohagiastrium longipes</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 106	M. Jur. S
<i>Archaeohagiastrium munitum</i> (T)	Baumgartner, 1984: 759	M. Jur. S
<i>Archaeohagiastrium pobi</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 44	E. Jur. S
<i>Archaeoplegma pontidae</i> (T)	Bragina, 2004: S451	L. Cret. E
<i>Archaeosemantis brevispinosa</i>	Kamata, 1999: 663	E. Tr. N
<i>Archaeosemantis cristianensis</i>	Dumitrica, 1982c: 423	M. Tr. N
<i>Archaeosemantis gigas</i>	Sugiyama, 1997: 142	L. Tr. N
<i>Archaeosemantis globus</i>	Sugiyama, 1997: 142	L. Tr. N
<i>Archaeosemantis lithocircites</i>	Sugiyama, 1997: 144	L. Tr. N
<i>Archaeosemantis longivirga</i>	Dumitrica, 1982c: 424	M. Tr. N
<i>Archaeosemantis pterostephanus</i> (T)	Dumitrica, 1978b: 52	M. Tr. N
<i>Archaeosemantis sinuosus</i>	Dumitrica, 2004: 219	M. Tr. N
<i>Archaeosemantis venusta</i>	Sashida, 1983: 171	E. Tr. N
<i>Archaeospongoprimum ? acrior</i>	Bragin, 1986: 69	M. Tr. S
<i>Archaeospongoprimum andersoni</i>	Pessagno, 1973: 57	L. Cret. S
<i>Archaeospongoprimum archaeobipartitum</i>	Bragina, 2004: S405	L. Cret. S
<i>Archaeospongoprimum bipartitum</i>	Pessagno, 1973: 59	L. Cret. S
<i>Archaeospongoprimum bispinosum</i>	Kozur & Mostler, 1981: 41	M. Tr. S
<i>Archaeospongoprimum brevispinosum</i>	Kozur & Mostler, 1994: 53	M. Tr. S
<i>Archaeospongoprimum ? canaliculatum</i>	Bragin, 1986: 69	M. Tr. S
<i>Archaeospongoprimum carrierensis</i>	Pessagno, 1977b: 29	E. Cret. S
<i>Archaeospongoprimum collare</i>	Xu, 1992: 146	L. Tr. S
<i>Archaeospongoprimum compactum</i>	Nakaseko & Nishimura, 1979: 68	L. Tr. S
<i>Archaeospongoprimum cortinaensis</i>	Pessagno, 1973: 60	L. Cret. S
<i>Archaeospongoprimum coyotense</i>	Whalen & Carter, 2002: 110	E. Jur. S
<i>Archaeospongoprimum cracoviense</i>	Gorka, 1989: 340	L. Cret. S
<i>Archaeospongoprimum distributum</i>	Bragina <i>in</i> Bragina & Bragin, 1996: 248	L. Cret. S
<i>Archaeospongoprimum elegans</i>	Wu, 1993: 118	L. Jur. S
<i>Archaeospongoprimum globosum</i>	Tekin & Mostler, 2005a: 34	M. Tr. S
<i>Archaeospongoprimum globosus</i>	Wu, 1993: 118	L. Jur. S
<i>Archaeospongoprimum helense</i>	Blome, 1984b: 349	M. Jur. S
<i>Archaeospongoprimum helicatatum</i>	Nakaseko & Nishimura, 1979: 68	L. Tr. S
<i>Archaeospongoprimum ? hellenicum</i>	De Wever <i>in</i> De Wever <i>et al.</i> , 1979: 78	L. Tr. S
<i>Archaeospongoprimum hueyi</i>	Pessagno, 1973: 61	L. Cret. S
<i>Archaeospongoprimum imlayi</i>	Pessagno, 1977a: 73	L. Jur. S
<i>Archaeospongoprimum ? imperspicuum</i>	Bragin, 1986: 71	M. Tr. S
<i>Archaeospongoprimum ? inaequatum</i>	Bragin, 1986: 71	M. Tr. S
<i>Archaeospongoprimum japonicum</i>	Nakaseko & Nishimura, 1979: 67	L. Tr. S
<i>Archaeospongoprimum klingi</i>	Pessagno, 1977b: 29	E. Cret. S
<i>A. mesotriassicum asymmetricum</i>	Kozur & Mostler, 1981: 41	M. Tr. S
<i>A. mesotriassicum mesotriassicum</i>	Kozur & Mostler, 1981: 41	M. Tr. S
<i>Archaeospongoprimum mizutanii</i>	Ozoldova <i>in</i> Ozoldova <i>et al.</i> , 2000: 118	L. Jur. S
<i>Archaeospongoprimum muyinense</i>	Feng <i>et al.</i> , 2001: 186	M. Tr. S
<i>Archaeospongoprimum nianquensis</i>	Wu, 1993: 118	L. Jur. S
<i>Archaeospongoprimum nishiyamae</i>	Nakaseko & Nishimura, 1981: 147	L. Cret. S
<i>Archaeospongoprimum patricki</i>	Jud, 1994: 63	E. Cret. S
<i>Archaeospongoprimum pontidum</i>	Bragina, 2004: S407	L. Cret. S
<i>Archaeospongoprimum praemilayi</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 116	L. Jur. S



<i>Archaeospongoprimum praelongum</i>	Pessagno, 1977b: 30	E. Cret. S
<i>Archaeospongoprimum renaensis</i>	Pessagno, 1977b: 30	E. Cret. S
<i>Archaeospongoprimum rumseyensis</i>	Pessagno, 1973: 62	L. Cret. S
<i>Archaeospongoprimum salumi</i>	Pessagno, 1973: 63	L. Cret. S
<i>Archaeospongoprimum selvaense</i>	Chiari, 1994: 386	M. Jur. S
<i>Archaeospongoprimum sphaericum</i>	Bragina, 2004: S407	L. Cret. S
<i>Archaeospongoprimum spinulosum</i>	Nakaseko & Nishimura, 1979: 69	L. Tr. S
<i>Archaeospongoprimum stocktonensis</i>	Pessagno, 1973: 64	L. Cret. S
<i>Archaeospongoprimum tehamaensis</i>	Pessagno, 1973: 65	L. Cret. S
<i>Archaeospongoprimum tenue</i>	Nakaseko & Nishimura, 1979: 68	L. Tr. S
<i>Archaeospongoprimum tetraspinosum</i>	Kozur & Mostler, 1994: 53	M. Tr. S
<i>Archaeospongoprimum tricostatum</i>	Steiger, 1992: 31	E. Cret. S
<i>Archaeospongoprimum triplum</i> (Ts)	Pessagno, 1973: 66	L. Cret. S
<i>Archaeospongoprimum triquetriferum</i>	Li, 1986: 312	L. Jur. S
<i>Archaeospongoprimum trispinosum</i>	Kozur & Mostler, 1994: 54	M. Tr. S
<i>Archaeospongoprimum vascoensis</i>	Pessagno, 1973: 67	L. Cret. S
<i>Archaeospongoprimum venadoensis</i> (T)	Pessagno, 1973: 68	L. Cret. S
<i>Archaeothamnulus heptaceros</i>	Dumitrica, 1982c: 421	M. Tr. E
<i>Archaeothamnulus okuchichibuensis</i>	Sashida, 1991: 687	E. Tr. E
<i>Archaeothamnulus ramosus</i>	Sashida, 1983: 173	E. Tr. E
<i>Archaeothamnulus ramulispina</i>	Dumitrica, 1982c: 422	M. Tr. E
<i>Archaeotriastrum dentatum</i>	De Wever, 1981b: 30	E. Jur. S
<i>Archaeotriastrum hirsutum</i> (Ts)	De Wever, 1981b: 30	E. Jur. S
<i>Archaeotriastrum mostleri</i>	Kiessling, 1995: 328	E. Cret. S
<i>Archaeotritabs gracilis</i> (T)	Steiger, 1992: 40	L. Jur. S
<i>Archaeotritabs hattorii</i>	Dumitrica in Goričan <i>et al.</i> , 2006: 32	M. Jur. S
<i>Archeampe orcifomis</i> (Td)	Tikhomirova, 1987a: 74	E. Jur. N
<i>Archeampe sufflata</i>	Tikhomirova, 1987a: 74	E. Jur. N
<i>Archeocyrtum chukensis</i>	Tikhomirova, 1989: 43	L. Tr. N
<i>Archeocyrtum concavum</i>	Tikhomirova, 1987a: 70	E. Jur. N
<i>Archeocyrtum concinnum</i>	Tikhomirova, 1987a: 71	E. Jur. N
<i>Archeocyrtum dobridolicum</i>	Tikhomirova, 1987a: 71	E. Jur. N
<i>Archeocyrtum exsertum</i> (Td)	Tikhomirova, 1987a: 72	E. Jur. N
<i>Archeocyrtum gurosom</i>	Tikhomirova, 1987a: 72	E. Jur. N
<i>Archeocyrtum modicum</i>	Tikhomirova, 1987a: 73	E. Jur. N
<i>Archeocyrtum strumensis</i>	Tikhomirova, 1987a: 73	E. Jur. N
<i>Archeocyrtis fragilis</i> (Td)	Tikhomirova, 1987a: 75	E. Jur. N
<i>Archeocyrtis spiralis</i>	Tikhomirova, 1987a: 76	E. Jur. N
<i>Archeocyrtis umbonatus</i>	Tikhomirova, 1987a: 76	E. Jur. N
<i>Archefusus auctus</i>	Tikhomirova, 1987a: 77	E. Jur. N
<i>Archefusus fusiformis</i> (Td)	Tikhomirova, 1987a: 78	E. Jur. N
<i>Archemirus daedalus</i> (Td)	Tikhomirova, 1987a: 79	E. Jur. N
<i>Archesomus katensis</i> (Td)	Tikhomirova, 1987a: 80	E. Jur. N
<i>Archestrum cribrosus</i>	Tikhomirova, 1987a: 80	E. Jur. N
<i>Archestrum cuspidatus</i> (Td)	Tikhomirova, 1987a: 81	E. Jur. N
<i>Archestrum expansus</i>	Tikhomirova, 1987a: 81	E. Jur. N
<i>Archetypum botryosum</i>	Tikhomirova, 1987a: 82	E. Jur. N
<i>Archetypum elongatum</i>	Tikhomirova, 1987a: 83	E. Jur. N
<i>Archetypum erectum</i> (Td)	Tikhomirova, 1987a: 83	E. Jur. N
<i>Archetypum punctulatum</i>	Tikhomirova, 1987a: 83	E. Jur. N
<i>Archicapsa bicaudata</i>	Parona, 1890: 164	L. Jur. N
<i>Archicapsa costata</i>	Heitzer, 1930: 392	M. Jur. N
<i>Archicapsa elongata</i>	Heitzer, 1930: 392	M. Jur. N
<i>Archicapsa euganea</i>	Squinabol, 1903: 129	L. Cret. N
<i>Archicapsa ficiformis</i>	Parona, 1890: 163	L. Jur. N
<i>Archicapsa fusus</i>	Parona, 1890: 164	L. Jur. N
<i>Archicapsa guttiformis</i> typ.	Tan, 1927: 41	E. Cret. N
<i>Archicapsa guttiformis</i> var. $\alpha$	Tan, 1927: 41	E. Cret. N
<i>Archicapsa lagena</i>	Vinassa de Regny, 1901: 505	L. Cret. N
<i>Archicapsa micropora</i>	Squinabol, 1903: 129	L. Cret. N
<i>Archicapsa minima</i>	Parona, 1890: 164	L. Jur. N
<i>Archicapsa mutila</i>	Tan, 1927: 42	E. Cret. N
<i>Archicapsa pyriformis</i> (Td)	Rüst, 1885: 304	L. Jur. N
<i>Archicapsa roemeri</i>	Rüst, 1898: 41	L. Jur. N
<i>Archicapsa rotundata</i>	Rüst, 1885: 304	L. Jur. N
<i>Archicapsa rüsti</i>	Wisniowski, 1888: 688	L. Jur. N
<i>Archicapsa similis</i>	Parona, 1890: 163	L. Jur. N
<i>Archicapsa tandjani</i>	Hinde, 1900: 28	Jur. N

<i>Archicapsa vinassai</i>	Neviani, 1900: 657	L. Jur.	N
<i>Archicapsa wiedersheimii</i>	Rüst, 1885: 304	L. Jur.	N
<i>Archicircus annulus</i>	Rüst, 1888: 203	E. Cret.	S
<i>Archicorys acuta</i>	Rüst, 1888: 205	E. Cret.	N
<i>Archicorys ? allodarpe</i>	Foreman, 1968: 16	L. Cret.	N
<i>Archicorys fossilis</i> (T)	Squinabol, 1904: 209	L. Cret.	N
<i>Archicorys minima</i>	Squinabol, 1904: 209	L. Cret.	N
<i>Archicorys pulchella</i>	Rüst, 1898: 40	L. Jur.	N
<i>Archicorys turgida</i> typ.	Tan, 1927: 40	E. Cret.	N
<i>Archicorys turgida</i> var. <i>α</i>	Tan, 1927: 40	E. Cret.	N
<i>Arcicubulus constrictus</i> (T)	Dumitrica, 1983: 224	M. Tr.	E
<i>Ares armatus</i> (T)	De Wever, 1982: 203	E. Jur.	N
<i>Ares avirostrum</i>	Dumitrica & Matsuoka in Goričan <i>et al.</i> , 2006: 36	E. Jur.	N
<i>Ares cuniculiformis</i>	Dumitrica & Whalen in Goričan <i>et al.</i> , 2006: 38	E. Jur.	N
<i>Ares mexicoensis</i>	Whalen & Carter, 2002: 140	E. Jur.	N
<i>Ares moresbyensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 75	E. Jur.	N
<i>Ares sutherlandi</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 76	E. Jur.	N
<i>Ares takemurai</i>	Dumitrica & Matsuoka in Goričan <i>et al.</i> , 2006: 44	E. Jur.	N
<i>Artocapsa ? amphorella</i>	Jud, 1994: 65	E. Cret.	N
<i>Artocapsa bicornis</i>	Tan, 1927: 74	E. Cret.	N
<i>Artocapsa livermorensis</i>	Campbell & Clark, 1944: 45	L. Cret.	N
<i>Artocapsa longissima</i>	Wang & Sheng, 1982: 92	L. Jur.	N
<i>Artocapsa ultima</i>	Tan, 1927: 74	E. Cret.	N
<i>Artophormis obesa</i>	Squinabol, 1903: 137	L. Cret.	N
<i>Artostrobium ? primum</i>	Yao, 1979: 42	M. Jur.	N
<i>Artostrobium tina</i>	Foreman, 1971: 1678	L. Cret.	N
<i>Artostrobium urna</i>	Foreman, 1971: 1677	L. Cret.	N
<i>Artostrobus testellatus</i>	Neviani, 1900: 664	L. Jur.	N
<i>Astractura curvata</i>	Rüst, 1898: 22	L. Jur.	S
<i>Astractura macrodiscus</i>	Rüst, 1898: 22	L. Jur.	S
<i>Astractura tetraxiphus</i>	Rüst, 1898: 22	L. Jur.	S
<i>Astrocentrus pulcher</i> (T)	Kozur & Mostler, 1979a: 72	L. Tr.	S
<i>Astrocyelia laevigata</i>	Rüst, 1898: 21	L. Jur.	S
<i>Astrocyelia sulcata</i>	Rüst, 1898: 21	L. Jur.	S
<i>Astrophacus marinae</i>	Vishnevskaya, 2006: 138	L. Cret.	S
<i>Atactodiscus latus</i>	Rüst, 1885: 295	L. Jur.	S
<i>Atactodiscus liasicus</i> (Td)	Rüst, 1885: 295	L. Jur.	S
<i>Atalanta emmela</i> (T)	Cordey & Carter, 1996: 447	E. Jur.	N
<i>Atalanta epaphrodita</i>	Cordey & Carter, 1996: 447	E. Jur.	N
<i>Aurisaturnalis carinatus inconstans</i>	Dumitrica & Dumitrica-Jud, 1995: 210	E. Cret.	S
<i>Aurisaturnalis carinatus perforatus</i>	Dumitrica & Dumitrica-Jud, 1995: 214	E. Cret.	S
<i>Aurisaturnalis carinatus transitorius</i>	Dumitrica & Dumitrica-Jud, 1995: 210	E. Cret.	S
<i>Aurisaturnalis variabilis binoculus</i>	Dumitrica & Dumitrica-Jud, 1995: 208	E. Cret.	S
<i>Austrisaturnalis koesveskalensis</i>	Mostler & Krainer, 1994: 98	M. Tr.	E
<i>Austrisaturnalis quadriradiatus</i> (T)	Kozur & Mostler, 1972: 31	L. Tr.	E
<i>Austrisaturnalis spinosus</i>	Kozur & Mostler, 1983: 6	L. Tr.	E
<i>Ayrtonius elizabethae</i> (T)	Sugiyama, 1997: 144	L. Tr.	N
<i>Baculogypsina ? gallowayi</i>	White, 1928: 305	L. Cret.	S
<i>Baculogypsina ? lenticulata</i> (Ts)	White, 1928: 306	L. Cret.	S
<i>Baculogypsina ? sphaerica</i>	White, 1928: 306	L. Cret.	S
<i>Bagotella distincta</i> (Td)	Tikhomirova, 1987b: 36	E. Jur.	N
<i>Bagotum erraticum</i>	Pessagno & Whalen, 1982: 117	E. Jur.	N
<i>Bagotum funiculum</i>	Whalen & Carter, 2002: 114	E. Jur.	N
<i>Bagotum ? helmetense</i>	Pessagno & Whalen, 1982: 118	E. Jur.	N
<i>Bagotum kimbroughi</i>	Whalen & Carter, 2002: 114	E. Jur.	N
<i>Bagotum maudense</i> (T)	Pessagno & Whalen, 1982: 118	E. Jur.	N
<i>Bagotum modestum</i>	Pessagno & Whalen, 1982: 120	E. Jur.	N
<i>Bagotum pseudoerraticum</i>	Kishida & Hisada, 1985: 113	E. Jur.	N
<i>Bagotum zhamoidai</i>	Vishnevskaya, 2001: 152	M. Jur.	N
<i>Balcanella angulosa</i>	Tikhomirova, 1989: 28	E. Jur.	N
<i>Balcanella nana</i> (Td)	Tikhomirova, 1989: 28	E. Jur.	N
<i>Balcanella ovoidea</i>	Tikhomirova, 1989: 29	E. Jur.	N
<i>Balcanella ussurica</i>	Tikhomirova, 1989: 29	E. Jur.	N
<i>Baloghisphaera goestlingensis</i>	Kozur & Mostler, 1981: 24	L. Tr.	E
<i>Baloghisphaera kovacsi</i> (T)	Kozur & Mostler, 1979a: 85	L. Tr.	E
<i>Baratuna cristianensis</i>	Dumitrica, 1991: 267	M. Tr.	N
<i>Baratuna deweveri</i>	Dumitrica, 1991: 268	M. Tr.	N
<i>Baratuna excentrica</i> (T)	Kozur & Mostler, 1981: 85	M. Tr.	N

<i>Baratuna pannosa</i>	Dumitrica, 1991: 268	M. Tr.	N
<i>Bathropyramis (Acropyramis) sanjoaquinensis</i>	Campbell & Clark, 1944: 22	L. Cret.	N
<i>Bathropyramis campbelli</i>	Taketani, 1982: 64	L. Cret.	N
<i>Bathropyramis filatovae</i>	Vishnevskaya, 2001: 152	M. Jur.	N
<i>Bathropyramis rara</i>	Squinabol, 1903: 127	L. Cret.	N
<i>Bathropyramis timorensis</i>	Renz, 1974: 789	E. Cret.	N
<i>Baumgartneria ambigua</i>	Dumitrica, 1999a: 37	M. Tr.	S
<i>Baumgartneria bifurcata</i>	Dumitrica, 1982a: 71	M. Tr.	S
<i>Baumgartneria curvispina</i>	Dumitrica, 1982a: 71	M. Tr.	S
<i>Baumgartneria dumitricae</i>	Dosztaly, 1991: 344	M. Tr.	S
<i>Baumgartneria lata</i>	Kozur & Mostler, 1994: 64	M. Tr.	S
<i>Baumgartneria omanensis</i>	Dumitrica, 1999a: 38	M. Tr.	S
<i>Baumgartneria retrospina</i> (T)	Dumitrica, 1982a: 70	M. Tr.	S
<i>Baumgartneria retrospina hemicircularis</i>	Kozur & Mostler, 1994: 63	M. Tr.	S
<i>Baumgartneria stellata</i>	Dumitrica, 1982a: 72	M. Tr.	S
<i>Baumgartneria transita</i>	Kozur & Mostler, 1994: 64	M. Tr.	S
<i>Baumgartneria trifurcata</i>	Dumitrica, 1982a: 71	M. Tr.	S
<i>Baumgartneria yehae</i>	Kozur & Mostler, 1994: 65	M. Tr.	S
<i>Beatricea christovalensis</i> (Th)	Whalen & Carter in Carter et al., 1998: 57	E. Jur.	S
<i>Becus ? barbarus</i>	Wu, 1986: 356	L. Cret.	S
<i>Becus gemmatus</i> (T)	Wu, 1986: 356	L. Cret.	S
<i>Becus regius</i>	O'Dogherty, 1994: 318	L. Cret.	S
<i>Becus rotula</i>	Dumitrica, 1997: 218	E. Cret.	S
<i>Becus schaafi</i>	Dumitrica, 1997: 216	E. Cret.	S
<i>Becus triangulocentrum</i>	Dumitrica, 1997: 216	E. Cret.	S
<i>Bernoullius brokenkettlensis</i>	Pessagno, Blome & Hull in Pessagno et al., 1993: 119	L. Jur.	S
<i>Bernoullius ? capricornus</i>	Bragin, 1991b: 83	L. Tr.	S
<i>Bernoullius chalouani</i>	El Kadiri, 1992: 41	E. Jur.	S
<i>Bernoullius cristatus</i>	Baumgartner, 1984: 760	M. Jur.	S
<i>Bernoullius delnortensis</i>	Pessagno, Blome & Hull in Pessagno et al., 1993: 120	L. Jur.	S
<i>Bernoullius furcospinus</i>	Kito, De Wever, Danelian & Cordey, 1990: 344	M. Jur.	S
<i>Bernoullius irwini</i>	Pessagno, Blome & Hull in Pessagno et al., 1993: 120	L. Jur.	S
<i>Bernoullius leporinus leporinus</i>	Conti & Marcucci, 1991: 798	M. Jur.	S
<i>Bernoullius leporinus rotundus</i>	Conti & Marcucci, 1991: 798	M. Jur.	S
<i>Bernoullius ? manica</i>	Jud, 1994: 65	E. Cret.	S
<i>Bernoullius ? monoceros</i>	Jud, 1994: 66	E. Cret.	S
<i>Bernoullius rectispinus</i>	Kito, De Wever, Danelian & Cordey, 1990: 347	M. Jur.	S
<i>Bernoullius spelae</i>	Jud, 1994: 66	E. Cret.	S
<i>Bernoullius spiraleus</i>	El Kadiri, 1992: 41	E. Jur.	S
<i>Betraccium bavaricum</i> (T)	Kozur & Mostler, 1990: 215	E. Jur.	S
<i>Betraccium chengi</i>	Yeh, 1992: 58	L. Tr.	S
<i>Betraccium deweveri</i>	Pessagno & Blome, 1980: 230	L. Tr.	S
<i>Betraccium hettangicum</i>	Kozur & Mostler, 1990: 215	E. Jur.	S
<i>Betraccium inaequiporatum</i>	Kozur & Mostler, 1990: 215	E. Jur.	S
<i>Betraccium ? incohatum</i>	Blome, 1984a: 38	L. Tr.	S
<i>Betraccium inornatum</i>	Blome, 1984a: 38	L. Tr.	S
<i>Betraccium irregulare</i>	Bragin, 2007: 986	L. Tr.	S
<i>Betraccium kennecottense</i>	Carter, 1993: 59	L. Tr.	S
<i>Betraccium maclearni</i>	Pessagno & Blome, 1980: 231	L. Tr.	S
<i>Betraccium nodulum</i>	Carter, 1993: 60	L. Tr.	S
<i>Betraccium perillense</i>	Carter, 1993: 61	L. Tr.	S
<i>Betraccium smithi</i> (T)	Pessagno in Pessagno et al., 1979: 178	L. Tr.	S
<i>Betraccium verticispinosum</i>	Kozur & Mostler, 1990: 216	E. Jur.	S
<i>Betraccium yakouense</i>	Pessagno & Blome, 1980: 231	L. Tr.	S
<i>Beturiella carnica</i>	Kozur & Mostler, 1981: 25	L. Tr.	E
<i>Beturiella mengshengensis</i>	Feng in Feng et al., 1996: 386	M. Tr.	E
<i>Beturiella robusta</i> (T)	Dumitrica, Kozur & Mostler, 1980: 11	M. Tr.	E
<i>Bigrumpia moluccaensis</i> (Ts)	Pessagno & Hull, 2002: 237	L. Jur.	S
<i>Bikinella sabaluaeae</i> (Ts)	Tikhomirova, 1986: 30	L. Tr.	N
<i>Bipedis acrostylus</i>	Bragin, 1991c: 107	L. Tr.	N
<i>Bipedis calvabovis</i> (T)	De Wever, 1982: 193	E. Jur.	N
<i>Bipedis diadema</i>	Whalen & Carter in Carter et al., 1998: 76	E. Jur.	N
<i>Bipedis douglasi</i>	Whalen & Carter in Carter et al., 1998: 76	E. Jur.	N
<i>Bipedis durus</i>	Sugiyama, 1997: 145	L. Tr.	N
<i>Bipedis elizabethae</i>	Whalen & Carter in Carter et al., 1998: 77	E. Jur.	N
<i>Bipedis fannini</i>	Carter in Carter et al., 1988: 61	E. Jur.	N
<i>Bipedis hannai</i>	Whalen & Carter in Carter et al., 1998: 77	E. Jur.	N
<i>Bipedis helenae</i>	Whalen & Carter in Carter et al., 1998: 78	E. Jur.	N

<i>Bipedis hiberniaensis</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 78	E. Jur.	N
<i>Bipedis horiae</i>	Sugiyama, 1997: 145	E. Jur.	N
<i>Bipedis japonicus</i>	Hori <i>in</i> Goričan <i>et al.</i> , 2006: 70	E. Jur.	N
<i>Bipedis patricki</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 78	E. Jur.	N
<i>Bipedis rotundus</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 79	E. Jur.	N
<i>Bipedis ? venturii</i>	Bertinelli & Marcucci, 2006: 146	E. Jur.	N
<i>Bipedis yaoi</i>	Hori <i>in</i> Goričan <i>et al.</i> , 2006: 70	E. Jur.	N
<i>Bipylomella sachalinica</i> (Td)	Bragina, 1999b: 358	L. Cret.	S
<i>Bisphaerocephalina ? apimelos</i> (T)	Foreman, 1968: 61	L. Cret.	N
<i>Bistarkum bifurcum</i>	Yeh, 1987a: 43	E. Jur.	S
<i>Bistarkum brevilatum</i>	Jud, 1994: 67	E. Cret.	S
<i>Bistarkum coriniforme</i>	Bragin, 2007: 1001	L. Tr.	S
<i>Bistarkum ? cylindratum</i> (Ts)	Carter, 1993: 79	L. Tr.	S
<i>Bistarkum equalum</i>	Tekin, 2002a: 180	E. Jur.	S
<i>Bistarkum mangartense</i>	Goričan <i>in</i> Goričan <i>et al.</i> , 2003: 293	E. Jur.	S
<i>Bistarkum rhaeticum</i>	Tekin, 2002b: 422	L. Tr.	S
<i>Bistarkum rigidium</i> (T)	Yeh, 1987a: 43	E. Jur.	S
<i>Bistarkum saginatum</i>	Yeh, 1987a: 44	E. Jur.	S
<i>Bistarkum valdorbiense</i>	Jud, 1994: 67	E. Cret.	S
<i>Bitubopyle bicoronata</i>	Kozur & Mostler, 2006: 28	M. Tr.	S
<i>Bitubopyle coronata</i> (T)	Kozur & Mostler, 2006: 28	M. Tr.	S
<i>Bivallupus longoriai</i> (Ts)	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 26	L. Jur.	S
<i>Bivallupus mexicanus</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 27	L. Jur.	S
<i>Bivallupus oppositus</i>	Yang & Pessagno, 1989: 124	L. Jur.	S
<i>Bivallupus primigenus</i>	Yang & Pessagno, 1989: 124	L. Jur.	S
<i>Blebschmidia bertinelliae</i> (T)	Dumitrica & Hungerbühler, 2007: 225	L. Tr.	S
<i>Blebschmidia intermedia</i>	Dumitrica & Hungerbühler, 2007: 222	L. Tr.	S
<i>Blebschmidia matteri</i>	Dumitrica & Hungerbühler, 2007: 224	L. Tr.	S
<i>Blomella megasphaera</i> (Ts)	Sugiyama, 1997: 146	L. Tr.	E
<i>Bogdanella bosniensis</i>	Kozur & Mostler, 1996b: 126	M. Tr.	S
<i>Bogdanella cordevolica</i>	Kozur & Mostler, 1996b: 126	L. Tr.	S
<i>Bogdanella praecursor</i>	Kozur & Mostler, 1996b: 127	M. Tr.	S
<i>Bogdanella trentana</i> (T)	Kolar-Jurkovek, 1989: 162	M. Tr.	S
<i>Bogdanella trentana balkanica</i>	Kozur & Mostler, 1996b: 125	M. Tr.	S
<i>Bolena zancajosa</i>	Hull, 1997: 38	L. Jur.	S
<i>Bosniacyrtis campanella</i> (T)	Kozur & Mostler, 2006: 58	M. Tr.	N
<i>Botryocella quadriloba</i>	Rüst, 1898: 38	L. Jur.	N
<i>Botryostrobos ? parsonsae</i>	Hollis, 1997: 58	L. Cret.	N
<i>Braginastrum curvatus</i> (Ts)	Tekin, 1999: 85	L. Tr.	S
<i>Broctus kuensis</i>	Pessagno & Whalen, 1982: 120	E. Jur.	N
<i>Broctus ruesti</i>	Yeh, 1987a: 54	E. Jur.	N
<i>Broctus selwynensis</i> (T)	Pessagno & Whalen, 1982: 121	E. Jur.	N
<i>Bulbocyrtium globosus</i>	Tekin, 1999: 135	L. Tr.	N
<i>Bulbocyrtium cordevolicum</i>	Kozur & Mostler, 1981: 107	L. Tr.	N
<i>Bulbocyrtium cordeyi</i>	Tekin & Mostler, 2005b: 5	M. Tr.	N
<i>Bulbocyrtium dryites</i>	Sugiyama, 1997: 146	L. Tr.	N
<i>Bulbocyrtium latum</i>	Bragin <i>in</i> Bragin & Krylov, 1999: 560	L. Tr.	N
<i>Bulbocyrtium ? longobardicum</i>	Tekin & Mostler, 2005b: 5	M. Tr.	N
<i>Bulbocyrtium reticulatum</i> (T)	Kozur & Mostler, 1981: 106	L. Tr.	N
<i>Bulgarida ? amurensis</i>	Tikhomirova, 1989: 38	L. Jur.	N
<i>Bulgarida bojanovi</i>	Tikhomirova, 1989: 37	E. Jur.	N
<i>Bulgarida zagortchevi</i> (Td)	Tikhomirova, 1989: 38	E. Jur.	N
<i>Bullacapsula aspera</i> (Td)	Tikhomirova, 1983a: 54	E. Cret.	N
<i>Bullacapsula cephalotribua</i>	Tikhomirova, 1983a: 54	E. Cret.	N
<i>Bullacapsula nuciformis</i>	Tikhomirova, 1983a: 55	E. Cret.	N
<i>Bullacapsula propria</i>	Tikhomirova, 1983a: 56	E. Cret.	N
<i>Bullacapsula torosa</i>	Tikhomirova, 1983a: 56	E. Cret.	N
<i>Busuanga chengi</i> (T)	Yeh, 1990: 21	M. Tr.	E
<i>Busuanga philippinensis</i>	Yeh, 1990: 22	M. Tr.	E
<i>Busuanga ? xyza</i>	Sugiyama, 1997: 147	M. Tr.	E
<i>Cachecreekaria californiensis</i> (T)	Dumitrica & Carter, 1999: 424	L. Cret.	E
<i>Calocyclus guttaefera</i>	Rüst, 1898: 50	L. Jur.	N
<i>Calocyclus jumonis</i>	Rüst, 1898: 50	L. Jur.	N
<i>Caltrop nodosum</i> (T)	Carter <i>in</i> Carter <i>et al.</i> , 1988: 48	E. Jur.	E
<i>Calyptocoryphe cranaa</i> (T)	Foreman, 1968: 36	L. Cret.	N
<i>Cana elegans</i> (T)	Mekik, 2000: 12	E. Cret.	S
<i>Candissa mexicana</i> (Ts)	Hull, 1997: 144	L. Jur.	N
<i>Canelonus conus</i> (T)	Hull, 1997: 144	L. Jur.	N

<i>Canesium ? cucurbita</i>	Sugiyama, 1997: 147	L. Tr.	N
<i>Canesium lentum</i> (T)	Blome, 1984a: 53	L. Tr.	N
<i>Cannobotrys clava</i>	Parona, 1890: 163	L. Jur.	N
<i>Cannobotrys globata</i>	Rüst, 1888: 205	E. Cret.	N
<i>Canoptum anulatum</i> (Ts)	Pessagno & Poisson, 1981: 60	E. Jur.	N
<i>Canoptum artum</i>	Yeh, 1987a: 56	E. Jur.	N
<i>Canoptum banale</i>	Jud, 1994: 68	E. Cret.	N
<i>Canoptum ? browni</i>	Blome, 1984a: 46	L. Tr.	N
<i>Canoptum columbiense</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 64	E. Jur.	N
<i>Canoptum decorosum</i>	Zhang, 1990: 177	E. Jur.	N
<i>Canoptum dixonii</i>	Pessagno & Whalen, 1982: 124	E. Jur.	N
<i>Canoptum farawayense</i>	Blome, 1984a: 47	L. Tr.	N
<i>Canoptum hungaricum</i>	Grill & Kozur, 1986: 249	M. Jur.	N
<i>Canoptum inornatus</i>	Tekin, 1999: 136	L. Tr.	N
<i>Canoptum ? jinluense</i>	Wang & Yang in Wang <i>et al.</i> , 2002: 221	L. Tr.	N
<i>Canoptum latiannulatum</i>	Grill & Kozur, 1986: 250	M. Jur.	N
<i>Canoptum laxum</i>	Blome, 1984a: 47	L. Tr.	N
<i>Canoptum levis</i>	Tekin, 1999: 137	M. Tr.	N
<i>Canoptum lubricum</i>	Kishida & Hisada, 1985: 114	E. Jur.	N
<i>Canoptum macoyense</i>	Blome, 1984a: 48	L. Tr.	N
<i>Canoptum margaritaense</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 64	E. Jur.	N
<i>Canoptum ? megathelus</i>	Cordey, 1998: 102	L. Tr.	N
<i>Canoptum merum</i>	Pessagno & Whalen, 1982: 124	E. Jur.	N
<i>Canoptum paradoxum</i>	Zhang, 1990: 176	E. Jur.	N
<i>Canoptum pessagnoii</i>	Xia & Zhang, 2000: 80	M. Tr.	N
<i>Canoptum poissoni</i> (T)	Pessagno in Pessagno <i>et al.</i> , 1979: 184	E. Jur.	N
<i>Canoptum praeannulatum</i>	Pessagno & Whalen, 1982: 124	E. Jur.	N
<i>Canoptum rhaeticum</i>	Kozur & Mostler, 1981: 103	L. Tr.	N
<i>Canoptum rudabanyaense</i>	Grill & Kozur, 1986: 250	M. Jur.	N
<i>Canoptum rugosum</i>	Pessagno & Poisson, 1981: 61	E. Jur.	N
<i>Canoptum sinense</i>	Yeh & Yang, 2006: 335	E. Jur.	N
<i>Canoptum spinosum</i>	Yeh, 1987b: 64	E. Jur.	N
<i>Canoptum triassicum</i>	Yao, 1982: 60	L. Tr.	N
<i>Canoptum unicum</i>	Pessagno & Whalen, 1982: 125	E. Jur.	N
<i>Canoptum unilaterale</i>	Bragin, 1986: 72	M. Tr.	N
<i>Canoptum verrucosum</i>	Bragin, 1986: 72	M. Tr.	N
<i>Canoptum zetangense</i>	Wang & Yang in Wang <i>et al.</i> , 2002: 221	L. Tr.	N
<i>Cantalum alium</i>	Blome, 1984a: 39	L. Tr.	S
<i>Cantalum globosum</i>	Blome, 1984a: 39	L. Tr.	S
<i>Cantalum gratum</i>	Carter, 1993: 63	L. Tr.	S
<i>Cantalum holdsworthii</i> (T)	Pessagno in Pessagno <i>et al.</i> , 1979: 178	L. Tr.	S
<i>Cantalum tianense</i>	Carter, 1993: 63	L. Tr.	S
<i>Cantalum tumidum</i>	Bragin, 1986: 67	L. Tr.	S
<i>Canutus baumgartneri</i>	Yeh, 1987a: 59	E. Jur.	N
<i>Canutus ? beehivensis</i>	Carter, 1993: 107	L. Tr.	N
<i>Canutus blomei</i>	Pessagno & Whalen, 1982: 127	E. Jur.	N
<i>Canutus ? bolesi</i>	Whalen & Carter, 2002: 118	E. Jur.	N
<i>Canutus diegoi</i>	Whalen & Carter, 2002: 120	E. Jur.	N
<i>Canutus giganteus</i>	Pessagno & Whalen, 1982: 127	E. Jur.	N
<i>Canutus hainaensis</i>	Pessagno & Whalen, 1982: 128	E. Jur.	N
<i>Canutus indomitus</i>	Pessagno & Whalen, 1982: 128	E. Jur.	N
<i>Canutus ? ingrahamensis</i>	Carter, 1993: 108	L. Tr.	N
<i>Canutus izeensis</i>	Pessagno & Whalen, 1982: 129	E. Jur.	N
<i>Canutus ? natorensis</i>	El Kadiri, 1992: 41	E. Jur.	N
<i>Canutus nitidus</i>	Yeh, 1987a: 59	E. Jur.	N
<i>Canutus rennellensis</i>	Carter in Goričan <i>et al.</i> , 2006: 96	E. Jur.	N
<i>Canutus rockfishensis</i>	Pessagno & Whalen, 1982: 129	E. Jur.	N
<i>Canutus tipperi</i> (Th)	Pessagno & Whalen, 1982: 129	E. Jur.	N
<i>Capthorocyrtium paenuloides</i>	Bragin, 2007: 1010	L. Tr.	N
<i>Capthorocyrtium tenerum</i> (T)	Bragin in Bragin & Krylov, 1999: 560	L. Tr.	N
<i>Capnodoce anapetes</i> (T)	De Wever in De Wever <i>et al.</i> , 1979: 81	L. Tr.	S
<i>Capnodoce angusta</i>	Blome, 1983: 23	L. Tr.	S
<i>Capnodoce antiqua</i>	Blome, 1983: 24	L. Tr.	S
<i>Capnodoce baldiensis</i>	Blome, 1983: 24	L. Tr.	S
<i>Capnodoce beaulieui</i>	Blome, 1983: 25	L. Tr.	S
<i>Capnodoce copiosa</i>	Blome, 1983: 25	L. Tr.	S
<i>Capnodoce crystallina</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 176	L. Tr.	S
<i>Capnodoce extenta</i>	Blome, 1983: 25	L. Tr.	S



<i>Capnodoce fragilis</i>	Blome, 1983: 26	L. Tr.	S
<i>Capnodoce gracilis</i>	Yeh, 1989: 56	L. Tr.	S
<i>Capnodoce hillenum</i>	Cordey, 1998: 85	L. Tr.	S
<i>Capnodoce insueta</i>	Blome, 1983: 28	L. Tr.	S
<i>Capnodoce kochi</i>	Blome, 1983: 28	L. Tr.	S
<i>Capnodoce longibrachium</i>	Tekin, 1999: 93	L. Tr.	S
<i>Capnodoce malaca</i>	Blome, 1983: 30	L. Tr.	S
<i>Capnodoce media</i>	Blome, 1983: 32	L. Tr.	S
<i>Capnodoce minuscula</i>	Blome, 1983: 32	L. Tr.	S
<i>Capnodoce minuta</i>	Yeh, 1989: 55	L. Tr.	S
<i>Capnodoce primaria</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 176	L. Tr.	S
<i>Capnodoce ruesti</i>	Kozur & Mock in Kozur & Mostler, 1981: 74	L. Tr.	S
<i>Capnodoce sarisa</i>	De Wever in De Wever <i>et al.</i> , 1979: 82	L. Tr.	S
<i>Capnodoce sinuosa</i>	Blome, 1983: 34	L. Tr.	S
<i>Capnodoce traeconyx</i>	Cordey, 1998: 85	L. Tr.	S
<i>Capnodoce traversi</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 176	L. Tr.	S
<i>Capnodoce venusta</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 177	L. Tr.	S
<i>Capnuhosphaera colemani</i>	Blome, 1983: 15	L. Tr.	S
<i>Capnuhosphaera concava</i>	De Wever in De Wever <i>et al.</i> , 1979: 82	L. Tr.	S
<i>Capnuhosphaera contracta</i>	Yeh, 1990: 7	L. Tr.	S
<i>Capnuhosphaera crassa</i>	Yeh, 1990: 8	L. Tr.	S
<i>Capnuhosphaera kapanesis</i>	Rose, 1994: 218	L. Tr.	S
<i>Capnuhosphaera lea</i>	De Wever in De Wever <i>et al.</i> , 1979: 83	L. Tr.	S
<i>Capnuhosphaera lenticulata</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 173	L. Tr.	S
<i>Capnuhosphaera ? metoensis</i>	Rose, 1994: 219	L. Tr.	S
<i>Capnuhosphaera mexicana</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 173	L. Tr.	S
<i>Capnuhosphaera missionensis</i>	Cordey, 1998: 59	L. Tr.	S
<i>Capnuhosphaera neosagaris</i>	Sugiyama, 1997: 148	L. Tr.	S
<i>Capnuhosphaera okayi</i>	Tekin, 2002b: 419	L. Tr.	S
<i>Capnuhosphaera oma</i>	Sugiyama, 1997: 149	L. Tr.	S
<i>Capnuhosphaera palawanensis</i>	Yeh, 1990: 9	L. Tr.	S
<i>Capnuhosphaera puncta</i>	De Wever in De Wever <i>et al.</i> , 1979: 83	L. Tr.	S
<i>Capnuhosphaera sagaris</i>	Sugiyama, 1997: 149	L. Tr.	S
<i>Capnuhosphaera schenki</i>	Blome, 1983: 16	L. Tr.	S
<i>Capnuhosphaera silviesensis</i>	Blome, 1983: 16	L. Tr.	S
<i>Capnuhosphaera smithorum</i>	Blome, 1983: 17	L. Tr.	S
<i>Capnuhosphaera sockensis</i>	Blome, 1983: 17	L. Tr.	S
<i>Capnuhosphaera soldierensis</i>	Blome, 1983: 17	L. Tr.	S
<i>Capnuhosphaera texensis</i>	Yeh, 1989: 52	L. Tr.	S
<i>Capnuhosphaera theloides</i>	De Wever in De Wever <i>et al.</i> , 1979: 83	L. Tr.	S
<i>Capnuhosphaera theloides minor</i>	Bragin in Bragin & Krylov, 1999: 548	L. Tr.	S
<i>Capnuhosphaera timorensis</i>	Rose, 1994: 221	L. Tr.	S
<i>Capnuhosphaera tortuosa</i>	Yeh, 1990: 9	L. Tr.	S
<i>Capnuhosphaera triassica</i> (T)	De Wever in De Wever <i>et al.</i> , 1979: 84	L. Tr.	S
<i>Capnuhosphaera tricornis</i>	De Wever in De Wever <i>et al.</i> , 1979: 85	L. Tr.	S
<i>Capnuhosphaera subtorta</i>	Zhang, 1990: 169	L. Tr.	S
<i>Capnuhosphaera tricuspis</i>	Zhang, 1990: 169	L. Tr.	S
<i>Capuchnosphaera carpathica</i>	Kozur & Mock in Kozur & Mostler, 1981: 74	L. Tr.	S
<i>Capuchnosphaera deweveri</i>	Kozur & Mostler, 1979a: 75	L. Tr.	S
<i>Carinacyclia costata</i> (T)	Kozur & Mostler, 1972: 16	L. Tr.	S
<i>Carinaheliosoma densiporata</i> (T)	Kozur & Mostler, 1981: 68	L. Tr.	E
<i>Carpocanistrum conicum</i>	Squinabol, 1903: 128	L. Cret.	N
<i>Carpocanistrum globicephalum</i>	Vinassa de Regny, 1899: 232	L. Jur.	N
<i>Carpocanium pyramis</i>	Rüst, 1898: 44	L. Jur.	N
<i>Carpocanopsis costatum</i>	Nakaseko & Nishimura, 1981: 148	L. Cret.	N
<i>Carposphaera affinis</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera circumplicata</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera distincta</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera distinguenda</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera diversipora</i>	Tan, 1927: 34	E. Cret.	S
<i>Carposphaera dupla</i>	Kozlova, 1973: 57	L. Jur.	S
<i>Carposphaera gemmellaroii</i>	Neviani, 1900: 647	L. Jur.	S
<i>Carposphaera haeckeli</i>	Tan, 1927: 35	E. Cret.	S
<i>Carposphaera ilsedensis</i>	Rüst, 1898: 5	E. Jur.	S
<i>Carposphaera indicans</i>	Rüst, 1888: 191	E. Cret.	S
<i>Carposphaera ? jurassica</i>	Kito & De Wever, 1994: 126	M. Jur.	S
<i>Carposphaera micropora</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera minima</i>	Squinabol, 1904: 186	L. Cret.	S

<i>Carposphaera mitakaena</i>	Ichikawa, 1950: 293	Tr.?	S
<i>Carposphaera neocomiensis</i>	Grimes, 1895: 347	E. Cret.	S
<i>Carposphaera pulchra</i>	Ichikawa, 1950: 293	Tr.?	S
<i>Carposphaera valida</i> (Td)	Rüst, 1885: 290	L. Jur.	S
<i>Carposphaera vulgaris</i>	Rüst, 1885: 290	L. Jur.	S
<i>Carterella brevispinosa</i>	Kozur & Mostler, 2006: 50	M. Tr.	E
<i>Carterella longispinosa</i> (Ts)	Kozur & Mostler, 2006: 49	M. Tr.	E
<i>Carterella magniporata</i>	Kozur & Mostler, 2006: 50	M. Tr.	E
<i>Carterella subrotunda</i>	Kozur & Mostler, 2006: 50	M. Tr.	E
<i>Carterella transitia</i>	Kozur & Mostler, 2006: 50	M. Tr.	E
<i>Caryosphaera aequidistans</i>	Rüst, 1892a: 104	L. Cret.	S
<i>Caryosphaera bella</i>	Rüst, 1888: 192	E. Cret.	S
<i>Cassideus biannulatus</i>	Dumitrica & Zügel, 2003: 40	L. Jur.	N
<i>Cassideus deweveri</i>	Dumitrica & Zügel, 2003: 42	L. Jur.	N
<i>Cassideus riedeli</i> (T)	Pessagno, 1969: 395	L. Cret.	N
<i>Cassideus scalariconus</i>	Dumitrica & Zügel, 2003: 42	L. Jur.	N
<i>Cassideus yoloensis</i>	Pessagno, 1969: 396	L. Cret.	N
<i>Castrum blomei</i>	Tekin & Mostler, 2005b: 17	M. Tr.	N
<i>Castrum perornatum</i> (Ts)	Blome, 1984a: 54	L. Tr.	N
<i>Catenopyle octostylus</i> (T)	Dumitrica, 1989: 233	L. Cret.	S
<i>Catoma concinna</i>	Blome, 1983: 20	L. Tr.	E
<i>Catoma geometrica</i> (T)	Blome, 1983: 21	L. Tr.	E
<i>Catoma inedita</i>	Blome, 1983: 21	L. Tr.	E
<i>Cavabracchia dueei</i> (Ts)	Kito & De Wever, 1992: 135	M. Jur.	S
<i>Cavaspongia antelopensis</i> (T)	Pessagno, 1973: 76	L. Cret.	S
<i>Cavaspongia californianaensis</i>	Pessagno, 1973: 77	L. Cret.	S
<i>Cavaspongia cilindrica</i>	O'Dogherty, 1994: 309	E. Cret.	S
<i>Cavaspongia contracta</i>	O'Dogherty, 1994: 311	L. Cret.	S
<i>Cavaspongia helice</i>	O'Dogherty, 1994: 310	L. Cret.	S
<i>Cavaspongia robusta</i>	Bragina, 2004: S421	L. Cret.	S
<i>Cavaspongia sphaerica</i>	O'Dogherty, 1994: 311	L. Cret.	S
<i>Cavaspongia tavrca</i>	Bragina, 2004: S423	L. Cret.	S
<i>Cavaspongia tricornis</i>	O'Dogherty, 1994: 313	L. Cret.	S
<i>Cavidiscus fiskensis</i> (T)	Pessagno, 1976: 38	L. Cret.	S
<i>Cecrops anatolicus</i>	Mekik, 2000: 13	E. Cret.	S
<i>Cecrops blomei</i>	Mekik, 2000: 14	E. Cret.	S
<i>Cecrops floridus</i>	Nakaseko & Nishimura, 1979: 69	L. Tr.	S
<i>Cecrops ? pessagnoii</i>	Mekik, 2000: 15	E. Cret.	S
<i>Cecrops ? sexaspina</i>	Jud, 1994: 68	E. Cret.	S
<i>Celluronta ? conica</i>	Sugiyama, 1997: 149	M. Tr.	N
<i>Celluronta donax</i> (T)	Sugiyama, 1997: 150	M. Tr.	N
<i>Celluronta ? jovi</i>	Sugiyama, 1997: 150	M. Tr.	N
<i>Cenellepsis subsphaerica</i>	Wisniowski, 1888: 685	L. Jur.	N
<i>Cenellepsis (Cenellepsula) heteroformis</i>	Campbell & Clark, 1944: 12	L. Cret.	N
<i>Cenellepsis asperula</i>	Rüst, 1898: 16	L. Jur.	N
<i>Cenellepsis biaculeata</i>	Parona, 1890: 153	L. Jur.	N
<i>Cenellepsis biacutus</i>	Squinabol, 1903: 116	L. Cret.	N
<i>Cenellepsis botroides</i>	Rüst, 1898: 16	L. Jur.	N
<i>Cenellepsis communis</i>	Squinabol, 1904: 197	L. Cret.	N
<i>Cenellepsis compressa</i>	Hinde, 1900: 16	Jur.	N
<i>Cenellepsis concava</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellepsis costata</i>	Heitzer, 1930: 388	M. Jur.	N
<i>Cenellepsis crassa</i>	Vinassa de Regny, 1899: 228	L. Jur.	N
<i>Cenellepsis elliptica</i>	Lipman, 1952: 28	L. Cret.	N
<i>Cenellepsis elongata</i>	Rüst, 1885: 288	L. Jur.	N
<i>Cenellepsis favus</i>	Hinde, 1908: 704	Tr.	N
<i>Cenellepsis gigantea</i>	Rüst, 1888: 194	E. Cret.	N
<i>Cenellepsis gracilis</i>	Hinde, 1900: 15	Jur.	N
<i>Cenellepsis hexagonalis</i>	Rüst, 1892a: 104	L. Cret.	N
<i>Cenellepsis hexagonata</i>	Vinassa de Regny, 1899: 228	L. Jur.	N
<i>Cenellepsis ingens</i>	Vinassa de Regny, 1899: 227	L. Jur.	N
<i>Cenellepsis jaspidea</i> (Td)	Rüst, 1885: 286	L. Jur.	N
<i>Cenellepsis macropora</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellepsis microporatus</i>	Squinabol, 1903: 116	L. Cret.	N
<i>Cenellepsis minuta</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellepsis ? mirabilis</i>	Ichikawa, 1950: 296	Tr.?	N
<i>Cenellepsis monoceros</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellepsis multicostata</i>	Heitzer, 1930: 388	M. Jur.	N

<i>Cenellipsis nipponica</i>	Ichikawa, 1950: 291	Tr.?	N
<i>Cenellipsis oblonga</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellipsis ovata</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellipsis ovum</i>	Khabakov, 1937: 103	E. Cret.	N
<i>Cenellipsis perspicua</i>	Rüst, 1898: 15	L. Jur.	N
<i>Cenellipsis praelonga</i>	Hinde, 1900: 16	Jur.	N
<i>Cenellipsis pusilla</i>	Rüst, 1892b: 151	M. Tr.	N
<i>Cenellipsis rappii</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellipsis regularis</i>	Vinassa de Regny, 1899: 228	L. Jur.	N
<i>Cenellipsis retusa</i>	Parona, 1890: 153	L. Jur.	N
<i>Cenellipsis subelongata</i>	Ichikawa, 1950: 295	Tr.?	N
<i>Cenellipsis subtypica</i>	Neviani, 1900: 650	L. Jur.	N
<i>Cenellipsis typica</i>	Rüst, 1885: 287	L. Jur.	N
<i>Cenellipsis zongbaiensis</i>	Li, 1988: 329	E. Jur.	N
<i>Cenodiscaella aetheria</i>	Goltman, 1984a: 194	L. Cret.	S
<i>Cenodiscaella nummulitica</i> (T)	Aliev, 1965: 29	E. Cret.	S
<i>Cenodiscus alievi</i>	Pessagno, 1977b: 35	E. Cret.	S
<i>Cenodiscus cenomanicus</i>	Aliev, 1965: 25	L. Cret.	S
<i>Cenodiscus gigantella</i>	Aliev, 1965: 28	E. Cret.	S
<i>Cenodiscus khaltanensis</i>	Aliev, 1965: 26	E. Cret.	S
<i>Cenodiscus khaltanensis aptica</i>	Aliev, 1965: 27	E. Cret.	S
<i>Cenodiscus lens</i>	Lipman, 1952: 31	L. Cret.	S
<i>Cenodiscus macroporus</i>	Goltman, 1983: 158	L. Cret.	S
<i>Cenodiscus nardaranensis</i>	Aliev, 1965: 27	E. Cret.	S
<i>Cenodiscus rachovensis</i>	Lozyniak, 1981: 65	L. Jur.	S
<i>Cenodiscus rachovensis umbonata</i>	Lozyniak, 1981: 65	L. Jur.	S
<i>Cenolarcopyle fragilis</i> (T)	Tan, 1927: 38	E. Cret.	S
<i>Cenosphaera aculeata</i>	Hinde, 1900: 13	Jur.	S
<i>Cenosphaera adornata</i>	Aliev, 1976: 116	E. Cret.	S
<i>Cenosphaera affinioides</i>	Khudyayev, 1931: 33	L. Jur.	S
<i>Cenosphaera affinis</i>	Hinde, 1900: 12	Jur.	S
<i>Cenosphaera albiensis</i>	Aliev, 1976: 114	E. Cret.	S
<i>Cenosphaera amissa</i>	Squinabol, 1903: 109	L. Cret.	S
<i>Cenosphaera andoi</i>	Sugiyama, 1992: 1215	E. Tr.	S
<i>Cenosphaera angusteporata</i>	Rüst, 1885: 286	L. Jur.	S
<i>Cenosphaera artesiaca</i>	Perner, 1891: 260	L. Cret.	S
<i>Cenosphaera asturana</i>	Rüst, 1892b: 134	M. Tr.	S
<i>Cenosphaera bakonyana</i>	Rüst, 1892b: 133	M. Tr.	S
<i>Cenosphaera boria</i>	Pessagno, 1977b: 36	E. Cret.	S
<i>Cenosphaera cayeuxi</i>	Hinde, 1908: 701	Tr.	S
<i>Cenosphaera cayeuxi</i>	Ichikawa, 1950: 291	Tr.?	S
<i>Cenosphaera clathrata</i>	Parona, 1890: 148	L. Jur.	S
<i>Cenosphaera crebripora</i>	Hinde, 1908: 701	Tr.	S
<i>Cenosphaera cretacea</i>	Squinabol, 1903: 109	L. Cret.	S
<i>Cenosphaera cristata</i>	Rüst, 1888: 191	E. Cret.	S
<i>Cenosphaera diasprina</i>	Vinassa de Regny, 1900: 330	L. Jur.	S
<i>Cenosphaera disporata</i>	Rüst, 1885: 286	L. Jur.	S
<i>Cenosphaera disseminata</i>	Rüst, 1885: 286	L. Jur.	S
<i>Cenosphaera euganea</i>	Squinabol, 1903: 109	L. Cret.	S
<i>Cenosphaera gregaria</i>	Rüst, 1885: 286	L. Jur.	S
<i>Cenosphaera haeckeliana</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Cenosphaera hexagonata</i>	Heitzer, 1930: 386	M. Jur.	S
<i>Cenosphaera himalayensis</i>	Sheng, 1976: 126	Tr.?	S
<i>Cenosphaera hirta</i>	Parona, 1890: 148	L. Jur.	S
<i>Cenosphaera hispida</i>	Hinde, 1908: 702	Tr.	S
<i>Cenosphaera igoi</i>	Sashida <i>in</i> Sashida <i>et al.</i> , 2000a: 804	M. Tr.	S
<i>Cenosphaera immanis</i>	Tan, 1927: 34	E. Cret.	S
<i>Cenosphaera inaequalis</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera jurensis</i>	Wisniowski, 1888: 682	L. Jur.	S
<i>Cenosphaera kinzuchensis</i>	Zhamoida, 1972: 101	E. Jur.	S
<i>Cenosphaera kizilkazmensis</i>	Aliev, 1965: 17	E. Cret.	S
<i>Cenosphaera kizilkazmensis conferata</i>	Aliev, 1965: 18	E. Cret.	S
<i>Cenosphaera komienis</i>	Khudyayev, 1931: 32	E. Cret.	S
<i>Cenosphaera konachkendensis</i>	Aliev, 1965: 20	L. Cret.	S
<i>Cenosphaera lacunosa</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera ligustica</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Cenosphaera magna</i>	Grigoryeva, 1975: 104	L. Cret.	S
<i>Cenosphaera magna</i>	Ichikawa, 1950: 292	Tr.?	S

<i>Cenosphaera major</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Cenosphaera marginata</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera megapora</i>	Wisniowski, 1888: 683	L. Jur.	S
<i>Cenosphaera micropora</i>	Cayeux, 1897: 187	L. Cret.	S
<i>Cenosphaera micropora</i>	Rüst, 1898: 5	E. Cret.	S
<i>Cenosphaera minor</i>	Lipman, 1952: 27	L. Cret.	S
<i>Cenosphaera minor</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Cenosphaera minuscula</i>	Parona, 1890: 147	L. Jur.	S
<i>Cenosphaera nipponica</i>	Ichikawa, 1950: 291	Tr.?	S
<i>Cenosphaera originala</i>	Aliev, 1965: 19	E. Cret.	S
<i>Cenosphaera pachyderma</i>	Rüst, 1885: 286	L. Jur.	S
<i>Cenosphaera parvispinosa</i>	Kozur, Krainer & Mostler, 1996b: 222	M. Tr.	S
<i>Cenosphaera polyedrica</i>	Squinabol, 1904: 186	L. Cret.	S
<i>Cenosphaera polygona</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera pulchra</i>	Wang & Sheng, 1982: 83	L. Tr.	S
<i>Cenosphaera punctata</i>	Hinde, 1908: 702	Tr.	S
<i>Cenosphaera radiata</i>	Zittel, 1876: 84	L. Cret.	S
<i>Cenosphaera regularis</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera regularissima</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Cenosphaera robusta</i>	Bragina, 2003a: 244	L. Cret.	S
<i>Cenosphaera rossi</i>	Vinassa de Regny, 1901: 500	L. Cret.	S
<i>Cenosphaera rotundata</i>	Hojnos, 1916: 343	E. Cret.	S
<i>Cenosphaera ? rugosa</i>	Sashida in Sashida <i>et al.</i> , 2000a: 804	E. Tr.	S
<i>Cenosphaera rutoti</i>	Cayeux, 1897: 187	L. Cret.	S
<i>Cenosphaera scabra</i>	Vinassa de Regny, 1900: 329	L. Jur.	S
<i>Cenosphaera semisphaerica</i>	Subbotina, 1960: 228	L. Cret.	S
<i>Cenosphaera serrata</i>	Sheng, 1976: 127	Tr.?	S
<i>Cenosphaera sphaerozoica</i>	Zhamoida, 1961: 29	E. Cret.	S
<i>Cenosphaera stellata</i>	Rüst, 1885: 285	L. Jur.	S
<i>Cenosphaera styliata</i>	Muzavor, 1977: 44	L. Jur.	S
<i>Cenosphaera subpachyderma</i>	Neviani, 1900: 647	L. Jur.	S
<i>Cenosphaera syssolae</i>	Khudyayev, 1931: 33	E. Cret.	S
<i>Cenosphaera teoli</i>	Squinabol, 1904: 185	L. Cret.	S
<i>Cenosphaera triquetra</i>	Squinabol, 1904: 185	L. Cret.	S
<i>Cenosphaera tumida</i>	Hinde, 1900: 10	Jur.	S
<i>Cenosphaerocapsula gibbulosa</i>	Dumitrica, 1999b: 164	M. Tr.	S?
<i>Cenosphaerocapsula neagui</i> (T)	Dumitrica, 1999b: 164	L. Jur.	S?
<i>Cenosphaerocapsula simplicissima</i>	Dumitrica, 1999b: 164	M. Tr.	S?
<i>Ceratocyrtis ? volubilis</i>	Petrushevskaya, 1977: 11	L. Cret.	N
<i>Cerebellocapsula deflandrei</i> (T)	Dumitrica, 1999b: 166	M. Tr.	S?
<i>Cerebellocapsula lens</i>	Dumitrica, 1999b: 166	L. Tr.	S?
<i>Cerebellocapsula lobata</i>	Dumitrica, 1999b: 166	M. Tr.	S?
<i>Challengeranium cretaceum</i>	Takahashi, 2004: 121	L. Cret.	P
<i>Challengeria ? sakhalinica</i>	Bragina, 2003b: 10	L. Cret.	S
<i>Challengeron paleotriangulum</i>	Takahashi, 2004: 122	L. Cret.	P
<i>Challengeron takahashii</i>	Dumitrica & Hollis, 2004: 131	L. Cret.	P
<i>Charlottea amurensis</i> (T)	Whalen & Carter in Carter <i>et al.</i> , 1998: 37	E. Jur.	E
<i>Charlottea harbridgensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 38	E. Jur.	E
<i>Charlottea hotaensis</i>	Carter in Goričan <i>et al.</i> , 2006: 104	E. Jur.	E
<i>Charlottea johnsoni</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 38	E. Jur.	E
<i>Charlottea penderi</i>	Carter in Goričan <i>et al.</i> , 2006: 106	E. Jur.	E
<i>Charlottea proprietatis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 39	E. Jur.	E
<i>Charlottea triquetra</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 39	E. Jur.	E
<i>Charlottea weedensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 39	E. Jur.	E
<i>Chitonastrum ? apenninicum</i>	Vinassa de Regny, 1900: 340	L. Jur.	S
<i>Chitonastrum tricorne</i>	Vinassa de Regny, 1901: 504	L. Cret.	S
<i>Chitonastrum tricuspdatum</i>	Rüst, 1898: 29	L. Jur.	S
<i>Cinguloturris arabica</i>	Jud, 1994: 69	E. Cret.	N
<i>Cinguloturris carpatica</i> (T)	Dumitrica in Dumitrica & Mello, 1982: 23	L. Jur.	N
<i>Cinguloturris cylindra</i>	Kemkin & Rudenko, 1993: 116	L. Jur.	N
<i>Cinguloturris cylindra</i>	Kemkin & Rudenko, 1994: 1116	L. Jur.	N
<i>Cinguloturris fusiforma</i>	Hori, 1999: 93	L. Jur.	N
<i>Cinguloturris getsensis</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 435	M. Jur.	N
<i>Cinguloturris primorika</i>	Kemkin & Taketani, 2004: 333	L. Jur.	N
<i>Cinguloturris ? venusta</i>	Chiari, Cortese & Marcucci in Chiari <i>et al.</i> , 1997: 66	M. Jur.	N
<i>Citriduma asteroides</i>	Carter, 1993: 97	L. Tr.	N
<i>Citriduma lapaensis</i>	Pujana, 2000: 57	E. Jur.	N
<i>Citriduma patagoniensis</i>	Pujana, 2000: 57	E. Jur.	N

<i>Citriduma radiotuba</i> (T)	De Wever, 1982: 202	E. Jur.	N
<i>Clathrocyclas</i> ( <i>Clathrocyclas</i> ) <i>irrasa</i>	Eicher, 1960: 75	E. Cret.	N
<i>Clathrocyclas</i> ( <i>Clathrocyclia</i> ) <i>tintinnaeformis</i>	Campbell & Clark, 1944: 31	L. Cret.	N
<i>Clathrocyclas</i> ? <i>diceros</i>	Foreman, 1968: 46	L. Cret.	N
<i>Clathrocyclas</i> ? <i>dolioliformis</i>	Petrushevskaya, 1977: 13	L. Cret.	N
<i>Clathrocyclas</i> ? <i>elongatus</i>	Petrushevskaya, 1977: 13	L. Cret.	N
<i>Clathrocyclas</i> <i>gravis</i>	Vishnevskaya, 1986: 148	L. Cret.	N
<i>Clathrocyclas</i> ? <i>hyronia</i>	Foreman, 1968: 47	L. Cret.	N
<i>Clathrocyclas</i> ? <i>lepta</i>	Foreman, 1968: 47	L. Cret.	N
<i>Clathrocyclas</i> <i>leptopus</i>	Rüst, 1898: 51	L. Jur.	N
<i>Clathrocyclas</i> <i>minervae</i>	Rüst, 1898: 50	L. Jur.	N
<i>Clathrocyclas</i> <i>reginae</i>	Rüst, 1898: 51	E. Jur.	N
<i>Clathrocyclas</i> <i>tintinnabulum</i>	Vinassa de Regny, 1899: 234	L. Jur.	N
<i>Clathrocyclas</i> <i>zukanovi</i>	Vishnevskaya, 2001: 155	L. Cret.	N
<i>Clathropyrgus</i> <i>bumastus</i>	Riedel & Sanfilippo, 1974: 775	L. Cret.	N
<i>Clathropyrgus</i> <i>tithium</i>	Riedel & Sanfilippo, 1974: 775	L. Cret.	N
<i>Clavaxitus</i> <i>macropyge</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 58	E. Cret.	N
<i>Clavaxitus</i> <i>ruesti</i> (T)	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 59	E. Cret.	N
<i>Clistophaena</i> <i>fossilis</i> (T)	Squinabol, 1903: 130	L. Cret.	N
<i>Coccodiscus</i> <i>holmesi</i>	Campbell & Clark, 1944: 15	L. Cret.	S
<i>Coccodiscus</i> <i>lyellii</i>	Rüst, 1898: 20	L. Jur.	S
<i>Coenosphaera</i> <i>irregularis</i>	Mittermaier, 1896: 25	L. Cret.	S
<i>Collicyrtidium</i> <i>rubetum</i> (T)	Steiger, 1992: 84	L. Jur.	N
<i>Combusta</i> <i>munda</i> (Ts)	Yeh, 1987a: 61	E. Jur.	N
<i>Combusta</i> ? <i>publica</i>	Hull, 1997: 84	L. Jur.	N
<i>Complexapora</i> <i>kiesslingi</i>	Hull, 1997: 126	L. Jur.	N
<i>Complexapora</i> <i>kozuri</i>	Hull, 1997: 124	L. Jur.	N
<i>Complexapora</i> <i>tirolica</i> (Ts)	Kiessling & Zeiss, 1992: 191	L. Jur.	N
<i>Coniforma</i> <i>antiochensis</i> (T)	Pessagno, 1969: 398	L. Cret.	N
<i>Coniforma</i> <i>quasiantiochensis</i>	Bragina, 2008: 137	L. Cret.	N
<i>Conocarposphaera</i> <i>caucasica</i>	Kazintsova <i>in</i> Kazintsova & Tikhomirova, 1975: 37	L. Cret.	S
<i>Conocarposphaera</i> <i>zhamoidai</i>	Tikhomirova <i>in</i> Kazintsova & Tikhomirova, 1975: 39	L. Cret.	S
<i>Conocaryomma</i> <i>dauerhafta</i>	Empson-Morin, 1981: 260	L. Cret.	S
<i>Conocaryomma</i> <i>glatta</i>	Empson-Morin, 1981: 260	L. Cret.	S
<i>Conosphaera</i> <i>antiqua</i>	Parona, 1890: 149	L. Jur.	S
<i>Conosphaera</i> <i>clathroconus</i>	Rüst, 1898: 13	L. Jur.	S
<i>Conosphaera</i> <i>clivosa</i>	Lipman, 1968: 162	L. Cret.	S
<i>Conosphaera</i> <i>emiliana</i>	Neviani, 1900: 649	L. Jur.	S
<i>Conosphaera</i> <i>favosa</i>	Zhamoida, 1972: 108	E. Cret.	S
<i>Conosphaera</i> ? <i>fleuryi</i>	De Wever <i>in</i> De Wever <i>et al.</i> , 1979: 78	L. Tr.	S
<i>Conosphaera</i> <i>fossilis</i>	Parona, 1890: 148	L. Jur.	S
<i>Conosphaera</i> <i>haeckeli</i>	Aliev, 1965: 23	E. Cret.	S
<i>Conosphaera</i> <i>longimamma</i>	Rüst, 1898: 13	L. Jur.	S
<i>Conosphaera</i> <i>magnimamma</i>	Rüst, 1898: 13	L. Jur.	S
<i>Conosphaera</i> <i>mammilata</i>	Lipman, 1952: 28	L. Cret.	S
<i>Conosphaera</i> <i>mammillata</i>	Hinde, 1908: 703	Tr.	S
<i>Conosphaera</i> <i>oligoconus</i>	Rüst, 1898: 13	L. Jur.	S
<i>Conosphaera</i> <i>sphaeroconus</i> (Ts)	Rüst, 1898: 13	L. Jur.	S
<i>Conosphaera</i> <i>styliata</i>	Muzavor, 1980: 117	L. Jur.	S
<i>Conosphaera</i> <i>transita</i>	Kozur & Mostler, 1979a: 74	L. Tr.	S
<i>Conosphaera</i> <i>tuberosa</i>	Tan, 1927: 36	E. Cret.	S
<i>Conospongocyrtilis</i> <i>bragini</i>	Tekin & Mostler, 2005b: 17	M. Tr.	N
<i>Conospongocyrtilis</i> <i>cephaloconica</i> (T)	Kozur & Mostler, 1994: 126	M. Tr.	N
<i>Conospongocyrtilis</i> <i>conica</i>	Kozur & Mostler, 1994: 126	M. Tr.	N
<i>Conospongocyrtilis</i> <i>tekini</i>	Bragin, 2007: 1020	L. Tr.	N
<i>Cornucapsula</i> <i>robusta</i> (Td)	Tikhomirova, 1983a: 58	E. Cret.	N
<i>Cornutanna</i> <i>breviconus</i>	Cayeux, 1897: 200	L. Cret.	N
<i>Cornutanna</i> <i>campanulata</i>	Rüst, 1898: 40	L. Jur.	N
<i>Cornutanna</i> <i>conica</i>	Aliev, 1965: 34	E. Cret.	N
<i>Cornutanna</i> <i>cornuvaccinum</i>	Rüst, 1892b: 180	M. Tr.	N
<i>Cornutanna</i> <i>euryconus</i>	Rüst, 1898: 40	L. Jur.	N
<i>Cornutanna</i> <i>ovalis</i>	Khudyayev, 1931: 37	E. Cret.	N
<i>Cornutella</i> ( <i>Cornutissa</i> ) <i>californica</i>	Campbell & Clark, 1944: 22	L. Cret.	N
<i>Cornutella</i> ( <i>Cornutissa</i> ) <i>californica</i> <i>brevis</i>	Campbell & Clark, 1944: 23	L. Cret.	N
<i>Cornutella</i> <i>acuta</i>	Tan, 1927: 39	E. Cret.	N
<i>Cornutella</i> <i>adunca</i>	Tan, 1927: 40	E. Cret.	N
<i>Cornutella</i> <i>apicata</i>	Tan, 1927: 39	E. Cret.	N
<i>Cornutella</i> <i>cretacea</i>	Taketani, 1982: 65	L. Cret.	N



<i>Cornutella facillis</i>	Tan, 1927: 39	E. Cret. N
<i>Cornutella nitida</i>	Tan, 1927: 39	E. Cret. N
<i>Cornutella procera</i>	Tan, 1927: 39	E. Cret. N
<i>Cornutella pseudoclathrata</i>	Pantanelli, 1880: 51	L. Jur. N
<i>Cornutella pseudoprofunda</i>	Pantanelli, 1880: 50	L. Jur. N
<i>Cornutella pusilla</i>	Rüst, 1898: 40	L. Jur. N
<i>Cornutella ? riedeli</i>	Yao, 1979: 41	M. Jur. N
<i>Cornutella tella</i>	Dumitrica & Zügel, 2003: 48	L. Jur. N
<i>Cornutella tenuis</i>	Rüst, 1898: 40	L. Jur. N
<i>Cornutellium limbatum</i>	Rüst, 1885: 305	L. Jur. N
<i>Cornutovum levigatum</i> (T)	Foreman, 1968: 39	L. Cret. N
<i>Corocalyptra euganea</i>	Squinabol, 1904: 219	L. Cret. N
<i>Coronatubopyle coronata</i> (T)	Kozur & Mostler, 2006: 42	M. Tr. E
<i>Coronatubopyle robusta</i>	Kozur & Mostler, 2006: 43	M. Tr. E
<i>Corum candidum</i>	Yeh, 1989: 69	L. Tr. N
<i>Corum ? delgado</i>	Sugiyama, 1997: 151	L. Tr. N
<i>Corum fusiformis</i>	Tekin, 1999: 152	L. Tr. N
<i>Corum kraineri</i>	Tekin, 1999: 152	L. Tr. N
<i>Corum parvum</i>	Yeh, 1989: 70	L. Tr. N
<i>Corum perfectum</i>	Blome, 1984a: 51	L. Tr. N
<i>Corum regium</i>	Blome, 1984a: 51	L. Tr. N
<i>Corum speciosum</i> (T)	Blome, 1984a: 51	L. Tr. N
<i>Corum sugoziensis</i>	Tekin, 1999: 153	M. Tr. N
<i>Crolanium alatum</i>	Kazintsova in Zonova et al., 1993: 78	E. Cret. N
<i>Crolanium albaense</i>	Kazintsova in Zonova et al., 1993: 80	E. Cret. N
<i>Crolanium bogdanovi</i>	Vishnevskaya, 1991b: 93	E. Cret. N
<i>Crolanium pyramidatum</i>	Kazintsova in Zonova et al., 1993: 79	E. Cret. N
<i>Crolanium pythiae</i>	Schaaf, 1981: 432	E. Cret. N
<i>Crolanium quadrangulatum</i>	Kazintsova in Zonova et al., 1993: 81	E. Cret. N
<i>Crolanium sachalinicum</i>	Kazintsova in Zonova et al., 1993: 79	E. Cret. N
<i>Crolanium sokolovi</i>	Vishnevskaya, 1991b: 94	E. Cret. N
<i>Crolanium tilmani</i>	Vishnevskaya, 1991b: 94	E. Cret. N
<i>Crolanium triquetrum</i> (T)	Pessagno, 1977b: 54	E. Cret. N
<i>Cromyechinus pusillus</i>	Rüst, 1898: 15	L. Jur. S
<i>Cromyodruppa concentrica</i>	Lipman, 1952: 29	L. Cret. S
<i>Cromyodrymus mirabilis</i> (T)	Squinabol, 1903: 116	L. Cret. S
<i>Cromyomma ? nodosa</i>	Pessagno, 1976: 44	L. Cret. S
<i>Cromyosphaera cretacea</i>	Richter, 1925: 551	L. Cret. S
<i>Cromyosphaera paronae</i>	Rüst, 1898: 6	E. Jur. S
<i>Cromyosphaera tschurini</i>	Lipman, 1967: 94	L. Cret. S
<i>Cromyosphaera vivenkensis</i>	Lipman, 1967: 92	L. Cret. S
<i>Cromyostylus ? koppi</i>	Lahm, 1984: 68	M. Tr. S
<i>Crubus chengi</i> (T)	Yeh, 1987a: 69	E. Jur. N
<i>Crubus firmus</i>	Yeh, 1987a: 69	E. Jur. N
<i>Crubus ? robustus</i>	Yeh, 1987a: 69	E. Jur. N
<i>Crubus wilsonensis</i>	Carter in Carter et al., 1988: 53	E. Jur. N
<i>Crucella angulata</i>	Yang, 1993: 39	L. Jur. S
<i>Crucella angulosa</i>	Carter in Carter et al., 1988: 43	E. Jur. S
<i>Crucella angulosa longibrachiata</i>	Carter in Goričan et al., 2006: 118	E. Jur. S
<i>Crucella baliarica</i>	O'Dogherty, 1994: 366	E. Cret. S
<i>Crucella bisulca</i>	Hull, 1997: 20	L. Jur. S
<i>Crucella bossoensis</i>	Jud, 1994: 70	E. Cret. S
<i>Crucella cachensis</i>	Pessagno, 1971a: 53	L. Cret. S
<i>Crucella cachensis tolfensis</i>	Marcucci-Passerini & Gardin, 1992: 563	L. Cret. S
<i>Crucella capaluluensis</i>	Pessagno & Hull, 2002: 238	L. Jur. S
<i>Crucella carteri</i>	Kozur & Mostler, 1990: 218	E. Jur. S
<i>Crucella cavata</i>	Whalen & Carter in Carter et al., 1998: 49	E. Jur. S
<i>Crucella cavata giganticava</i>	Carter in Goričan et al., 2006: 122	E. Jur. S
<i>Crucella cavata intermedicava</i>	Carter in Goričan et al., 2006: 122	E. Jur. S
<i>Crucella collina</i>	Jud, 1994: 70	E. Cret. S
<i>Crucella ? contorta</i>	Ozoldova in Ozoldova & Sykora, 1984: 263	L. Jur. S
<i>Crucella ? corralitosensis</i> (Ts)	Pessagno, 1977a: 72	L. Jur. S
<i>Crucella espartoensis</i>	Pessagno, 1971a: 54	L. Cret. S
<i>Crucella flowerpotensis</i>	Carter, 1993: 84	L. Tr. S
<i>Crucella gavalai</i>	O'Dogherty, 1994: 365	E. Cret. S
<i>Crucella hamiltoni</i>	Pessagno & Hull, 2002: 238	L. Jur. S
<i>Crucella hettangica</i>	Kozur & Mostler, 1990: 218	E. Jur. S
<i>Crucella hispana</i>	O'Dogherty, 1994: 365	E. Cret. S

<i>Crucella ? imbricata</i>	Ozoldova, 1979b: 254	L. Jur. S
<i>Crucella irwini</i>	Pessagno, 1971a: 55	L. Cret. S
<i>Crucella jadeae</i>	Carter & Dumitrica in Goričan <i>et al.</i> , 2006: 124	E. Jur. S
<i>Crucella kaisunensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 50	E. Jur. S
<i>Crucella linda</i>	Hull, 1997: 20	L. Jur. S
<i>Crucella lipmanae</i>	Jud, 1994: 71	E. Cret. S
<i>Crucella messinae</i> (T)	Pessagno, 1971a: 56	L. Cret. S
<i>Crucella mexicana</i>	Yang, 1993: 40	L. Jur. S
<i>Crucella mijo</i>	De Wever, 1981b: 35	E. Jur. S
<i>Crucella mirabunda</i>	Whalen & Carter, 2002: 106	E. Jur. S
<i>Crucella plana</i>	Pessagno, 1971a: 56	L. Cret. S
<i>Crucella prisca</i>	Kozur & Mostler, 1990: 218	E. Jur. S
<i>Crucella quadra</i>	Foreman, 1978a: 841	E. Cret. S
<i>Crucella rasubina</i>	Amon, 2000: 50	L. Cret. S
<i>Crucella remanei</i>	Jud, 1994: 72	E. Cret. S
<i>Crucella robusta</i>	Bragina & Bragin, 1995: 153	L. Cret. S
<i>Crucella robusta</i>	Bragina in Bragina & Bragin, 1995: 61	L. Cret. S
<i>Crucella sanfilippoae</i> (T)	Pessagno, 1977a: 72	L. Jur. S
<i>Crucella spongase</i>	De Wever, 1981b: 36	E. Jur. S
<i>Crucella svinitzensis</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 26	E. Cret. S
<i>Crucella taliabuensis</i>	Pessagno & Hull, 2002: 239	L. Jur. S
<i>Crucella tenuis</i>	Tekin, 1999: 88	L. Tr. S
<i>Crucella theokaftensis</i>	Baumgartner, 1980: 308	L. Jur. S
<i>Crucella westermanni</i>	Pessagno & Hull, 2002: 239	L. Jur. S
<i>Crucella xizangensis</i>	Yang & Wang, 1990: 201	L. Jur. S
<i>Crucella zealis</i>	Ozoldova, 1979b: 254	L. Jur. S
<i>Cryptamphorella challengeri</i>	Schaaf, 1981: 433	E. Cret. N
<i>Cryptamphorella crepida</i>	O'Dogherty, 1994: 210	E. Cret. N
<i>Cryptamphorella dumitricai</i>	Schaaf, 1981: 433	E. Cret. N
<i>Cryptamphorella ? geodora</i>	Cortese, 1993: 174	M. Jur. N
<i>Cryptamphorella iranica</i>	Kazintsova, 1984: 36	L. Cret. N
<i>Cryptamphorella jawaensis</i>	Okamoto in Okamoto <i>et al.</i> , 1994: 50	E. Cret. N
<i>Cryptamphorella macropora</i>	Dumitrica, 1970: 81	L. Cret. N
<i>Cryptamphorella micropora</i>	Bragina, 2004: S383	L. Cret. N
<i>Cryptamphorella raoi</i>	Garg & Jain, 1978: 168	L. Cret. N
<i>Cryptamphorella wogiga</i>	Empson-Morin, 1981: 266	L. Cret. N
<i>Cryptocapsa ? asymmetros</i>	Foreman, 1968: 19	L. Cret. N
<i>Cryptocapsa ? axios</i>	Foreman, 1968: 18	L. Cret. N
<i>Cryptocapsa gregaria</i>	Ichikawa, 1950: 305	Tr.? N
<i>Cryptocapsa humeralis</i>	Rüst, 1898: 47	L. Jur. N
<i>Cryptocapsa singularis</i>	Goltman, 1983: 168	L. Cret. N
<i>Cryptocapsa singularis</i>	Goltman, 1984b: 24	L. Cret. N
<i>Cryptocapsa tricyclia</i> (Td)	Rüst, 1885: 307	L. Jur. N
<i>Cryptocephalus exiguus</i> (Td)	Rüst, 1885: 305	L. Jur. N
<i>Cryptostephanidium cornigerum</i> (T)	Dumitrica, 1978a: 31	M. Tr. E
<i>Cryptostephanidium goncuoglu</i>	Tekin, 1999: 126	M. Tr. E
<i>Cryptostephanidium longispinosum</i>	Kozur & Mostler, 2006: 43	M. Tr. E
<i>Cryptostephanidium ? megaspinosum</i>	Sashida & Kamata in Sashida <i>et al.</i> , 1999a: 773	M. Tr. E
<i>Cryptostephanidium sugiyamai</i>	Kozur, 1996: 288	M. Tr. E
<i>Cryptostephanidium tibetensis</i>	Feng in Feng <i>et al.</i> , 2007: 492	M. Tr. E
<i>Cryptostephanidium verrucosum</i>	Dumitrica, 1978a: 31	M. Tr. E
<i>Cuboctostylus kasinzovae</i> (T)	Bragina, 1999a: 574	L. Cret. E
<i>Cuboctostylus pontidus</i>	Bragina, 2004: S450	L. Cret. E
<i>Cuboctostylus sakhalinensis</i>	Bragina, 1999a: 579	L. Cret. E
<i>Cuboctostylus trifurcatus</i>	Bragina, 1999a: 579	L. Cret. E
<i>Cuniculiformis aristotelis</i>	De Wever, 1982: 199	E. Jur. N
<i>Cuniculiformis plinius</i> (T)	De Wever, 1982: 199	E. Jur. N
<i>Cyclastrum asuncionense</i>	Whalen & Carter, 2002: 110	E. Jur. S
<i>Cyclastrum decorum</i>	Petercakova in Ozoldova & Petercakova, 1992: 315	E. Cret. S
<i>Cyclastrum infundibuliforme</i> (T)	Rüst, 1898: 28	L. Jur. S
<i>Cyclastrum ? luminosum</i>	Jud, 1994: 73	E. Cret. S
<i>Cyclastrum mikhaylovi</i>	Zhamoida, 1972: 111	E. Cret. S
<i>Cyclastrum paenorbis borealis</i>	Kozlova, 1973: 58	L. Jur. S
<i>Cyclastrum ? planum</i>	Jud, 1994: 73	E. Cret. S
<i>Cyclastrum scammonense</i>	Whalen & Carter, 2002: 111	E. Jur. S
<i>Cyclastrum veracruzense</i>	Whalen & Carter, 2002: 111	E. Jur. S
<i>Cyphanta aperta</i>	Rüst, 1888: 196	E. Cret. S
<i>Cyphinus largus</i>	Rüst, 1888: 196	E. Cret. S

<i>Cyphinus probus</i>	Rüst, 1888: 196	E. Cret. S
<i>Cyphonium laeve</i>	Rüst, 1888: 196	E. Cret. S
<i>Cyphonium perspicuum</i>	Rüst, 1888: 196	E. Cret. S
<i>Cyrtocalpis crassitestata</i>	Rüst, 1892a: 105	L. Cret. N
<i>Cyrtocalpis digitiformis</i>	Tan, 1927: 41	E. Cret. N
<i>Cyrtocalpis etruscorum</i>	Wisniowski, 1888: 688	L. Jur. N
<i>Cyrtocalpis eurystoma</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis favosa</i>	Cayeux, 1897: 200	L. Cret. N
<i>Cyrtocalpis gosseleti</i>	Cayeux, 1897: 201	L. Cret. N
<i>Cyrtocalpis hexagonata</i>	Heitzer, 1930: 391	M. Jur. N
<i>Cyrtocalpis lepida</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis micropora</i>	Heitzer, 1930: 392	M. Jur. N
<i>Cyrtocalpis minima</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis modesta</i>	Hinde, 1900: 27	Jur. N
<i>Cyrtocalpis multicostata</i>	Heitzer, 1930: 391	M. Jur. N
<i>Cyrtocalpis oblongula</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis obovata</i>	Vinassa de Regny, 1899: 233	L. Jur. N
<i>Cyrtocalpis operosa</i>	Tan, 1927: 40	E. Cret. N
<i>Cyrtocalpis ovulum</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis pachyderma</i>	Tan, 1927: 41	E. Cret. N
<i>Cyrtocalpis ? propia</i>	Yao, 1979: 26	M. Jur. N
<i>Cyrtocalpis radiata</i>	Heitzer, 1930: 391	M. Jur. N
<i>Cyrtocalpis rariporata</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis reticulosa</i>	Rüst, 1885: 301	L. Jur. N
<i>Cyrtocalpis sacculus</i>	Subbotina, 1960: 233	L. Cret. N
<i>Cyrtocalpis sphaerula</i>	Rüst, 1888: 206	E. Cret. N
<i>Cyrtocalpis stenostoma</i>	Rüst, 1885: 302	L. Jur. N
<i>Cyrtocalpis tessellata</i>	Hinde, 1900: 27	Jur. N
<i>Cyrtocalpis urceolus</i>	Grigoryeva, 1975: 105	L. Cret. N
<i>Cyrtocalpis utriculus</i>	Vinassa de Regny, 1899: 233	L. Jur. N
<i>Cyrtocalpis doriae</i>	Rüst, 1898: 41	L. Jur. N
<i>Cyrtocalpis duodecimradiata</i>	Rüst, 1898: 41	L. Jur. N
<i>Cyrtocapsa (Cyrtocapsoma) campi</i>	Campbell & Clark, 1944: 43	L. Cret. N
<i>Cyrtocapsa ambiferia</i>	Aliev, 1961b: 66	E. Cret. N
<i>Cyrtocapsa asseni</i>	Tan, 1927: 67	E. Cret. N
<i>Cyrtocapsa asseni</i> var. $\alpha$	Tan, 1927: 66	E. Cret. N
<i>Cyrtocapsa cancellata</i>	Tikhomirova, 1987b: 29	E. Jur. N
<i>Cyrtocapsa colboidea</i>	Tikhomirova, 1987b: 30	E. Jur. N
<i>Cyrtocapsa crassa</i>	Vinassa de Regny, 1900: 344	L. Jur. N
<i>Cyrtocapsa crassiuscula</i>	Tikhomirova, 1987b: 29	E. Jur. N
<i>Cyrtocapsa euryceras</i>	Rüst, 1898: 64	L. Jur. N
<i>Cyrtocapsa gigantea</i>	Aliev, 1968: 29	E. Cret. N
<i>Cyrtocapsa gilseae</i>	Tan, 1927: 68	E. Cret. N
<i>Cyrtocapsa grutteinki</i> typ. (T)	Tan, 1927: 64	E. Cret. N
<i>Cyrtocapsa grutteinki</i> var. $\alpha$	Tan, 1927: 65	E. Cret. N
<i>Cyrtocapsa holospiralis</i>	Rüst, 1898: 64	L. Jur. N
<i>Cyrtocapsa horrida</i>	Tan, 1927: 65	E. Cret. N
<i>Cyrtocapsa houwi</i>	Tan, 1927: 65	E. Cret. N
<i>Cyrtocapsa houwi</i> var. $\alpha$	Tan, 1927: 67	E. Cret. N
<i>Cyrtocapsa inclinata</i>	Rüst, 1888: 212	E. Cret. N
<i>Cyrtocapsa Indonesiensis</i> typ.	Tan, 1927: 70	E. Cret. N
<i>Cyrtocapsa Indonesiensis</i> var. $\alpha$	Tan, 1927: 70	E. Cret. N
<i>Cyrtocapsa ? kisoensis</i>	Yao, 1979: 37	M. Jur. N
<i>Cyrtocapsa mastoidea</i> (T)	Yao, 1979: 36	M. Jur. N
<i>Cyrtocapsa miserabilis</i>	Tan, 1927: 69	E. Cret. N
<i>Cyrtocapsa molengraaffi</i> typ.	Tan, 1927: 66	E. Cret. N
<i>Cyrtocapsa molengraaffi</i> var. $\alpha$	Tan, 1927: 66	E. Cret. N
<i>Cyrtocapsa molengraaffi</i> var. $\beta$	Tan, 1927: 66	E. Cret. N
<i>Cyrtocapsa molukkensis</i>	Tan, 1927: 69	E. Cret. N
<i>Cyrtocapsa ovalis</i>	Rüst, 1885: 320	L. Jur. N
<i>Cyrtocapsa ovalis</i> (Td)	Tan, 1927: 66	E. Cret. N
<i>Cyrtocapsa paronai</i>	Vinassa de Regny, 1900: 345	L. Jur. N
<i>Cyrtocapsa perspicua</i>	Squinabol, 1903: 142	L. Cret. N
<i>Cyrtocapsa phyalina</i>	Neviani, 1900: 666	L. Jur. N
<i>Cyrtocapsa piriformis</i>	Tan, 1927: 68	E. Cret. N
<i>Cyrtocapsa pseudacerra</i>	Tan, 1927: 68	E. Cret. N
<i>Cyrtocapsa pseudinauris</i>	Tan, 1927: 69	E. Cret. N
<i>Cyrtocapsa pseudoreticulata</i>	Tan, 1927: 69	E. Cret. N

<i>Cyrtocapsa quadricincta</i>	Rüst, 1898: 64	L. Jur.	N
<i>Cyrtocapsa quadricornis</i>	Rüst, 1898: 64	L. Jur.	N
<i>Cyrtocapsa rara</i>	Tikhomirova, 1987b: 30	M. Jur.	N
<i>Cyrtocapsa rottensis</i>	Tan, 1927: 67	E. Cret.	N
<i>Cyrtocapsa rüsti</i>	Khudyaev, 1931: 43	E. Cret.	N
<i>Cyrtocapsa semispiralis</i>	Rüst, 1898: 63	L. Jur.	N
<i>Cyrtocapsa tuberosa</i>	Rüst, 1898: 64	L. Jur.	N
<i>Cyrtocapsa turris</i> (T)	Squinabol, 1903: 142	L. Cret.	N
<i>Cyrtocapsa turrítica</i>	Aliev, 1968: 30	E. Cret.	N
<i>Cyrtocapsa uvaria</i>	Rüst, 1898: 63	L. Jur.	N
<i>Cyrtophormis (Acanthocyrtis) grandis</i>	Campbell & Clark, 1944: 38	L. Cret.	N
<i>Cyrtophormis costata</i>	Squinabol, 1903: 127	L. Cret.	N
<i>Cyrtophormis crassitestata</i>	Rüst, 1898: 57	L. Jur.	N
<i>Cyrtophormis fossilis</i>	Squinabol, 1903: 127	L. Cret.	N
<i>Cyrtophormis muehlenpfordtii</i>	Rüst, 1898: 57	L. Jur.	N
<i>Dactylodiscus cayeuxi</i> (T)	Squinabol, 1903: 120	L. Cret.	S
<i>Dactylodiscus ? rotundus</i>	Hori, 1999: 69	L. Jur.	S
<i>Dactylodiscus rubus</i>	O'Dogherty, 1994: 332	L. Cret.	S
<i>Dactylodiscus spinosus</i>	Bragina, 2004: S431	L. Cret.	S
<i>Dactyliosphaera silviae</i> (T)	Squinabol, 1904: 196	L. Cret.	S
<i>Dantze rutogensis</i> (Ts)	Yang & Wang, 1990: 199	L. Jur.	S
<i>Danubea howardi</i> (T)	Whalen & Carter in Carter et al., 1998: 40	E. Jur.	S
<i>Darvelus pessagnoii</i> (T)	Hull, 1995: 17	L. Jur.	N
<i>Darvelus primus</i>	Hull, 1995: 18	L. Jur.	N
<i>Decitubocapsula entoprisma</i> (T)	Dumitrica, 1999b: 174	L. Jur.	E
<i>Deflandrastrum inaequatum</i>	Bragin, 1991a: 62	L. Tr.	S
<i>Deflandrastrum inaequatum</i>	Bragin, 1991c: 95	L. Tr.	S
<i>Deflandrecyrtium biraense</i>	Tikhomirova, 1986: 23	L. Tr.	N
<i>Deflandrecyrtium carterae</i>	Yeh & Cheng, 1996b: 11	L. Tr.	N
<i>Deflandrecyrtium cornutum</i>	Tikhomirova, 1986: 23	L. Tr.	N
<i>Deflandrecyrtium goestlingense</i>	Kozur & Mostler, 1981: 89	L. Tr.	N
<i>Deflandrecyrtium inaquiporatum</i>	Tekin, 1999: 140	L. Tr.	N
<i>Deflandrecyrtium kozuri</i>	Rose, 1994: 335	L. Tr.	N
<i>Deflandrecyrtium laeve</i>	Kozur & Mostler, 1981: 89	L. Tr.	N
<i>Deflandrecyrtium nobense</i>	Carter, 1993: 94	L. Tr.	N
<i>Deflandrecyrtium parvispinosum</i>	Kozur & Mostler, 1981: 90	L. Tr.	N
<i>Deflandrecyrtium parvus</i>	Tekin, 1999: 141	L. Tr.	N
<i>Deflandrecyrtium pessagnoii</i>	Tekin, 1999: 142	L. Tr.	N
<i>Deflandrecyrtium popofskyi</i> (T)	Kozur & Mostler, 1979a: 96	L. Tr.	N
<i>Deflandrecyrtium ? rhaetica</i>	Rose, 1994: 336	L. Tr.	N
<i>Deflandrecyrtium sulovense</i>	Kozur & Mock in Kozur & Mostler, 1981: 90	L. Tr.	N
<i>Deflandrecyrtium tegumentiformis</i>	Tekin, 1999: 143	L. Tr.	N
<i>Denize magnifica</i> (Ts)	Mekik, 2000: 16	E. Cret.	S
<i>Deviatus deweveri</i>	Hull, 1997: 26	L. Jur.	S
<i>Deviatus selliformis</i>	Li, 1986: 312	L. Jur.	S
<i>Diabolocampe japonicum</i>	Nakaseko & Nishimura in Nakaseko et al., 1979: 21	L. Cret.	N
<i>Diacanthocapsa acanthica</i>	Dumitrica, 1970: 66	L. Cret.	N
<i>Diacanthocapsa acuminata</i> (Ts)	Dumitrica, 1970: 65	L. Cret.	N
<i>Diacanthocapsa aksuderensis</i>	Bragina, 2004: S378	L. Cret.	N
<i>Diacanthocapsa betica</i>	O'Dogherty, 1994: 216	E. Cret.	N
<i>Diacanthocapsa boersmae</i>	Schaaf, 1981: 433	E. Cret.	N
<i>Diacanthocapsa brevithorax</i>	Dumitrica, 1970: 62	L. Cret.	N
<i>Diacanthocapsa carpocanoides</i>	Dumitrica, 1970: 67	L. Cret.	N
<i>Diacanthocapsa elongata</i>	Bragina, 2004: S381	L. Cret.	N
<i>Diacanthocapsa euganea</i> (T)	Squinabol, 1903: 133	L. Cret.	N
<i>Diacanthocapsa foveata</i>	Kozlova, 1980: 126	E. Cret.	N
<i>Diacanthocapsa galeata</i>	Dumitrica, 1970: 65	L. Cret.	N
<i>Diacanthocapsa inflata</i>	Bragina, 2004: S381	L. Cret.	N
<i>Diacanthocapsa minima</i>	Dumitrica, 1970: 62	L. Cret.	N
<i>Diacanthocapsa normalis</i>	Yao, 1979: 28	M. Jur.	N
<i>Diacanthocapsa operculi</i>	Yao, 1979: 29	M. Jur.	N
<i>Diacanthocapsa ovoidea</i>	Dumitrica, 1970: 63	L. Cret.	N
<i>Diacanthocapsa rara</i>	Squinabol, 1904: 218	L. Cret.	N
<i>Diacanthocapsa rotunda</i>	Kozlova, 1980: 126	E. Cret.	N
<i>Diacanthocapsa tavradae</i>	Bragina, 2004: S382	L. Cret.	N
<i>Diacanthocapsa umbilicata</i>	Dumitrica, 1970: 63	L. Cret.	N
<i>Diacanthocapsa urkutica</i>	Bragina, 2004: S382	L. Cret.	N
<i>Diactoma curvata</i> (Ts)	Steiger, 1992: 30	L. Jur.	S

<i>Dibolachras apletopora</i>	Foreman, 1973: 265	E. Cret. N
<i>Dibolachras chandrika</i>	Kocher, 1981: 61	L. Jur. N
<i>Dibolachras tythtopora</i> (T)	Foreman, 1973: 265,	E. Cret. N
<i>Dicapnodoce curta</i> (Td)	Tikhomirova, 1986: 22	L. Tr. S
<i>Dicapnuosphaera carterae</i>	Tekin, 1999: 74	L. Tr. S
<i>Dicapnuosphaera elegans</i> (T)	Tekin, 1999: 74	L. Tr. S
<i>Dicapnuosphaera quinquespina</i>	Bragin, 2007: 982	L. Tr. S
<i>Dicapnuosphaera sengori</i>	Tekin, 1999: 75	L. Tr. S
<i>Diceratigalea hemisphaera</i> (T)	Takemura & Nakaseko, 1982: 461	M. Jur. N
<i>Diceratosphaera spissa</i> (Ts)	Cordey, 1998: 97	E. Jur. S
<i>Dicolocapsa abbreviata</i>	Neviani, 1900: 659	L. Jur. N
<i>Dicolocapsa ampulla</i>	Squinabol, 1904: 219	L. Cret. N
<i>Dicolocapsa aquastilla</i>	Suzuki, 1995: 281	E. Jur. N
<i>Dicolocapsa cephalocrypta</i>	Tan, 1927: 44	E. Cret. N
<i>Dicolocapsa conocephala</i>	Rüst, 1898: 47	L. Jur. N
<i>Dicolocapsa conoformis</i>	Matsuoka, 1983: 13	M. Jur. N
<i>Dicolocapsa cor</i>	Squinabol, 1903: 133	L. Cret. N
<i>Dicolocapsa dicamerata</i>	Subbotina, 1960: 235	L. Cret. N
<i>Dicolocapsa elongata</i> (Ts)	Vinassa de Regny, 1900: 342	L. Jur. N
<i>Dicolocapsa euganea</i> (Ts)	Squinabol, 1904: 218	L. Cret. N
<i>Dicolocapsa exquisita</i>	Tan, 1927: 44	E. Cret. N
<i>Dicolocapsa fornasinii</i>	Neviani, 1900: 659	L. Jur. N
<i>Dicolocapsa fossilis</i>	Squinabol, 1904: 218	L. Cret. N
<i>Dicolocapsa gaultiana</i>	Rüst, 1888: 208	E. Cret. N
<i>Dicolocapsa globosa</i>	Neviani, 1900: 659	L. Jur. N
<i>Dicolocapsa globus</i>	Vinassa de Regny, 1901: 506	L. Cret. N
<i>Dicolocapsa inauris</i>	Hinde, 1908: 709	Tr. N
<i>Dicolocapsa inclusa</i>	Hinde, 1900: 30	Jur. N
<i>Dicolocapsa Innocenti</i>	Heitzer, 1930: 395	M. Jur. N
<i>Dicolocapsa kallimnii</i>	Vinassa de Regny, 1901: 506	L. Cret. N
<i>Dicolocapsa kimurai</i>	Ichikawa, 1950: 304	Tr.? N
<i>Dicolocapsa macrocephala</i>	Rüst, 1888: 208	E. Cret. N
<i>Dicolocapsa macrocephala borealis</i>	Khabakov, 1937: 108	E. Cret. N
<i>Dicolocapsa macropora</i>	Rüst, 1888: 208	E. Cret. N
<i>Dicolocapsa microcephala</i>	Heitzer, 1930: 394	M. Jur. N
<i>Dicolocapsa micropora</i>	Heitzer, 1930: 395	M. Jur. N
<i>Dicolocapsa murina</i> (Td)	Rüst, 1885: 307	L. Jur. N
<i>Dicolocapsa nuda</i>	Vinassa de Regny, 1899: 234	L. Jur. N
<i>Dicolocapsa orthocephala</i>	Rüst, 1898: 46	L. Jur. N
<i>Dicolocapsa piriformis</i>	Subbotina, 1960: 235	L. Cret. N
<i>Dicolocapsa portisi</i>	Neviani, 1900: 658	L. Jur. N
<i>Dicolocapsa pupoides</i>	Subbotina, 1960: 234	L. Cret. N
<i>Dicolocapsa radiata</i>	Heitzer, 1930: 395	M. Jur. N
<i>Dicolocapsa schirkentica</i>	Goltman, 1983: 158	L. Cret. N
<i>Dicolocapsa ? schirkentica</i>	Goltman, 1984b: 16	L. Cret. N
<i>Dicolocapsa sphaerocephala</i>	Rüst, 1898: 47	L. Jur. N
<i>Dicolocapsa spinulosa</i>	Vinassa de Regny, 1901: 505	L. Cret. N
<i>Dicolocapsa trapezoidalis</i>	Khudyaev, 1931: 38	E. Cret. N
<i>Dicolocapsa verbeeki</i> typ. (T)	Tan, 1927: 44	E. Cret. N
<i>Dicolocapsa verbeeki</i> var. $\alpha$	Tan, 1927: 44	E. Cret. N
<i>Dicolocapsa wichmanni</i>	Hinde, 1908: 709	Tr. N
<i>Dicroa periosa</i> (T)	Foreman, 1975: 609	E. Cret. S
<i>Dictyastrum amissum</i>	Squinabol, 1914: 273	E. Cret. S
<i>Dictyastrum capellinii</i>	Neviani, 1900: 654	L. Jur. S
<i>Dictyastrum clavatum</i>	Parona, 1890: 158	L. Jur. S
<i>Dictyastrum crassum</i>	Ozoldova, 1979a: 10	E. Cret. S
<i>Dictyastrum desecatatum</i>	Rüst, 1888: 200	E. Cret. S
<i>Dictyastrum diacanthos</i>	Squinabol, 1914: 274	E. Cret. S
<i>Dictyastrum diasprinum</i>	Vinassa de Regny, 1900: 338	L. Jur. S
<i>Dictyastrum glandiferum</i>	Parona, 1890: 158	L. Jur. S
<i>Dictyastrum integrum</i>	Rüst, 1888: 200	E. Cret. S
<i>Dictyastrum lombardicum</i>	Parona, 1890: 157	L. Jur. S
<i>Dictyastrum lombardicum spinosum</i>	Protescu, 1936: 529	L. Jur. S
<i>Dictyastrum neocomiense</i>	Rüst, 1888: 200	E. Cret. S
<i>Dictyastrum ovale</i>	Rüst, 1888: 200	E. Cret. S
<i>Dictyastrum pala</i>	Neviani, 1900: 655	L. Jur. S
<i>Dictyastrum pantanellii</i>	Neviani, 1900: 654	L. Jur. S
<i>Dictyastrum paronai</i>	Neviani, 1900: 654	L. Jur. S



<i>Dictyastrum robustum</i>	Ichikawa, 1950: 302	Tr.?	S
<i>Dictyastrum singulare</i>	Rüst, 1885: 299	L. Jur.	S
<i>Dictyastrum spathulatum</i>	Rüst, 1898: 26	L. Jur.	S
<i>Dictyastrum speciosum</i>	Parona, 1890: 158	L. Jur.	S
<i>Dictyastrum tenue</i>	Rüst, 1888: 199	E. Cret.	S
<i>Dictyastrum triacanthos</i>	Squinabol, 1903: 121	L. Cret.	S
<i>Dictyastrum triceps</i>	Khabakov, 1937: 107	E. Cret.	S
<i>Dictyastrum truncatum</i>	Squinabol, 1903: 122	L. Cret.	S
<i>Dictyastrum truncatum</i>	Neviani, 1900: 655	L. Jur.	S
<i>Dictyocephalus (Dictyocryphalus) ? legumen</i>	Campbell & Clark, 1944: 28	L. Cret.	N
<i>Dictyocephalus (Dictyocryphalus) ? teslaensis</i>	Campbell & Clark, 1944: 29	L. Cret.	N
<i>Dictyocephalus annikae</i>	Garg & Jain, 1978: 157	L. Cret.	N
<i>Dictyocephalus ? bilocularis</i>	Lozyniak, 1981: 67	L. Jur.	N
<i>Dictyocephalus cayeuxi</i>	Squinabol, 1903: 132	L. Cret.	N
<i>Dictyocephalus chinzeii</i>	Suzuki, 1995: 282	E. Jur.	N
<i>Dictyocephalus deformis</i>	Sheng, 1976: 131	Tr.?	N
<i>Dictyocephalus euganeus</i>	Squinabol, 1903: 132	L. Cret.	N
<i>Dictyocephalus globulus</i>	Rüst, 1888: 208	E. Cret.	N
<i>Dictyocephalus jonicus</i>	Vinassa de Regny, 1901: 505	L. Cret.	N
<i>Dictyocephalus kamikatsuensis</i>	Suzuki, 1995: 284	E. Jur.	N
<i>Dictyocephalus ? lepidosus</i>	Kozlova <i>in</i> Kozlova & Gorbovetz, 1966: 103	L. Cret.	N
<i>Dictyocephalus macroporus</i>	Sheng, 1976: 130	Tr.?	N
<i>Dictyocephalus macrostoma</i>	Rüst, 1892a: 106	L. Cret.	N
<i>Dictyocephalus major</i>	Vinassa de Regny, 1899: 233	L. Jur.	N
<i>Dictyocephalus melocactus</i>	Rüst, 1888: 208	E. Cret.	N
<i>Dictyocephalus microcephalus</i>	Goltman, 1983: 158	L. Cret.	N
<i>Dictyocephalus microstoma</i>	Rüst, 1892a: 105	L. Cret.	N
<i>Dictyocephalus ochoticus</i>	Zhamoida, 1968: 166	L. Jur.	N
<i>Dictyocephalus pyriformis</i>	Heitzer, 1930: 393	M. Jur.	N
<i>Dictyocephalus umenokiensis</i>	Suzuki, 1995: 281	E. Jur.	N
<i>Dictyoceras tortuosum</i>	Rüst, 1898: 48	L. Jur.	N
<i>Dictyocoryne heimii</i>	Rüst, 1885: 300	L. Jur.	S
<i>Dictyocoryne ? mocki</i>	Kozur & Mostler, 1978: 152	L. Tr.	S
<i>Dictyocoryne rara</i>	Squinabol, 1914: 279	E. Cret.	S
<i>Dictyocoryne zapfei</i>	Kozur & Mostler, 1978: 153	L. Tr.	S
<i>Dictyodedalus hesperis</i> (T)	O'Dogherty, 1994: 236	L. Cret.	N
<i>Dictyomitra (Dictyomitroma) tiara</i>	Campbell & Clark, 1944: 40	L. Cret.	N
<i>Dictyomitra (Dictyomitroma) tiara aspinosa</i>	Campbell & Clark, 1944: 40	L. Cret.	N
<i>Dictyomitra affinis</i>	Hinde, 1900: 36	Jur.	N
<i>Dictyomitra albeari</i>	Vishnevskaya, 1991b: 97	E. Cret.	N
<i>Dictyomitra albiensis</i>	Aliev, 1961d: 32	E. Cret.	N
<i>Dictyomitra alievi</i> (T)	Foreman, 1973: 263	E. Cret.	N
<i>Dictyomitra anglica</i>	Rüst, 1888: 211	E. Cret.	N
<i>Dictyomitra aperta</i>	Rüst, 1888: 210	E. Cret.	N
<i>Dictyomitra aperta</i> var. <i>calyciformis</i>	Wisniowski, 1888: 690	L. Jur.	N
<i>Dictyomitra arrecta</i> (Td)	Hinde, 1908: 716	Tr.	N
<i>Dictyomitra ? ascelis</i>	Foreman, 1968: 69	L. Cret.	N
<i>Dictyomitra aspera</i>	Squinabol, 1904: 230	L. Cret.	N
<i>Dictyomitra australis</i>	Hinde, 1893: 224	Cret.	N
<i>Dictyomitra barroissii</i>	Cayeux, 1897: 203	L. Cret.	N
<i>Dictyomitra ? bilinensis</i>	Lozyniak, 1981: 69	L. Jur.	N
<i>Dictyomitra biporosa</i>	Khudyayev, 1931: 42	E. Cret.	N
<i>Dictyomitra boesii</i>	Parona, 1890: 170	L. Jur.	N
<i>Dictyomitra bombiccii</i>	Pantanelli <i>in</i> Neviani, 1900: 663	L. Jur.	N
<i>Dictyomitra bononiensis</i>	Vinassa de Regny, 1900: 343	L. Jur.	N
<i>Dictyomitra brevissima</i>	Ichikawa, 1950: 310	Tr.?	N
<i>Dictyomitra bulbocephala</i>	Zhamoida, 1968: 168	E. Jur.	N
<i>Dictyomitra campanulata</i>	Rüst, 1898: 58	L. Jur.	N
<i>Dictyomitra canadensis</i>	Rüst, 1892a: 108	L. Cret.	N
<i>Dictyomitra capelliniana</i>	Vinassa de Regny, 1899: 236	L. Jur.	N
<i>Dictyomitra capulus</i>	Vinassa de Regny, 1899: 236	L. Jur.	N
<i>Dictyomitra carpatica</i>	Lozyniak, 1969: 38	E. Cret.	N
<i>Dictyomitra cavea</i>	Hinde, 1908: 717	Tr.	N
<i>Dictyomitra cellulata</i>	Subbotina, 1960: 236	L. Cret.	N
<i>Dictyomitra cincta</i>	Hinde, 1908: 716	Tr.	N
<i>Dictyomitra clivosa</i>	Aliev, 1961a: 54	E. Cret.	N
<i>Dictyomitra conica</i>	Khabakov, 1937: 112	E. Cret.	N
<i>Dictyomitra consobrina</i>	Hinde, 1900: 36	Jur.	N

<i>Dictyomitra conulus</i>	Perner, 1891: 259	L. Cret. N
<i>Dictyomitra cosmoconica</i>	Foreman, 1973: 263	E. Cret. N
<i>Dictyomitra costata</i>	Aliev, 1961d: 35	E. Cret. N
<i>Dictyomitra crassa</i>	Hinde, 1900: 39	Jur. N
<i>Dictyomitra crebisulcata</i>	Squinabol, 1904: 231	L. Cret. N
<i>Dictyomitra cribaria</i>	Hinde, 1908: 714	Tr. N
<i>Dictyomitra debilis</i>	Parona, 1890: 170	L. Jur. N
<i>Dictyomitra decora</i>	Hinde, 1908: 715	Tr. N
<i>Dictyomitra densicostata</i>	Pessagno, 1976: 51	L. Cret. N
<i>Dictyomitra dilatata</i>	Hinde, 1900: 36	Jur. N
<i>Dictyomitra disparlita</i>	Aliev, 1961a: 59	E. Cret. N
<i>Dictyomitra disparlita opstupida</i>	Aliev, 1961a: 60	E. Cret. N
<i>Dictyomitra disparlita salabretica</i>	Aliev, 1967: 28	E. Cret. N
<i>Dictyomitra dnistrensis</i>	Lozyniak, 1975: 52	L. Cret. N
<i>Dictyomitra ehrenbergi</i> (Td)	Zittel, 1876: 82	L. Cret. N
<i>Dictyomitra elatica</i>	Aliev, 1968: 26	E. Cret. N
<i>Dictyomitra ? elegans</i>	Vinassa de Regny, 1899: 236	L. Jur. N
<i>Dictyomitra elegans</i>	Squinabol, 1904: 232	L. Cret. N
<i>Dictyomitra euganea</i>	Squinabol, 1903: 139	L. Cret. N
<i>Dictyomitra excisa</i>	Rüst, 1888: 211	E. Cret. N
<i>Dictyomitra exilis</i>	Neviani, 1900: 663	L. Jur. N
<i>Dictyomitra expressa</i>	Vishnevskaya, 1991b: 96	E. Cret. N
<i>Dictyomitra extensa</i>	Ichikawa, 1950: 309	Tr.? N
<i>Dictyomitra ferosia</i>	Aliev, 1961a: 55	E. Cret. N
<i>Dictyomitra ferosia angusta</i>	Smirnova in Aliev & Smirnova, 1969: 71	E. Cret. N
<i>Dictyomitra ferosia kelevudacica</i>	Aliev, 1961a: 56	L. Cret. N
<i>Dictyomitra formosa</i>	Squinabol, 1904: 232	L. Cret. N
<i>Dictyomitra fragosa</i>	Ichikawa, 1950: 309	Tr.? N
<i>Dictyomitra geresii</i>	Rüst, 1888: 211	E. Cret. N
<i>Dictyomitra gigantea</i>	Lipman, 1952: 42	L. Cret. N
<i>Dictyomitra gigantea</i>	Neviani, 1900: 663	L. Jur. N
<i>Dictyomitra glandula</i>	Hinde, 1908: 714	Tr. N
<i>Dictyomitra globosa</i>	Vinassa de Regny, 1899: 236	L. Jur. N
<i>Dictyomitra gracilis</i>	Cayeux, 1897: 203	L. Cret. N
<i>Dictyomitra gradata</i>	Hinde, 1900: 40	Jur. N
<i>Dictyomitra ? hexagonata</i>	Vinassa de Regny, 1899: 236	L. Jur. N
<i>Dictyomitra hornatissima</i>	Squinabol, 1904: 230	L. Cret. N
<i>Dictyomitra hyalina</i>	Neviani, 1900: 663	L. Jur. N
<i>Dictyomitra ingens</i>	Vinassa de Regny, 1899: 235	L. Jur. N
<i>Dictyomitra insignis</i>	Squinabol, 1904: 233	L. Cret. N
<i>Dictyomitra konachkendensis</i>	Aliev, 1961a: 57	E. Cret. N
<i>Dictyomitra koslovae</i>	Foreman, 1975: 614	L. Cret. N
<i>Dictyomitra ? lacrimula</i>	Foreman, 1973: 263	E. Cret. N
<i>Dictyomitra laevigata</i>	Hinde, 1908: 715	Tr. N
<i>Dictyomitra lamellicostata</i>	Foreman, 1968: 65	L. Cret. N
<i>Dictyomitra lanterna</i>	Rüst, 1888: 210	E. Cret. N
<i>Dictyomitra lata</i>	Khabakov, 1937: 111	E. Cret. N
<i>Dictyomitra lata</i>	Rüst, 1888: 211	E. Cret. N
<i>Dictyomitra latissima</i>	Khabakov, 1937: 112	E. Cret. N
<i>Dictyomitra lelaini</i>	Hinde, 1908: 717	Tr. N
<i>Dictyomitra leptoconica</i>	Foreman, 1973: 264	E. Cret. N
<i>Dictyomitra leptocostata</i>	Wu & Li, 1982: 68	L. Cret. N
<i>Dictyomitra ligustica</i>	Vinassa de Regny, 1899: 235	L. Jur. N
<i>Dictyomitra lilyae</i>	Tan, 1927: 55	E. Cret. N
<i>Dictyomitra longicephala</i>	Ichikawa, 1950: 310	Tr.? N
<i>Dictyomitra macrocephala</i>	Cayeux, 1897: 203	L. Cret. N
<i>Dictyomitra macrocephala</i>	Squinabol, 1904: 230	L. Cret. N
<i>Dictyomitra malleola</i>	Aliev, 1961a: 62	E. Cret. N
<i>Dictyomitra margarita</i>	Aliev, 1961a: 55	E. Cret. N
<i>Dictyomitra mediocris</i>	Tan, 1927: 55	E. Cret. N
<i>Dictyomitra mitrula</i>	Parona, 1890: 169	L. Jur. N
<i>Dictyomitra momentaria</i>	Aliev, 1961d: 30	E. Cret. N
<i>Dictyomitra montana</i>	Neviani, 1900: 663	L. Jur. N
<i>Dictyomitra multicostata</i> (T)	Zittel, 1876: 81	L. Cret. N
<i>Dictyomitra multipora</i>	Khudyayev, 1931: 41	E. Cret. N
<i>Dictyomitra mutabila</i>	Aliev, 1961d: 37	E. Cret. N
<i>Dictyomitra napaensis</i>	Pessagno, 1976: 53	L. Cret. N
<i>Dictyomitra nardaranensis</i>	Aliev, 1961d: 31	E. Cret. N

<i>Dictyomitra nassa</i>	Parona, 1890: 170	L. Jur.	N
<i>Dictyomitra ? nodosa</i>	Kozlova in Kozlova & Gorbovetz, 1966: 117	L. Cret.	N
<i>Dictyomitra ? oligopora</i>	Vinassa de Regny, 1899: 236	L. Jur.	N
<i>Dictyomitra ordinaria</i>	Aliev, 1961d: 27	E. Cret.	N
<i>Dictyomitra ordinaria elongata</i>	Aliev, 1961d: 28	E. Cret.	N
<i>Dictyomitra originala</i>	Aliev, 1961d: 34	E. Cret.	N
<i>Dictyomitra ornata</i>	Aliev, 1961d: 29	E. Cret.	N
<i>Dictyomitra pagoda</i>	Holmes, 1900: 702	L. Cret.	N
<i>Dictyomitra parva</i>	Rüst, 1888: 211	E. Cret.	N
<i>Dictyomitra parva</i>	Sheng, 1976: 132	Tr.?	N
<i>Dictyomitra paupera</i>	Squinabol, 1904: 232	L. Cret.	N
<i>Dictyomitra perfecta</i>	Rüst, 1888: 212	E. Cret.	N
<i>Dictyomitra pessagnoii</i> (T)	Nakaseko & Nishimura, 1979: 77	L. Tr.	N
<i>Dictyomitra pinna</i>	Ozoldova, 1975: 81	L. Jur.	N
<i>Dictyomitra polycamerata</i>	Aliev, 1961a: 61	E. Cret.	N
<i>Dictyomitra polypora</i>	Zittel, 1876: 80	L. Cret.	N
<i>Dictyomitra producta</i>	Aliev, 1961a: 58	E. Cret.	N
<i>Dictyomitra proxima</i>	Hinde, 1900: 38	Jur.	N
<i>Dictyomitra pseudomacrocephala</i>	Squinabol, 1903: 139	L. Cret.	N
<i>Dictyomitra pulchra</i>	Squinabol, 1903: 140	L. Cret.	N
<i>Dictyomitra pygmaea</i>	Hinde, 1908: 713	Tr.	N
<i>Dictyomitra pyramidalis</i>	Grigoryeva in Kozlova et Gorbovetz, 1966: 116	L. Cret.	N
<i>Dictyomitra quasiturriformis</i>	Wang & Sheng, 1982: 88	L. Tr.	N
<i>Dictyomitra regularis</i>	Perner, 1891: 259	L. Cret.	N
<i>Dictyomitra rhadina</i>	Foreman, 1968: 66	L. Cret.	N
<i>Dictyomitra rudarnensis</i>	Lozyniak, 1981: 68	L. Jur.	N
<i>Dictyomitra rudis</i>	Hinde, 1900: 38	Jur.	N
<i>Dictyomitra sagitafera</i>	Aliev, 1961d: 25	E. Cret.	N
<i>Dictyomitra sagittata</i>	Lozyniak, 1975: 52	L. Cret.	N
<i>Dictyomitra sasinana</i>	Rüst, 1892b: 188	M. Tr.	N
<i>Dictyomitra savuensis</i>	Hinde, 1908: 716	Tr.	N
<i>Dictyomitra scalaris</i>	Lipman, 1952: 42	L. Cret.	N
<i>Dictyomitra scalaris</i>	Hinde, 1900: 40	Jur.	N
<i>Dictyomitra scansilis</i>	Hinde, 1908: 715	Tr.	N
<i>Dictyomitra scitula</i>	Hinde, 1908: 717	Tr.	N
<i>Dictyomitra sevanensis</i>	Kazintsova, 1985: 5	L. Cret.	N
<i>Dictyomitra simplex</i>	Hinde, 1908: 714	Tr.	N
<i>Dictyomitra somphedia</i>	Foreman, 1973: 264	L. Cret.	N
<i>Dictyomitra spicularia</i>	Aliev, 1961d: 34	E. Cret.	N
<i>Dictyomitra spicularis</i>	Khudyaev, 1931: 41	E. Cret.	N
<i>Dictyomitra striata</i>	Lipman, 1952: 41	L. Cret.	N
<i>Dictyomitra subconica</i>	Parona, 1890: 170	L. Jur.	N
<i>Dictyomitra subtilis</i>	Squinabol, 1904: 233	L. Cret.	N
<i>Dictyomitra superba</i>	Hinde, 1900: 35	Jur.	N
<i>Dictyomitra tekschaensis</i>	Aliev, 1967: 29	E. Cret.	N
<i>Dictyomitra tenuis</i>	Hinde, 1900: 38	Jur.	N
<i>Dictyomitra tiara</i>	Holmes, 1900: 701	L. Cret.	N
<i>Dictyomitra tibetica</i>	Wang & Sheng, 1982: 89	L. Tr.	N
<i>Dictyomitra tithoniana</i>	Vinassa de Regny, 1899: 235	L. Jur.	N
<i>Dictyomitra torquata</i>	Foreman, 1971: 1676	L. Cret.	N
<i>Dictyomitra triangularis</i>	Hinde, 1893: 224	Cret.	N
<i>Dictyomitra trigona</i>	Zittel, 1876: 83	L. Cret.	N
<i>Dictyomitra truncata</i>	Hinde, 1900: 38	Jur.	N
<i>Dictyomitra turgaica</i>	Amon, 2000: 71	L. Cret.	N
<i>Dictyomitra turricula</i>	Vinassa de Regny, 1899: 235	L. Jur.	N
<i>Dictyomitra turriformis</i>	Sheng, 1976: 132	Tr.?	N
<i>Dictyomitra turritella</i>	Parona, 1890: 170	L. Jur.	N
<i>Dictyomitra undata</i>	Squinabol, 1904: 231	L. Cret.	N
<i>Dictyomitra urakawaensis</i>	Taketani, 1982: 59	L. Cret.	N
<i>Dictyomitra uralica</i>	Gorbovetz in Kozlova & Gorbovetz, 1966: 116	L. Cret.	N
<i>Dictyomitra varians</i>	Rüst, 1888: 211	E. Cret.	N
<i>Dictyomitra velata</i>	Hinde, 1900: 40	Jur.	N
<i>Dictyomitra ventricosa</i>	Rüst, 1888: 210	E. Cret.	N
<i>Dictyomitra venusta</i>	Hinde, 1908: 715	Tr.	N
<i>Dictyomitra vinassai</i>	Neviani, 1900: 664	L. Jur.	N
<i>Dictyomitrella deweveri</i>	Nakaseko & Nishimura, 1979: 77	L. Tr.	N
<i>Dictyomitrella ? kamoensis</i>	Mizutani & Kido, 1983: 258	M. Jur.	N
<i>Dictyophimus (Dictyophimium) hindsi</i>	Campbell & Clark, 1944: 24	L. Cret.	N

<i>Dictyophimus (Dictyophimium) hueyi</i>	Campbell & Clark, 1944: 23	L. Cret. N
<i>Dictyophimus gracilis</i>	Tan, 1927: 42	E. Cret. N
<i>Dictyophimus ? orbiculiporosus</i>	Sarkisova, 2007: 504	L. Cret. N
<i>Dictyoplegma integrum</i> (Td)	Rüst, 1885: 292	L. Jur. S
<i>Dictyospyris duplex</i>	Parona, 1890: 163	L. Jur. N
<i>Dictyospyris globosa</i>	Rüst, 1888: 205	E. Cret. N
<i>Dictyospyris horrida</i>	Rüst, 1888: 205	E. Cret. N
<i>Diplactura longa</i> (Td)	Rüst, 1885: 294	L. Jur. S
<i>Diplosphaerella radiata</i> (T)	Kristan-Tollmann, 1972: 536	L. Tr. S?
<i>Diplosphaerella ramosa</i> (T)	Kristan-Tollmann, 1972: 528	L. Tr. S?
<i>Diplostrobos crassispina</i> (Ts)	Squinabol, 1903: 140	L. Cret. N
<i>Diplostrobos facer</i>	Kozlova in Kozlova & Gorbovetz, 1966: 118	L. Cret. N
<i>Discofulmen dumitricai</i> (T)	Tekin & Mostler, 2005a: 41	M. Tr. S
<i>Discofulmen ishidai</i>	Tekin & Mostler, 2005a: 41	M. Tr. S
<i>Discokatorella tetraspina</i> (Ts)	Kozur & Mostler, 1994: 74	M. Tr. S
<i>Discospira aequalis</i>	Rüst, 1885: 294	L. Jur. S
<i>Discospira perspicua</i>	Rüst, 1885: 295	L. Jur. S
<i>Discospira vetusta</i>	Rüst, 1885: 295	L. Jur. S
<i>Disphaerocapsula cristata</i>	Dumitrica, 1999b: 172	M. Tr. S?
<i>Disphaerocapsula sublata</i>	Dumitrica, 1999b: 172	L. Tr. S?
<i>Dispongotropus acutispina</i> (T)	Squinabol, 1903: 123	L. Cret. S
<i>Distylocapsa nova</i> (T)	Squinabol, 1904: 225	L. Cret. N
<i>Distylocapsa squama</i>	O'Dogherty, 1994: 189	L. Cret. N
<i>Distylocapsa tuberculata</i>	Squinabol, 1904: 225	L. Cret. N
<i>Ditortis recskensis</i> (Ts)	Kozur, 1988b: 96	M. Tr. E
<i>Ditrabs ? osteosa</i>	Jud, 1994: 76	E. Cret. S
<i>Divatella austriaca</i>	Kozur & Mostler, 1981: 76	L. Tr. E
<i>Divatella spinosa</i> (T)	Kozur & Mostler, 1981: 76	L. Tr. E
<i>Dizonium citriforme</i>	Rüst, 1898: 36	L. Jur. S
<i>Dizonium pruniforme</i>	Rüst, 1898: 36	L. Jur. S
<i>Dobridolum calycinum</i> (Td)	Tikhomirova, 1989: 30	E. Jur. N
<i>Dobridolum cribellatum</i>	Tikhomirova, 1989: 30	E. Jur. N
<i>Domuzdagia deweveri</i> (T)	Dumitrica & Zügel, 2002: 34	E. Jur. S
<i>Doryconthidium cayeuxi</i> (Td)	Vinassa de Regny, 1899: 223	L. Jur. S
<i>Dorydictyum dolosum</i>	Goltman, 1983: 158	L. Cret. S
<i>Dorydictyum dolosus</i>	Goltman, 1984b: 15	L. Cret. S
<i>Dorydictyum ligusticum</i>	Vinassa de Regny, 1899: 223	L. Jur. S
<i>Dorydictyum majori</i>	Vinassa de Regny, 1901: 501	L. Cret. S
<i>Dorylonchidium globosum</i>	Vinassa de Regny, 1899: 223	L. Jur. S
<i>Dorylonchidium hindei</i> (Td)	Vinassa de Regny, 1899: 223	L. Jur. S
<i>Doryplegama mendonense</i>	Hinde, 1908: 702	Tr. S
<i>Doryplegma novum</i>	Richter, 1925: 552	L. Cret. S
<i>Dorypyle cretacea</i> (Td)	Squinabol, 1904: 196	L. Cret. N
<i>Dorysphaera bomba</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Dorysphaera brevispina</i>	Squinabol, 1903: 111	L. Cret. S
<i>Dorysphaera clathrata</i>	Vinassa de Regny, 1900: 331	L. Jur. S
<i>Dorysphaera daingangica</i>	Sheng, 1976: 127	Tr.? S
<i>Dorysphaera elegans</i>	Squinabol, 1903: 110	L. Cret. S
<i>Dorysphaera elegans</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Dorysphaera euganea</i>	Squinabol, 1903: 111	L. Cret. S
<i>Dorysphaera graeca</i>	Vinassa de Regny, 1901: 501	L. Cret. S
<i>Dorysphaera lanceolata</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Dorysphaera lissanensis</i>	Vinassa de Regny, 1900: 330	L. Jur. S
<i>Dorysphaera longoacantha</i>	Goltman, 1983: 168	L. Cret. S
<i>Dorysphaera longoacantha</i>	Goltman, 1984b: 14	L. Cret. S
<i>Dorysphaera major</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Dorysphaera meschinelli</i>	Squinabol, 1904: 188	L. Cret. S
<i>Dorysphaera micropora</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Dorysphaera multiporata</i>	Squinabol, 1904: 187	L. Cret. S
<i>Dorysphaera obtusispina</i>	Squinabol, 1904: 187	L. Cret. S
<i>Dorysphaera porosissima</i>	Vinassa de Regny, 1900: 331	L. Jur. S
<i>Dorysphaera simplex</i>	Vinassa de Regny, 1899: 222	L. Jur. S
<i>Draculacampe bosniensis</i>	Kozur & Mostler, 2006: 57	M. Tr. N
<i>Draculacampe guexi</i> (T)	Kozur & Mostler, 2006: 57	M. Tr. N
<i>Dreyericyrtium curvatum</i> (T)	Kozur & Mostler, 1979a: 97	L. Tr. N
<i>Dreyericyrtium ithacanthum</i>	Sugiyama, 1997: 151	L. Tr. N
<i>Dreyericyrtium virgispineum</i>	Sugiyama, 1997: 153	L. Tr. N
<i>Droltus carinaspinosus</i>	Kozur & Mostler, 1990: 223	E. Jur. N

<i>Droplitus eurasiaticus</i>	Kozur & Mostler, 1990: 223	E. Jur.	N
<i>Droplitus firmus</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 62	E. Jur.	N
<i>Droplitus fondrenensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 63	E. Jur.	N
<i>Droplitus galerus</i>	Suzuki, 1995: 284	E. Jur.	N
<i>Droplitus hecatensis</i>	Pessagno & Whalen, 1982: 121	E. Jur.	N
<i>Droplitus laseekensis</i>	Pessagno & Whalen, 1982: 122	E. Jur.	N
<i>Droplitus lyellensis</i> (T)	Pessagno & Whalen, 1982: 122	E. Jur.	N
<i>Droplitus obesus</i>	Yeh & Cheng, 1998: 21	E. Jur.	N
<i>Droplitus orchardi</i>	Carter, 1993: 103	L. Tr.	N
<i>Droplitus ? probosus</i>	Pessagno & Whalen, 1982: 122	M. Jur.	N
<i>Droplitus robustospinosus</i>	Kozur & Mostler, 1990: 224	E. Jur.	N
<i>Droplitus sanignacioensis</i>	Whalen & Carter, 2002: 116	E. Jur.	N
<i>Droplitus satoi</i>	Yeh & Cheng, 1998: 21	E. Jur.	N
<i>Droplitus sugiyamai</i>	Yeh & Cheng, 1998: 22	E. Jur.	N
<i>Drulanta bella</i>	Yeh, 1987a: 71	E. Jur.	N
<i>Drulanta edenshawii</i>	Carter in Carter <i>et al.</i> , 1988: 53	E. Jur.	N
<i>Drulanta formosa</i>	Yeh, 1987a: 72	E. Jur.	N
<i>Drulanta mirifica</i> (Ts)	Yeh, 1987a: 72	E. Jur.	N
<i>Drulanta mostleri</i>	Yeh, 1987a: 72	E. Jur.	N
<i>Drulanta pulchra</i>	Yeh, 1987a: 73	E. Jur.	N
<i>Druppastylus hirsutus</i> (Td)	Cayeux, 1897: 190	L. Cret.	S
<i>Drupptractus cuadatus</i>	Rüst, 1888: 195	E. Cret.	S
<i>Drupptractus fuchsii</i>	Rüst, 1898: 18	L. Jur.	S
<i>Drupptractus prunum</i>	Rüst, 1888: 195	E. Cret.	S
<i>Druppula arcta</i>	Hinde, 1900: 17	Jur.	S
<i>Druppula convoluta</i>	Perner, 1891: 262	L. Cret.	S
<i>Druppula magna</i>	Hojnos, 1916: 347	E. Cret.	S
<i>Druppula meridiana</i>	Vinassa de Regny, 1899: 229	L. Jur.	S
<i>Druppula murrayi</i>	Rüst, 1888: 195	E. Cret.	S
<i>Druppula pomatia</i>	Rüst, 1892b: 155	M. Tr.	S
<i>Drymyomma ? valdugai</i>	Marcucci & Salvini in Marcucci <i>et al.</i> , 1994: 29	L. Cret.	S
<i>Ducatus hipolitoensis</i> (T)	Whalen & Carter, 2002: 132	E. Jur.	N
<i>Dumitricaella ? cucurbitina</i>	De Wever, 1982: 198	E. Jur.	N
<i>Dumitricaella ? parva</i>	Sugiyama, 1997: 153	L. Tr.	N
<i>Dumitricaella pauliani</i> (T)	De Wever, 1982: 198	E. Jur.	N
<i>Dumitricaella trispinosa</i>	Dumitrica in Goričan <i>et al.</i> , 2006: 144	E. Jur.	N
<i>Dumitricaia maxwellensis</i> (T)	Pessagno, 1976: 38	L. Cret.	S
<i>Dumitricasphaera elegans</i>	Bragin, 2007: 991	L. Tr.	S
<i>Dumitricasphaera galeata</i>	Tekin & Mostler, 2005a: 24	M. Tr.	S
<i>Dumitricasphaera goestlingensis</i> (T)	Kozur & Mostler, 1979a: 60	L. Tr.	S
<i>Dumitricasphaera latispinosa</i>	Kozur & Mostler, 1979a: 61	L. Tr.	S
<i>Dumitricasphaera ? pennata</i>	Goričan in Goričan & Buser, 1990: 143	M. Tr.	S
<i>Dumitricasphaera planustyla</i> (T)	Lahm, 1984: 71	L. Tr.	S
<i>Dumitricasphaera simplex</i>	Tekin, 1999: 66	L. Tr.	S
<i>Dumitricasphaera trialata</i>	Tekin & Mostler, 2005a: 26	M. Tr.	S
<i>Ectonocorys deltota</i>	Foreman, 1968: 41	L. Cret.	N
<i>Ectonocorys ? fucillata</i>	De Wever, 1982: 196	E. Jur.	N
<i>Ectonocorys hemicarena</i>	Foreman, 1968: 42	L. Cret.	N
<i>Ectonocorys lampra</i> (T)	Foreman, 1968: 40	L. Cret.	N
<i>Ectonocorys ? saltantis</i>	De Wever, 1982: 197	E. Jur.	N
<i>Ectonocorys scolia</i>	Foreman, 1968: 41	L. Cret.	N
<i>Ectonocorys spinosa</i>	Yao, 1979: 44	M. Jur.	N
<i>Elbistanium gracilum</i> (T)	Tekin in Tekin & Bedi, 2007a: 158	L. Tr.	N
<i>Elbistanium productum</i>	Tekin in Tekin & Bedi, 2007a: 158	L. Tr.	N
<i>Ellipsoidium macrostylum</i>	Rüst, 1898: 16	L. Jur.	S
<i>Ellipsoidium microporum</i>	Rüst, 1898: 16	L. Jur.	S
<i>Ellipsostylus alcedo</i>	Rüst, 1898: 17	L. Jur.	S
<i>Ellipsostylus hindei</i>	Neviani, 1900: 651	L. Jur.	S
<i>Ellipsostylus regularis</i>	Wang & Sheng, 1982: 86	L. Jur.	S
<i>Ellipsoxiphus asper</i>	Rüst, 1898: 17	L. Jur.	S
<i>Ellipsoxiphus biconstrictus</i>	Rüst, 1898: 16	L. Jur.	S
<i>Ellipsoxiphus botaurus</i>	Rüst, 1898: 16	L. Jur.	S
<i>Ellipsoxiphus elongatus</i>	Heitzer, 1930: 389	M. Jur.	S
<i>Ellipsoxiphus euganeus</i>	Squinabol, 1904: 197	L. Cret.	S
<i>Ellipsoxiphus oligoporus</i>	Vinassa de Regny, 1899: 228	L. Jur.	S
<i>Ellipsoxiphus parvoforaminosus</i>	Dunikowski, 1882: 186	E. Jur.	S
<i>Ellipsoxiphus privus</i>	Foreman, 1978b: 743	L. Cret.	S
<i>Ellipsoxiphus rugosus</i>	Tan, 1927: 37	E. Cret.	S



<i>Ellipsoxiphus suessi</i> (Td)	Dunikowski, 1882: 186	E. Jur.	S
<i>Ellipsoxiphus tenuispinosus</i>	Ichikawa, 1950: 298	Tr.?	S
<i>Ellipsoxiphus zhamoidai</i>	Aliev, 1965: 24	E. Cret.	S
<i>Ellipsoxyphus fornasinii</i>	Neviani, 1900: 651	L. Jur.	S
<i>Ellipsoxyphus lissanensis</i>	Vinassa de Regny, 1900: 334	L. Jur.	S
<i>Elodium cameroni</i> (T)	Carter in Carter <i>et al.</i> , 1988: 56	E. Jur.	N
<i>Elodium jurassicum</i>	Yeh & Cheng, 1996a: 118	E. Jur.	N
<i>Elodium ? mackenziei</i>	Carter in Goričan <i>et al.</i> , 2006: 146	E. Jur.	N
<i>Elodium nadenensis</i>	Carter in Carter <i>et al.</i> , 1988: 57	E. Jur.	N
<i>Elodium pessagnoii</i>	Yeh & Cheng, 1996a: 120	E. Jur.	N
<i>Emiluvia acantha</i>	Carter in Carter <i>et al.</i> , 1988: 34	M. Jur.	S
<i>Emiluvia bisella</i>	Danelian in Baumgartner <i>et al.</i> , 1995: 196	L. Jur.	S
<i>Emiluvia chica</i> (T)	Foreman, 1973: 262	E. Cret.	S
<i>Emiluvia ? cochleata</i> (T)	Nakaseko & Nishimura, 1979: 70	L. Tr.	E
<i>Emiluvia dollarbendensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 131	L. Jur.	S
<i>Emiluvia fontana</i>	Hull, 1997: 66	L. Jur.	S
<i>Emiluvia hopsoni</i>	Pessagno, 1977a: 76	L. Jur.	S
<i>Emiluvia lombardensis</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 200	M. Jur.	S
<i>Emiluvia lowercoonensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 131	L. Jur.	S
<i>Emiluvia lowercoonensis polaris</i>	Kiessling, 1999: 30	L. Jur.	S
<i>Emiluvia ? moresbyensis</i>	Carter in Carter <i>et al.</i> , 1988: 35	E. Jur.	S
<i>Emiluvia nana</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 202	M. Jur.	S
<i>Emiluvia oldmassetensis</i>	Carter in Carter <i>et al.</i> , 1988: 35	M. Jur.	S
<i>Emiluvia omanensis</i>	Kiessling, 1995: 330	E. Cret.	S
<i>Emiluvia ordinaria</i>	Ozoldova in Ozoldova & Sykora, 1984: 265	L. Jur.	S
<i>Emiluvia orea</i>	Baumgartner in Baumgartner <i>et al.</i> , 1980: 52	L. Jur.	S
<i>Emiluvia orea ultima</i>	Baumgartner & Dumitrica in Baumgartner <i>et al.</i> , 1995: 204	L. Jur.	S
<i>Emiluvia parvinodosa</i>	Kiessling, 1999: 32	L. Jur.	S
<i>Emiluvia pentaporata</i>	Steiger & Steiger, 1994: 458	L. Jur.	S
<i>Emiluvia pessagnoii</i>	Foreman, 1973: 262	E. Cret.	S
<i>Emiluvia pessagnoii multipora</i>	Steiger, 1992: 54	L. Jur.	S
<i>Emiluvia peteri</i>	Beccaro, 2004b: 16	L. Jur.	S
<i>Emiluvia premयोगii</i>	Baumgartner, 1984: 762	M. Jur.	S
<i>Emiluvia salensis</i>	Pessagno, 1977a: 77	L. Jur.	S
<i>Emiluvia splendida</i>	Carter in Carter <i>et al.</i> , 1988: 35	M. Jur.	S
<i>Emiluvia tecta</i>	Steiger, 1992: 54	L. Jur.	S
<i>Emiluvia tecta decussata</i>	Steiger, 1992: 55	L. Jur.	S
<i>Emiluvia tecta diagonalis</i>	Steiger, 1992: 56	E. Cret.	S
<i>Emiluvia zhamoidai</i>	Tikhomirova, 1984: 23	L. Jur.	S
<i>Empirea hasta</i> (T)	Whalen & Carter in Carter <i>et al.</i> , 1998: 52	E. Jur.	E
<i>Enoplocampe ? norica</i>	Tekin in Tekin & Yurtsever, 2003: 158	L. Tr.	N
<i>Enoplocampe yehae</i> (Ts)	Sugiyama, 1997: 154	L. Tr.	N
<i>Entactinia morii</i>	Sugiyama, 1992: 1205	E. Tr.	E
<i>Entactinia nikorni</i>	Sashida & Igo, 1992: 1302	E. Tr.	E
<i>Entactinosphaera ? amphilaepes</i>	Carter, 1993: 38	E. Tr.	E
<i>Entactinosphaera chiakensis</i>	Sashida & Igo, 1992: 1302	E. Tr.	E
<i>Entactinosphaera ? romuli</i>	Lahm, 1984: 17	M. Tr.	E
<i>Entactinosphaera ? simoni</i>	Kozur & Mostler, 1979a: 70	L. Tr.	E
<i>Entactinosphaera ? spinulata</i>	Carter, 1993: 39	L. Tr.	E
<i>Entactinosphaera ? spoerlii</i>	Takemura & Aono, 2007: 198	E. Tr.	E
<i>Entactinosphaera triassica</i>	Kozur & Mostler, 1979a: 70	L. Tr.	E
<i>Entactinosphaera ? zapfei</i>	Kozur & Mostler, 1979a: 71	L. Tr.	N
<i>Eonapora curvata</i>	Kozur & Mostler, 1979a: 90	L. Tr.	N
<i>Eonapora fassanica</i>	Kozur & Mostler, 1994: 112	M. Tr.	N
<i>Eonapora longispinosa</i>	Kozur & Mostler, 1994: 112	M. Tr.	N
<i>Eonapora mesotriassica</i>	Kozur & Mostler, 1981: 81	M. Tr.	N
<i>Eonapora pulchra</i> (T)	Kozur & Mostler, 1979a: 90	L. Tr.	N
<i>Eonapora robusta</i>	Kozur & Mostler, 1981: 82	M. Tr.	N
<i>Eonapora transitia</i>	Kozur & Mostler, 1994: 113	M. Tr.	N
<i>Eostichomitra warzigita</i> (T)	Empson-Morin, 1981: 280	L. Cret.	N
<i>Eoxitus baloghi</i>	Kozur, 1985: 216	M. Jur.	N
<i>Eoxitus brevis</i>	Kozur, 1985: 217	M. Jur.	N
<i>Eoxitus ? buekkensis</i>	Kozur, 1985: 217	M. Jur.	N
<i>Eoxitus elongatus</i>	Kozur, 1985: 217	M. Jur.	N
<i>Eoxitus hungaricus</i> (T)	Kozur, 1985: 216	M. Jur.	N
<i>Eoxitus ishida</i>	Kozur, 1985: 218	M. Jur.	N
<i>Eoxitus nodosus</i>	Kozur, 1985: 218	M. Jur.	N
<i>Eptingium ? amoenum</i>	Carter, 1993: 93	L. Tr.	E

<i>Eptingium inaequispinosum</i>	Kozur & Mostler, 2006: 43	M. Tr.	E
<i>Eptingium manfredi</i> (T)	Dumitrica, 1978a: 33	M. Tr.	E
<i>Eptingium manfredi robustum</i>	Kozur & Mostler in Dumitrica <i>et al.</i> , 1980: 20	M. Tr.	E
<i>Eptingium nakasekoi</i>	Kozur & Mostler, 1994: 43	M. Tr.	E
<i>Eptingium ? onesimos</i>	Carter, 1993: 94	L. Tr.	E
<i>Eptingium ramovsi</i>	Kozur, Krainer & Mostler, 1996b: 206	M. Tr.	E
<i>Eptingium ? tortile</i>	Kozur & Mostler, 2006: 43	M. Tr.	E
<i>Eribotrys amax</i>	Foreman, 1968: 60	L. Cret.	N
<i>Eribotrys despoena</i> (T)	Foreman, 1968: 59	L. Cret.	N
<i>Eribotrys ? johnsoni</i>	Petrushevskaya, 1977: 15	L. Cret.	N
<i>Eribotrys litos</i>	Foreman, 1968: 60	L. Cret.	N
<i>Ethmosphaera inaequalis</i>	Rüst, 1898: 5	E. Jur.	S
<i>Ethmosphaera minuta</i>	Pantanelli, 1880: 45	L. Jur.	S
<i>Ethmosphaera siphonophorites</i>	Pantanelli, 1880: 46	L. Jur.	S
<i>Ethmosphaera vulgaris</i>	Pantanelli, 1880: 46	L. Jur.	S
<i>Ethmosphaera carpathica</i>	Vinassa de Regny, 1901: 500	L. Cret.	S
<i>Euchitonia amoena</i>	Pantanelli, 1880: 48	L. Jur.	S
<i>Euchitonia circularis</i>	Rüst, 1898: 28	L. Jur.	S
<i>Euchitonia clathrata</i>	Pantanelli, 1880: 49	L. Jur.	S
<i>Euchitonia crevolensis</i>	Pantanelli, 1880: 49	L. Jur.	S
<i>Euchitonia dispar</i>	Rüst, 1898: 29	L. Jur.	S
<i>Euchitonia dubia</i>	Pantanelli, 1880: 49	L. Jur.	S
<i>Euchitonia euganea</i>	Squinabol, 1904: 204	L. Cret.	S
<i>Euchitonia grandis</i>	Pantanelli, 1880: 49	L. Jur.	S
<i>Euchitonia muellerites</i>	Pantanelli, 1880: 48	L. Jur.	S
<i>Euchitonia novalensis</i>	Squinabol, 1914: 277	E. Cret.	S
<i>Euchitonia santonica</i>	Lipman, 1952: 34	L. Cret.	S
<i>Euchitonia triradiata</i>	Lipman in Glazunova <i>et al.</i> , 1960: 129	L. Cret.	S
<i>Eucyrtidiellum bortolottii</i>	Chiari, Cortese & Marcucci in Chiari <i>et al.</i> , 1997: 68	M. Jur.	N
<i>Eucyrtidiellum ? circumperforatum</i>	Chiari, Marcucci & Prela, 2002: 65	M. Jur.	N
<i>Eucyrtidiellum disparile</i>	Nagai & Mizutani, 1990: 594	M. Jur.	N
<i>Eucyrtidiellum gunensis</i>	Cordey, 1998: 109	E. Jur.	N
<i>Eucyrtidiellum nagaiae</i>	Dumitrica, Goričan & Matsuoka in Goričan <i>et al.</i> , 2006: 158	E. Jur.	N
<i>Eucyrtidiellum nodosum</i>	Wakita, 1988: 408	L. Jur.	N
<i>Eucyrtidiellum omanojaponicum</i>	Dumitrica, Goričan & Hori in Goričan <i>et al.</i> , 2006: 158	E. Jur.	N
<i>Eucyrtidiellum pustulatum</i>	Baumgartner, 1984: 765	M. Jur.	N
<i>Eucyrtidiellum quinatum</i>	Takemura, 1986: 67	M. Jur.	N
<i>Eucyrtidiellum ramescens</i>	Cordey, 1998: 110	E. Jur.	N
<i>Eucyrtidiellum semifactum</i>	Nagai & Mizutani, 1990: 595	M. Jur.	N
<i>Eucyrtidiellum takemurai</i>	Hull, 1997: 82	L. Jur.	N
<i>Eucyrtidiellum tubulosum</i>	Tikhomirova, 1987b: 28	E. Jur.	N
<i>Eucyrtidiellum unumaense dentatum</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 220	M. Jur.	N
<i>Eucyrtidium (Eucyrtis) carnegiense</i>	Campbell & Clark, 1944: 42	L. Cret.	N
<i>Eucyrtidium (Eucyrtis) carnegiense positasense</i>	Campbell & Clark, 1944: 42	L. Cret.	N
<i>Eucyrtidium ? boodes</i>	Renz, 1974: 791	E. Cret.	N
<i>Eucyrtidium brouweri</i> typ.	Tan, 1927: 58	E. Cret.	N
<i>Eucyrtidium brouweri</i> var. $\alpha$	Tan, 1927: 59	E. Cret.	N
<i>Eucyrtidium brouweri</i> var. $\beta$	Tan, 1927: 59	E. Cret.	N
<i>Eucyrtidium brouweri</i> var. $\delta$	Tan, 1927: 58	E. Cret.	N
<i>Eucyrtidium brouweri</i> var. $\gamma$	Tan, 1927: 57	E. Cret.	N
<i>Eucyrtidium deformis</i>	Tan, 1927: 58	E. Cret.	N
<i>Eucyrtidium elementarius</i>	Carter in Carter <i>et al.</i> , 1988: 60	M. Jur.	N
<i>Eucyrtidium khabakovi</i>	Zhamoida in Dundo & Zhamoida, 1963: 82	E. Cret.	N
<i>Eucyrtidium liasicum</i>	Rüst, 1885: 312	L. Jur.	N
<i>Eucyrtidium ? manokawaensis</i>	Tumanda, 1989: 32	E. Cret.	N
<i>Eucyrtidium ? manokawaensis humilis</i>	Tumanda, 1989: 32	E. Cret.	N
<i>Eucyrtidium ? manokawaensis manokawaensis</i>	Tumanda, 1989: 32	E. Cret.	N
<i>Eucyrtidium ? matsumotoi</i>	Taketani, 1982: 57	L. Cret.	N
<i>Eucyrtidium ? ozaense</i>	Aita in Aita & Okada, 1986: 109	L. Jur.	N
<i>Eucyrtidium parviporum</i>	Tan, 1927: 57	E. Cret.	N
<i>Eucyrtidium ptyctum</i>	Riedel & Sanfilippo, 1974: 778	L. Jur.	N
<i>Eucyrtidium ? pyramis</i>	Aita in Aita & Okada, 1986: 109	L. Jur.	N
<i>Eucyrtidium seria</i>	Rüst, 1898: 60	L. Jur.	N
<i>Eucyrtidium thiensis</i> (T)	Tan, 1927: 60	E. Cret.	N
<i>Eucyrtidium tumefactus</i>	Tikhomirova, 1986: 24	L. Tr.	N
<i>Eucyrtidium turritum</i>	Squinabol, 1904: 234	L. Cret.	N
<i>Eucyrtidium ? unumaensis</i> (T)	Yao, 1979: 39	M. Jur.	N
<i>Eucyrtidium ventricosum</i>	Rüst, 1898: 59	E. Jur.	N

<i>Eucyrtidium vermiculatum</i>	Renz, 1974: 792	E. Cret. N
<i>Eucyrtis bicornis</i>	Rüst, 1885: 316	L. Jur. N
<i>Eucyrtis bulbosus</i>	Renz, 1974: 792	E. Cret. N
<i>Eucyrtis columbarius</i>	Renz, 1974: 792	E. Cret. N
<i>Eucyrtis conoidea</i> (Td)	Rüst, 1885: 316	L. Jur. N
<i>Eucyrtis cylindricus</i>	Tikhomirova, 1987b: 31	E. Jur. N
<i>Eucyrtis diagonalis</i>	Tikhomirova, 1987b: 31	M. Jur. N
<i>Eucyrtis ? dicera</i> (T)	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1980: 54	L. Jur. S
<i>Eucyrtis elido</i>	Schaaf, 1981: 434	E. Cret. N
<i>Eucyrtis lagenulatus</i>	Tikhomirova, 1987b: 32	L. Jur. N
<i>Eucyrtis orthoceras</i>	Rüst, 1885: 317	L. Jur. N
<i>Eucyrtis pantanellii</i>	Rüst, 1885: 316	L. Jur. N
<i>Eucyrtis rotundata</i>	Rüst, 1885: 317	L. Jur. N
<i>Eucyrtis ? zhamoidai</i> (T)	Foreman, 1973: 264	E. Cret. N
<i>Eusyringium</i> ( <i>Eusyringartus</i> ) <i>deangelisi</i>	Neviani, 1900: 665	L. Jur. N
<i>Eusyringium affine</i> (T)	Rüst, 1898: 60	L. Jur. N
<i>Eusyringium brachisiphon</i>	Squinabol, 1912: 287	L. Jur. N
<i>Eusyringium ? foremanae</i>	Taketani, 1982: 64	L. Cret. N
<i>Eusyringium gracile</i>	Hinde, 1908: 719	Tr. N
<i>Eusyringium ingens</i>	Tan, 1927: 62	E. Cret. N
<i>Eusyringium jaculum</i>	Hinde, 1908: 719	Tr. N
<i>Eusyringium kruizingai</i>	Tan, 1927: 61	E. Cret. N
<i>Eusyringium macroporum</i>	Rüst, 1898: 60	L. Jur. N
<i>Eusyringium musylevi</i>	Zhamoida, 1968: 170	E. Jur. N
<i>Eusyringium niobeae</i> typ.	Tan, 1927: 61	E. Cret. N
<i>Eusyringium niobeae</i> var. $\alpha$	Tan, 1927: 61	E. Cret. N
<i>Eusyringium niobeae</i> var. $\beta$	Tan, 1927: 61	E. Cret. N
<i>Eusyringium niobeae</i> var. $\delta$	Tan, 1927: 62	E. Cret. N
<i>Eusyringium niobeae</i> var. $\gamma$	Tan, 1927: 62	E. Cret. N
<i>Eusyringium parvulum</i>	Hinde, 1908: 719	Tr. N
<i>Eusyringium spinosum</i>	Squinabol, 1903: 141	L. Cret. N
<i>Eusyringium triviale</i>	Zhamoida, 1972: 121	E. Jur. N
<i>Eusyringium typicum</i>	Rüst, 1898: 60	L. Jur. N
<i>Eusyringium venetum</i>	Squinabol, 1904: 235	L. Cret. N
<i>Eusyringium ? woodsidensis</i>	Hollis, 1997: 76	L. Cret. N
<i>Ewingella ? capayensis</i>	Pessagno, 1969: 399	L. Cret. N
<i>Ewingella ? guidaensis</i>	Pessagno, 1969: 400	L. Cret. N
<i>Ewingella ? jonesi</i> (Ts)	Pessagno, 1969: 401	L. Cret. N
<i>Excentropylomma cenomana</i> (T)	Dumitrica, 1970: 77	L. Cret. N
<i>Excentrosphaerella kamchatica</i>	Vishnevskaya & Dumitrica, 2003: 111	L. Cret. S
<i>Excentrosphaerella kamchatica</i>	Vishnevskaya & Dumitrica <i>in</i> Vishnevskaya, 2006: 141	L. Cret. S
<i>Excentrosphaerella kovalenkovi</i>	Vishnevskaya, 2006: 141	L. Cret. S
<i>Excentrosphaerella kurilovi</i>	Vishnevskaya, 2006: without description	L. Cret. S
<i>Excentrosphaerella sukhovi</i>	Vishnevskaya & Kurilov <i>in</i> Vishnevskaya, 2006: 141	L. Cret. S
<i>Excingula bifaria</i> (Ti)	Kozlova, 1994: without description	L. Jur. N
<i>Falcicyrtis magnispinosa</i> (Ts)	Kozur & Mostler, 2006: 61	M. Tr. N
<i>Falcispongus calcaneum</i>	Dumitrica, 1982a: 65	M. Tr. S
<i>Falcispongus falciformis</i> (T)	Dumitrica, 1982a: 66	M. Tr. S
<i>Falcispongus falciformis minor</i>	Kozur & Mostler, 1996b: 110	M. Tr. S
<i>Falcispongus hamatus</i>	Dumitrica, 1982a: 66	L. Tr. S
<i>Falcispongus heinzi</i>	Feng & Liang, 2003: 224	M. Tr. S
<i>Falcispongus pauliani</i>	Feng & Liang, 2003: 223	M. Tr. S
<i>Falcispongus postcalcaneus</i>	Kozur & Mostler, 1994: 66	M. Tr. S
<i>Falcispongus praefalciformis</i>	Kozur & Mostler, 1994: 67	M. Tr. S
<i>Falcispongus priscus</i>	Kozur & Mostler, 1994: 67	M. Tr. S
<i>Falcispongus rostratus</i>	Dumitrica, 1982a: 66	M. Tr. S
<i>Falcispongus transitus</i>	Kozur & Mostler, 1994: 67	M. Tr. S
<i>Falcispongus transitus</i>	Kozur & Mostler, 1996b: 111	M. Tr. S
<i>Falcispongus transitus brevifolaceus</i>	Kozur & Mostler, 1996b: 112	M. Tr. S
<i>Falcispongus uncus</i>	Goričan <i>in</i> Goričan & Buser, 1990: 145	M. Tr. S
<i>Falcispongus zapfei</i>	Kozur, 1996: 290	M. Tr. S
<i>Falsocromyodrymus cardulus</i>	O'Dogherty, 1994: 274	L. Cret. S
<i>Falsocromyodrymus ? fragosus</i>	O'Dogherty, 1994: 272	E. Cret. S
<i>Falsocromyodrymus ? nebulosus</i>	O'Dogherty, 1994: 275	L. Cret. S
<i>Falsocromyodrymus noxiosus</i>	O'Dogherty, 1994: 274	L. Cret. S
<i>Fantus exiguus</i>	Yeh, 1987a: 62	E. Jur. N
<i>Fantus schoolhousensis</i> (Ts)	Yeh, 1987a: 62	E. Jur. N
<i>Farcus asperoensis</i>	Pessagno <i>et al.</i> , 1986: 23	E. Jur. N

<i>Farcus graylockensis</i> (T)	Pessagno <i>et al.</i> , 1986: 24	E. Jur.	N
<i>Farcus kozuri</i>	Yeh, 1987a: 75	E. Jur.	N
<i>Farcus leonseveroi</i>	Bertinelli & Marcucci, 2006: 146	E. Jur.	N
<i>Farcus lepidus</i>	Yeh, 1987a: 75	E. Jur.	N
<i>Farcus priscus</i>	Yeh & Cheng, 1998: 24	E. Jur.	N
<i>Farcus sinemurus</i>	Yeh & Yang, 2006: 339	E. Jur.	N
<i>Favosyringium adversum</i>	Steiger, 1992: 80	L. Jur.	N
<i>Favosyringium quadriaculeatum</i>	Steiger, 1992: 81	L. Jur.	N
<i>Fenestrula jurassica</i> (T)	Yeh, 1995: 95	E. Jur.	E
<i>Fenestrula oregonensis</i>	Yeh, 1995: 96	E. Jur.	E
<i>Ferresium conclusum</i>	Carter, 1993: 68	L. Tr.	E
<i>Ferresium contortum</i>	Blome, 1984a: 42	L. Tr.	E
<i>Ferresium hecatense</i>	Blome, 1984a: 43	L. Tr.	E
<i>Ferresium laseekense</i> (T)	Blome, 1984a: 43	L. Tr.	E
<i>Ferresium loganense</i>	Blome, 1984a: 43	L. Tr.	E
<i>Ferresium lyellense</i>	Blome, 1984a: 44	L. Tr.	E
<i>Ferresium philippinense</i>	Yeh & Cheng, 1996b: 7	L. Tr.	E
<i>Ferresium teekwoonense</i>	Carter, 1993: 69	L. Tr.	E
<i>Ferresium titulense</i>	Blome, 1984a: 44	L. Tr.	E
<i>Ferresium triquetrum</i>	Carter, 1993: 70	L. Tr.	E
<i>Fluegelium inornata</i>	Hull, 1997: 21	L. Jur.	S
<i>Fluegelium symmetricum</i> (T)	Steiger & Steiger, 1994: 457	L. Jur.	S
<i>Flustrella gyangzeensis</i>	Wang & Sheng, 1982: 87	L. Jur.	S
<i>Flustrella gyirongensis</i>	Wang & Sheng, 1982: 87	L. Tr.	S
<i>Follicucullus excelsior</i>	Bragin, 1991c: 77	E. Tr.	A
<i>Fontinella clara</i>	Carter, 1993: 43	L. Tr.	S
<i>Fontinella habros</i>	Carter, 1993: 44	L. Tr.	S
<i>Fontinella inflata</i>	Carter, 1993: 44	L. Tr.	S
<i>Fontinella louisensis</i> (T)	Carter, 1993: 45	L. Tr.	S
<i>Fontinella primitiva</i>	Carter, 1993: 46	L. Tr.	S
<i>Foremanella alpina</i> (Ti)	Muzavor, 1977: 67	L. Jur.	S
<i>Foremanellina aranea</i>	Dumitrica, 1982b: 80	M. Tr.	N
<i>Foremanellina expansolabrum</i>	Dumitrica, 1982b: 79	M. Tr.	N
<i>Foremanellina helenae</i> (T)	Dumitrica, 1982b: 79	M. Tr.	N
<i>Foremanellina macrocephala</i>	Dumitrica, 1982b: 78	M. Tr.	N
<i>Foremania sandilandsensis</i> (T)	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 79	E. Jur.	N
<i>Foremanina schona</i> (T)	Empson-Morin, 1981: 272	L. Cret.	N
<i>Foremanina transitia</i>	Grill & Kozur, 1986: 247	M. Jur.	N
<i>Foremanina varbocensis</i>	Grill & Kozur, 1986: 248	M. Jur.	N
<i>Foremanina veghae</i>	Grill & Kozur, 1986: 248	M. Jur.	N
<i>Fueloepicyrtis hungarica</i> (T)	Kozur & Mostler, 1981: 109	M. Tr.	N
<i>Fultacapsa ozvoldovae</i>	Beccaro, 2004b: 12	L. Jur.	S
<i>Gastrulocapsula entechinus</i>	Dumitrica, 1999b: 170	M. Tr.	S?
<i>Gastrulocapsula entopila</i>	Dumitrica, 1999b: 168	M. Tr.	S?
<i>Gastrulocapsula lobofera</i>	Dumitrica, 1999b: 170	M. Tr.	S?
<i>Gastrulocapsula paniforma</i> (T)	Dumitrica, 1999b: 170	M. Tr.	S?
<i>Gastrulocapsula subglobosa</i>	Dumitrica, 1999b: 170	M. Tr.	S?
<i>Gastrulocapsula tetramamma</i>	Dumitrica, 1999b: 168	L. Jur.	S?
<i>Gelasinus circulus</i>	Yeh & Yang, 2006: 333	E. Jur.	S
<i>Gelasinus hexalatus</i>	Yeh & Yang, 2006: 334	E. Jur.	S
<i>Gelasinus pentalatus</i>	Yeh & Yang, 2006: 334	E. Jur.	S
<i>Gelasinus tetralatus</i> (Td)	Yeh & Yang, 2006: 334	E. Jur.	S
<i>Gibberospongus bispinosus</i>	Kozur & Mostler, 1996b: 128	M. Tr.	S
<i>Gibberospongus kraineri</i>	Kozur & Mostler, 1996b: 128	M. Tr.	S
<i>Gibberospongus spinosus</i> (Ts)	Kozur & Mostler, 1996b: 127	M. Tr.	S
<i>Gibberospongus tichyi</i>	Kozur & Mostler, 1996b: 129	M. Tr.	S
<i>Gigi fustis</i> (T)	De Wever, 1982: 195	E. Jur.	N
<i>Globolaxtorum cristatum</i>	Carter, 1993: 110	L. Tr.	N
<i>Globolaxtorum tozeri</i> (T)	Carter, 1993: 111	L. Tr.	N
<i>Glomeropyle aurora</i> (T)	Aita <i>in</i> Aita & Bragin, 1999: 514	M. Tr.	E
<i>Glomeropyle bispinosa</i>	Hori & Grant-Mackie <i>in</i> Hori <i>et al.</i> , 2003: 50	E. Tr.	E
<i>Glomeropyle boreale</i>	Bragin <i>in</i> Aita & Bragin, 1999: 516	M. Tr.	E
<i>Glomeropyle campbelli</i>	Hori & Grant-Mackie <i>in</i> Hori <i>et al.</i> , 2003: 51	E. Tr.	E
<i>Glomeropyle ? galagala</i>	Aita <i>in</i> Aita & Bragin, 1999: 516	M. Tr.	E
<i>Glomeropyle grantmackiei</i>	Aita <i>in</i> Aita & Bragin, 1999: 520	M. Tr.	E
<i>Glomeropyle mahinepuaensis</i>	Aita <i>in</i> Aita & Bragin, 1999: 520	M. Tr.	E
<i>Glomeropyle pohnui</i>	Aita <i>in</i> Aita & Bragin, 1999: 516	M. Tr.	E
<i>Glomeropyle waipapaensis</i>	Aita <i>in</i> Aita & Bragin, 1999: 532	M. Tr.	E

<i>Godia floreusa</i> (T)	Wu, 1986: 356	L. Cret. S
<i>Godia gorkae</i>	Ohmert, 2006: 15	L. Cret. S
<i>Godia lenticulata</i>	Jud, 1994: 78	E. Cret. S
<i>Godia nodocentrum</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 24	E. Cret. S
<i>Godia nodosa</i>	Wu, 1986: 356	L. Cret. S
<i>Godia ornata</i>	Wu, 1986: 356	L. Cret. S
<i>Godia pelta</i>	O'Dogherty, 1994: 337	E. Cret. S
<i>Godia tomalarea</i>	Bragina, 2004: S433	L. Cret. S
<i>Goestlingella cordevolica</i> (T)	Kozur & Mostler, 1979a: 100	L. Tr. N
<i>Goestlingella goricanae</i>	Tekin & Mostler, 2005b: 7	M. Tr. N
<i>Goestlingella illyrica</i>	Kozur, 1984: 67	M. Tr. N
<i>Goestlingella pseudoillyrica</i>	Tekin & Mostler, 2005b: 7	M. Tr. N
<i>Goestlingella subsphaerica</i>	Kozur & Mostler, 1981: 91	L. Tr. N
<i>Goestlingella toempeae</i>	Kozur & Mostler, 1994: 86	M. Tr. N
<i>Goestlingella tueysuezi</i>	Tekin in Tekin & Bedi, 2007b: 174	L. Tr. N
<i>Gomberellus ? biduplispinus</i>	Kellici & De Wever, 1995: 145	M. Tr. S
<i>Gomberellus fissus</i>	Kozur & Mostler, 1994: 55	M. Tr. S
<i>Gomberellus hircicornus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 6	M. Tr. S
<i>Gomberellus longobardicus</i>	Kozur & Mostler, 1994: 55	M. Tr. S
<i>Gomberellus mocki</i>	Dumitrica, Kozur & Mostler, 1980: 6	M. Tr. S
<i>Gomberellus trispinosus posterus</i>	Kozur & Mostler, 1994: 56	M. Tr. S
<i>Gomberellus trispinosus trispinosus</i>	Kozur & Mostler, 1994: 56	M. Tr. S
<i>Gomberellus trispinosus vishnevskayae</i>	Kellici & De Wever, 1995: 146	M. Tr. S
<i>Gomberellus unispinosus</i>	Kozur & Mostler, 1994: 57	M. Tr. S
<i>Gongylothorax annulatus</i>	Dumitrica, 1970: 58	L. Cret. N
<i>Gongylothorax baumgartneri</i>	Schaaf, 1981: 434	E. Cret. N
<i>Gongylothorax favosus</i>	Dumitrica, 1970: 56	L. Jur. N
<i>Gongylothorax major</i>	Garg & Jain, 1978: 156	L. Cret. N
<i>Gongylothorax marguraensis</i>	Bak, 1999: 152	L. Cret. N
<i>Gongylothorax ? marmoris</i>	Kiessling & Zeiss, 1992: 190	L. Jur. N
<i>Gongylothorax oblonga</i>	Yao, 1979: 27	M. Jur. N
<i>Gongylothorax ponticus</i>	Bragin & Tekin in Bragin <i>et al.</i> , 2002: 624	L. Jur. N
<i>Gongylothorax prunum</i>	Dumitrica, 1970: 58	L. Cret. N
<i>Gongylothorax sakawaensis</i>	Matsuoka, 1982: 74	L. Jur. N
<i>Gongylothorax siphonifer</i>	Dumitrica, 1970: 57	L. Cret. N
<i>Gongylothorax szeligoviensis</i>	Widz & De Wever, 1993: 84	L. Jur. N
<i>Gongylothorax tadjikistanensis</i>	Goltman, 1983: 168	L. Cret. N
<i>Gongylothorax tadjikistanensis</i>	Goltman, 1984b: 17	L. Cret. N
<i>Gorgansium acutum</i>	Blome, 1984a: 40	L. Tr. S
<i>Gorgansium alpinum</i>	Kozur & Mostler, 1990: 216	E. Jur. S
<i>Gorgansium blomi</i>	Kozur & Mostler, 1990: 216	E. Jur. S
<i>Gorgansium browni</i>	Yeh, 1989: 60	L. Tr. S
<i>Gorgansium crassum</i>	Kishida & Hisada, 1985: 115	L. Tr. S
<i>Gorgansium futaense</i>	Chiari, 1994: 386	M. Jur. S
<i>Gorgansium gongyloideum</i>	Kishida & Hisada, 1985: 116	E. Jur. S
<i>Gorgansium lingi</i>	Mekik, 2000: 18	E. Cret. S
<i>Gorgansium morganense</i>	Pessagno & Blome, 1980: 234	E. Jur. S
<i>Gorgansium nadanhadaense</i>	Yeh & Yang, 2006: 325	E. Jur. S
<i>Gorgansium richardsoni</i>	Pessagno & Blome, 1980: 234	L. Tr. S
<i>Gorgansium silviesense</i> (T)	Pessagno & Blome, 1980: 235	M. Jur. S
<i>Gorgansium steigeri</i>	Kiessling, 1999: 19	L. Jur. S
<i>Gorgansium thayeri</i>	Yeh, 1989: 60	L. Tr. S
<i>Gorgansium vallieri</i>	Pessagno & Blome, 1980: 235	M. Jur. S
<i>Gorgansium xigazeense</i>	Wu, 1993: 120	L. Jur. S
<i>Gorgansium yangi</i>	Yeh, 1987a: 33	E. Jur. S
<i>Gorgansium ? yini</i>	Wu, 1993: 120	L. Jur. S
<i>Grandicapsula spongiosa</i> (Ts)	Kazintsova, 1985: 7	L. Cret. N
<i>Grumpta australis</i> (Ts)	Pessagno & Hull, 2002: 240	L. Jur. S
<i>Grumpta sulaensis</i>	Pessagno & Hull, 2002: 241	L. Jur. S
<i>Guexella clava</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 439	M. Jur. N
<i>Guexella mangoforata</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 439	M. Jur. N
<i>Guttida trifonovae</i> (Td)	Tikhomirova, 1989: 39	E. Jur. N
<i>Gyangzesphaera suojinensis</i>	Wang & Sheng, 1982: 85	L. Jur. S
<i>Gyangzesphaera weimeiensis</i> (Td)	Wang & Sheng, 1982: 85	L. Jur. S
<i>Haeckelella ruestii</i> (Td)	Khabakov, 1937: 106	E. Cret. S
<i>Haeckelicyrtium alpinum</i>	Kozur & Mostler, 1981: 92	L. Tr. N
<i>Haeckelicyrtium austriacum</i> (T)	Kozur & Mostler, 1979a: 98	L. Tr. N
<i>Haeckelicyrtium breviora</i>	Sugiyama, 1997: 155	L. Tr. N



<i>Haekelicyrtium carterae</i>	Bragin in Bragin & Krylov, 1999: 562	L. Tr.	N
<i>Haekelicyrtium crickmayi</i>	Carter in Goričan <i>et al.</i> , 2006: 172	E. Jur.	N
<i>Haekelicyrtium karcharos</i>	Carter, 1993: 96	L. Tr.	N
<i>Haekelicyrtium planum</i>	Tekin in Tekin & Bedi, 2007b: 175	L. Tr.	N
<i>Haekelicyrtium ? spinosum</i>	Kozur & Mostler, 1979a: 99	L. Tr.	N
<i>Haekelicyrtium subcircularis</i>	Tekin, 1999: 144	L. Tr.	N
<i>Haekelicyrtium teren</i>	Sugiyama, 1997: 155	L. Tr.	N
<i>Hagiastrum aculeatum</i>	Vinassa de Regny, 1899: 231	L. Jur.	S
<i>Hagiastrum angulatum</i>	Steiger & Steiger, 1994: 455	L. Jur.	S
<i>Hagiastrum astrictum</i>	Rüst, 1885: 299	L. Jur.	S
<i>Hagiastrum augustum</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 165	L. Tr.	S
<i>Hagiastrum baloghi</i> (T)	Kozur & Mostler, 1978: 144	L. Tr.	S
<i>Hagiastrum biforme</i>	Rüst, 1898: 30	E. Cret.	S
<i>Hagiastrum bixiphus</i>	Rüst, 1898: 30	L. Jur.	S
<i>Hagiastrum crassum</i>	Kozlova, 1973: 59	L. Jur.	S
<i>Hagiastrum crux</i>	Lipman, 1952: 34	L. Cret.	S
<i>Hagiastrum egregium</i>	Rüst, 1885: 299	L. Jur.	S
<i>Hagiastrum goestlingense</i>	Kozur & Mostler, 1978: 144	L. Tr.	S
<i>Hagiastrum humile</i>	Parona, 1890: 160	L. Jur.	S
<i>Hagiastrum infinitum</i> (Ts)	Pessagno & Poisson, 1981: 51	E. Jur.	S
<i>Hagiastrum irregulare</i>	Vinassa de Regny, 1900: 341	L. Jur.	S
<i>Hagiastrum karnicum</i>	Kozur & Mostler, 1978: 145	L. Tr.	S
<i>Hagiastrum longispinosum</i>	Kozur & Mostler, 1978: 145	L. Tr.	S
<i>Hagiastrum macrum</i>	De Wever, 1981b: 29	E. Jur.	S
<i>Hagiastrum majusculum</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 45	E. Jur.	S
<i>Hagiastrum nobile</i>	Parona, 1890: 160	L. Jur.	S
<i>Hagiastrum nudum</i>	Parona, 1890: 161	L. Jur.	S
<i>Hagiastrum obesum</i>	Kozur & Mostler, 1978: 146	L. Tr.	S
<i>Hagiastrum obliquum</i>	Hinde, 1900: 25	Jur.	S
<i>Hagiastrum ? pacificum</i>	Sugiyama, 1997: 156	L. Tr.	S
<i>Hagiastrum paronae</i>	Squinabol, 1912: 285	L. Jur.	S
<i>Hagiastrum plenum</i> (T)	Rüst, 1885: 299	L. Jur.	S
<i>Hagiastrum porrectum</i>	Rüst, 1885: 299	L. Jur.	S
<i>Hagiastrum rudimentum</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 46	E. Jur.	S
<i>Hagiastrum sagittatum</i>	Rüst, 1898: 30	L. Jur.	S
<i>Hagiastrum squama</i>	Kozlova, 1973: 59	L. Jur.	S
<i>Hagiastrum subacutum</i>	Rüst, 1885: 299	L. Jur.	S
<i>Hagiastrum subulatum</i>	Rüst, 1898: 30	L. Jur.	S
<i>Hagiastrum triassicum</i>	Kozur & Mostler, 1978: 146	L. Tr.	S
<i>Hagiastrum venetum</i>	Squinabol, 1904: 205	L. Cret.	S
<i>Hagiastrum verbanum</i>	Parona, 1890: 161	L. Jur.	S
<i>Halesium bipartitum</i>	Steiger, 1992: 47	E. Cret.	S
<i>Halesium biscutum</i>	Jud, 1994: 78	E. Cret.	S
<i>Halesium irregularis</i>	Steiger, 1992: 47	L. Jur.	S
<i>Halesium ? lineatum</i>	Jud, 1994: 79	E. Cret.	S
<i>Halesium palmatum</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 28	E. Cret.	S
<i>Halesium quadratum</i>	Pessagno, 1971a: 23	L. Cret.	S
<i>Halesium sexangulum</i> (T)	Pessagno, 1971a: 25	L. Cret.	S
<i>Halicalyptra inornata</i>	Rüst, 1885: 303	L. Jur.	N
<i>Halicalyptra pusilla</i>	Rüst, 1885: 302	L. Jur.	N
<i>Halicapsa (Calpocapsa) parva</i>	Neviani, 1900: 658	L. Jur.	N
<i>Halicapsa (Echinocapsa) abbreviata</i>	Neviani, 1900: 658	L. Jur.	N
<i>Halicapsa (Echinocapsa) elongata</i>	Neviani, 1900: 658	L. Jur.	N
<i>Halicapsa aculeata</i>	Squinabol, 1912: 286	L. Jur.	N
<i>Halicapsa crebripora</i>	Squinabol, 1904: 210	L. Cret.	N
<i>Halicapsa gutta</i> (T)	Squinabol, 1903: 128	L. Cret.	N
<i>Halicapsa maxima</i>	Squinabol, 1903: 128	L. Cret.	N
<i>Halicapsa obtusispina</i>	Squinabol, 1904: 210	L. Cret.	N
<i>Halicapsa parvula</i>	Squinabol, 1904: 210	L. Cret.	N
<i>Halicapsa pulex</i> (Td)	Rüst, 1885: 304	L. Jur.	N
<i>Halicapsa tenuis</i>	Squinabol, 1904: 209	L. Cret.	N
<i>Halicapsa vinassai</i>	Squinabol, 1903: 128	L. Cret.	N
<i>Hali dictyum haeckeli</i> (Td)	Ichikawa, 1950: 301	Tr.?	S
<i>Hali dictya crucelliforma</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 25	E. Cret.	S
<i>Hali dictya hojnosi</i>	Riedel & Sanfilippo, 1974: 779	E. Cret.	S
<i>Hali dictya loerentheyi</i> (Td)	Hojnos, 1916: 349	E. Cret.	S
<i>Haliomma (Haliomma) minor</i>	Campbell & Clark, 1944: 11	L. Cret.	S
<i>Haliomma (Haliomma) schucherti</i>	Campbell & Clark, 1944: 11	L. Cret.	S

<i>Haliomma asperum</i>	Rüst, 1888: 194	E. Cret. S
<i>Haliomma giganteum</i>	Rüst, 1898: 14	L. Jur. S
<i>Haliomma ? intracanthacea</i>	Zhamoida, 1972: 109	L. Cret. S
<i>Haliomma intramamillosum</i>	Rüst, 1898: 14	L. Jur. S
<i>Haliomma paucispinum</i>	Rüst, 1898: 14	L. Jur. S
<i>Haliomma sachalinica</i>	Kazintsova, 1981: 90	L. Cret. S
<i>Haliomma serratum</i>	Rüst, 1898: 14	L. Jur. S
<i>Haliomma ? sewellense</i>	Carter, 1993: 41	L. Tr. S
<i>Haliomma stromeyeri</i>	Rüst, 1898: 14	L. Jur. S
<i>Harsa siscwaiensis</i> (T)	Carter, 1991: 200	L. Tr. E
<i>Hegleria ? arrowrockensis</i>	Takemura & Aono, 2007: 198	E. Tr. L
<i>Heitzeria spinosa</i> (Ts)	Ozoldova, 1975: 78	L. Jur. N
<i>Helena exquisita</i> (Th)	Hull, 1997: 54	L. Jur. S
<i>Heliocryptocapsa neagai</i> (T)	Dumitrica, 1970: 59	L. Cret. N
<i>Heliodiscus acutispina</i>	Squinabol, 1904: 202	L. Cret. S
<i>Heliodiscus borealis</i>	Vishnevskaya, 2002: 5	L. Cret. S
<i>Heliodiscus franchii</i>	Squinabol, 1912: 283	L. Jur. S
<i>Heliodiscus inchoatus</i>	Rüst, 1885: 293	L. Jur. S
<i>Heliodiscus simplex</i>	Pantanelli, 1880: 47	E. Jur. S
<i>Helioentactina mesotriassica</i>	Kozur & Mostler, 1981: 17	M. Tr. E
<i>Heliosaturnalis ? imperfectus</i>	Kozur & Mostler, 1972: 28	L. Tr. S
<i>Heliosaturnalis longispinosus</i>	Kozur & Mostler, 1972: 28	L. Tr. S
<i>Heliosaturnalis magnus</i> (T)	Kozur & Mostler, 1972: 28	L. Tr. S
<i>Heliosaturnalis transitus</i>	Kozur & Mostler, 1972: 29	L. Tr. S
<i>Heliosestarium cretaceum</i> (T)	Campbell & Clark, 1944: 14	L. Cret. S
<i>Heliosoma carinata</i>	Kozur & Mostler, 1979a: 50	L. Tr. S
<i>Heliosoma ? ehrenbergi</i>	Kozur & Mostler, 1979a: 51	L. Tr. S
<i>Heliosoma mesotriassica</i>	Kozur & Mostler, 1981: 65	M. Tr. S
<i>Heliosoma ? minima</i>	Kozur & Mostler, 1979a: 51	L. Tr. S
<i>Heliosoma ? parvispinosa</i>	Kozur & Mostler, 1981: 66	M. Tr. S
<i>Heliosoma ? problematica</i>	Lahm, 1984: 63	L. Tr. S
<i>Heliosoma ? riedeli</i>	Kozur & Mostler, 1981: 65	M. Tr. S
<i>Heliosphaera echinoidites</i>	Pantanelli, 1880: 46	L. Jur. S
<i>Heliosphaera exiguispinata</i>	Rüst, 1898: 12	L. Jur. S
<i>Heliosphaera fuegensis</i>	Richter, 1925: 552	L. Cret. S
<i>Heliosphaera Isseli</i>	Squinabol, 1903: 115	L. Cret. S
<i>Heliosphaera mamillaria</i>	Rüst, 1898: 12	L. Jur. S
<i>Heliosphaera minuta</i>	Rüst, 1898: 13	L. Jur. S
<i>Heliosphaera valanginica</i>	Aliev, 1976: 120	E. Cret. S
<i>Helvetocapsa lemanensis</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 450	M. Jur. N
<i>Helvetocapsa ? prealpina</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 452	M. Jur. N
<i>Hemicryptocapsa djallilovi</i>	Goltman, 1983: 168	L. Cret. N
<i>Hemicryptocapsa verrucata</i>	Goltman, 1983: 173	L. Cret. N
<i>Hemicryptocapsa capita</i> (T)	Tan, 1927: 50	E. Cret. N
<i>Hemicryptocapsa conara</i> (T)	Foreman, 1968: 35	L. Cret. N
<i>Hemicryptocapsa cryptodon</i>	Dumitrica, 1970: 73	L. Cret. N
<i>Hemicryptocapsa decora</i>	Vishnevskaya, 1991b: 57	E. Cret. N
<i>Hemicryptocapsa djallilovi</i>	Goltman, 1984b: 19	L. Cret. N
<i>Hemicryptocapsa polyhedra</i>	Dumitrica, 1970: 72	L. Cret. N
<i>Hemicryptocapsa prepolyhedra</i>	Dumitrica, 1970: 71	L. Cret. N
<i>Hemicryptocapsa pseudopilula</i>	Tan, 1927: 51	E. Cret. N
<i>Hemicryptocapsa regularis</i>	Tan, 1927: 51	E. Cret. N
<i>Hemicryptocapsa simplex</i>	Dumitrica, 1970: 74	L. Cret. N
<i>Hemicryptocapsa tuberosa</i>	Dumitrica, 1970: 71	L. Cret. N
<i>Hemicryptocapsa verrucata</i>	Goltman, 1984b: 20	L. Cret. N
<i>Hemicryptocapsa vincentae</i>	Schaaf, 1981: 434	E. Cret. N
<i>Hemicryptocephalis dengqensis</i> (Ts)	Li, 1988: 330	E. Jur. N
<i>Heptacladus ? anisicus</i>	Kozur, Krainer & Mostler, 1996b: 223	M. Tr. E
<i>Heptacladus crassispinus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 3	M. Tr. E
<i>Hetalum brevilabrum</i> (T)	Yeh, 1989: 71	L. Tr. N
<i>Hexacatoma elegantissima</i> (T)	Tekin & Mostler, 2005a: 36	M. Tr. S
<i>Hexacatoma nobleae</i>	Tekin & Mostler, 2005a: 36	M. Tr. S
<i>Hexacontium clavigerum</i>	Rüst, 1898: 11	L. Jur. E
<i>Hexacontium ? mesotriassicum</i>	Dumitrica, Kozur & Mostler, 1980: 12	M. Tr. E
<i>Hexacromyrum pergamenti</i>	Bragina, 1991a: 134	L. Cret. E
<i>Hexadoras tyrrelli</i>	Campbell & Clark, 1944: 9	L. Cret. S
<i>Hexadoridium magnificum</i>	Campbell & Clark, 1944: 10	L. Cret. S
<i>Hexalonche bragini</i>	Kozur, Krainer & Mostler, 1996b: 222	M. Tr. S

<i>Hexalonche euganea</i>	Squinabol, 1904: 194	L. Cret. S
<i>Hexalonche ? horridus</i>	Bragina, 1999b: 362	L. Cret. S
<i>Hexalonche magniperforata</i>	Lahm, 1984: 80	M. Tr. S
<i>Hexalonche mesotriassica</i>	Kozur & Mostler, 1981: 73	M. Tr. S
<i>Hexalonche mesozoica</i>	Richter, 1925: 551	L. Cret. S
<i>Hexalonche ongariana</i>	Squinabol, 1904: 194	L. Cret. S
<i>Hexalonche ? petrae</i>	Lahm, 1984: 79	M. Tr. S
<i>Hexalonche serratacantha</i>	Rüst, 1898: 11	L. Jur. S
<i>Hexalonche simplex</i>	Lahm, 1984: 79	M. Tr. S
<i>Hexaporobrachia riedeli</i> (T)	Kozur & Mostler, 1979a: 78	L. Tr. S
<i>Hexapylocapsa anachoreta</i> (T)	Dumitrica & Zügel, 1998: 254	L. Jur. N
<i>Hexapylomella carnica</i> (T)	Kozur & Mostler, 1979a: 69	L. Tr. S
<i>Hexapyramis pantanellii</i> (T)	Squinabol, 1903: 114	L. Cret. S
<i>Hexapyramis ? perforatum</i>	Bragina, 2003a: 245	L. Cret. S
<i>Hexapyramis ? precedis</i>	Jud, 1994: 79	E. Cret. S
<i>Hexapyramis triassica</i>	Kozur & Mostler, 1979a: 77	L. Tr. S
<i>Hexasaturnalis nakaseki</i>	Dumitrica & Dumitrica-Jud, 2005: 161	M. Jur. S
<i>Hexasaturnalis octopus</i>	Dumitrica & Hori in Goričan <i>et al.</i> , 2006: 188	M. Jur. S
<i>Hexasphaera baumgartneri</i> (Ts)	Hull, 1997: 53	L. Jur. S
<i>Hexaspongus robustus</i> (T)	Kozur & Mostler, 1981: 78	M. Tr. S
<i>Hexastylarium dunikowskyi</i>	Vinassa de Regny, 1899: 227	L. Jur. S
<i>Hexastylus aculeatus</i>	Aliev, 1976: 117	E. Cret. S
<i>Hexastylus aculeatus</i>	Rüst, 1898: 10	L. Jur. S
<i>Hexastylus bellaturus</i>	Ichikawa, 1950: 295	Tr.? S
<i>Hexastylus carnicus</i>	Kozur & Mostler, 1979a: 67	L. Tr. S
<i>Hexastylus clathrospinus</i>	Rüst, 1898: 11	L. Jur. S
<i>Hexastylus crassispina</i>	Vinassa de Regny, 1899: 226	L. Jur. S
<i>Hexastylus euganeus</i>	Squinabol, 1903: 113	L. Cret. S
<i>Hexastylus ? grahamensis</i>	Kiessling, 1999: 30	L. Jur. S
<i>Hexastylus grandiporus</i>	Squinabol, 1903: 113	L. Cret. S
<i>Hexastylus macrospina</i>	Squinabol, 1903: 112	L. Cret. S
<i>Hexastylus microporus</i>	Squinabol, 1903: 113	L. Cret. S
<i>Hexastylus muzavori</i>	Lahm, 1984: 78	M. Tr. S
<i>Hexastylus ombonii</i>	Squinabol, 1903: 113	L. Cret. S
<i>Hexastylus pachystylus</i>	Rüst, 1898: 11	L. Jur. S
<i>Hexastylus primaevus</i> (Td)	Rüst, 1885: 289	L. Jur. S
<i>Hexastylus ? tetradactylus</i> (T)	Conti & Marcucci, 1991: 801	M. Jur. S
<i>Hexastylus tibeticus</i>	Sheng, 1976: 128	Tr.? S
<i>Hexastylus uvarius</i>	Rüst, 1898: 10	L. Jur. S
<i>Hexatortilisphaera aequispinosa</i> (T)	Kozur, Krainer & Mostler, 1996b: 214	M. Tr. E
<i>Hexatortilisphaera bipolaris</i>	Kozur, Krainer & Mostler, 1996b: 214	M. Tr. E
<i>Hexinastrum cretaceum</i>	Lipman in Glazunova <i>et al.</i> , 1960: 133	L. Cret. S
<i>Hexinastrum lipmanum</i>	Amon, 1990: 64	L. Cret. S
<i>Higumastra bucoti</i>	Hull, 1997: 44	L. Jur. S
<i>Higumastra coronaria</i>	Ozoldova in Ozoldova & Sykora, 1984: 266	L. Jur. S
<i>Higumastra devilsgapensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 125	L. Jur. S
<i>Higumastra dumitricai</i>	Hull, 1997: 45	L. Jur. S
<i>Higumastra gratiosa</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 260	M. Jur. S
<i>Higumastra inflata</i> (T)	Baumgartner, 1980: 290	L. Jur. S
<i>Higumastra laxa</i>	Yeh, 1987a: 25	E. Jur. S
<i>Higumastra lupheri</i>	Yeh, 1987a: 25	E. Jur. S
<i>Higumastra oregonensis</i>	Yeh, 1987a: 26	E. Jur. S
<i>Higumastra scassoii</i>	Kiessling, 1999: 33	L. Jur. S
<i>Higumastra splendia</i>	Yeh, 1987a: 26	E. Jur. S
<i>Higumastra transversa</i>	Blome, 1984b: 350	M. Jur. S
<i>Higumastra wintereri</i>	Baumgartner & Kito in Baumgartner <i>et al.</i> , 1995: 264	M. Jur. S
<i>Hilarisirex inflatus</i>	Pessagno <i>et al.</i> , 1986: 30	M. Jur. N
<i>Hilarisirex oregonensis</i>	Pessagno <i>et al.</i> , 1986: 31	M. Jur. N
<i>Hilarisirex quadrangularis</i> (T)	Takemura & Nakaseko, 1982: 458	M. Jur. N
<i>Hindeosphaera austriaca</i>	Kozur & Mostler, 1979a: 62	L. Tr. E
<i>Hindeosphaera ? balatonica</i>	Kozur & Mostler, 1994: 43	M. Tr. E
<i>Hindeosphaera ? bispinosa</i>	Kozur & Mostler, 1979a: 63	L. Tr. E
<i>Hindeosphaera foremanae</i> (T)	Kozur & Mostler, 1979a: 62	L. Tr. E
<i>Hindeosphaera goestlingensis</i>	Kozur & Mostler, 1979a: 63	L. Tr. E
<i>Hindeosphaera ? valida</i>	Feng in Feng <i>et al.</i> , 1996: 387	M. Tr. E
<i>Hinedorcus alatus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 24	M. Tr. N
<i>Hinedorcus gibber</i>	Tekin, 1999: 146	M. Tr. N
<i>Hinedorcus holdsworthi</i>	Sugiyama, 1992: 1201	E. Tr. N

<i>Hinedorcus koeseyahaensis</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 176	L. Tr.	N
<i>Hiscocapsa acuta</i>	Hull, 1997: 128	L. Jur.	N
<i>Hiscocapsa lugeoni</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 438	M. Jur.	N
<i>Hiscocapsa planata</i>	Wu, 2000: 303	L. Jur.	N
<i>Histiastrum amurense</i>	Zhamoida, 1972: 112	L. Jur.	S
<i>Histiastrum anisum</i>	Foreman, 1978a: 841	L. Cret.	S
<i>Histiastrum aster</i>	Lipman, 1952: 35	L. Cret.	S
<i>Histiastrum elisabethae</i>	Rüst, 1898: 30	L. Jur.	S
<i>Histiastrum fornicatum</i>	Rüst, 1898: 31	L. Jur.	S
<i>Histiastrum involutum</i>	Rüst, 1898: 31	L. Jur.	S
<i>Histiastrum irregulare</i>	Lipman, 1952: 35	L. Cret.	S
<i>Histiastrum kizilkazmensis</i>	Aliev, 1961c: 603	E. Cret.	S
<i>Histiastrum latum</i>	Lipman <i>in</i> Glazunova <i>et al.</i> , 1960: 130	L. Cret.	S
<i>Histiastrum ? lurianensis</i>	Pantaneli, 1880: 48	L. Jur.	S
<i>Histiastrum membraniferum</i>	Lipman, 1952: 35	L. Cret.	S
<i>Histiastrum tetracanthum</i>	Lipman <i>in</i> Glazunova <i>et al.</i> , 1960: 131	L. Cret.	S
<i>Histiastrum tumeniensis</i>	Lipman <i>in</i> Glazunova <i>et al.</i> , 1960: 130	L. Cret.	S
<i>Histiastrum valanginica</i>	Aliev, 1961c: 604	E. Cret.	S
<i>Histiastrum cruciferum</i>	Lipman, 1952: 34	L. Cret.	S
<i>Histiastrum zonovae</i>	Kazintsova, 1979: 96	L. Cret.	S
<i>Holocryptocanium astiensis</i>	Pessagno, 1977b: 40	L. Cret.	N
<i>Holocryptocanium barbui</i>	Dumitrica, 1970: 76	L. Cret.	N
<i>Holocryptocanium barbui japonicum</i>	Nakaseko & Nishimura, 1981: 154	L. Cret.	N
<i>Holocryptocanium geysersensis</i>	Pessagno, 1977b: 41	L. Cret.	N
<i>Holocryptocanium japonicum</i>	Nakaseko & Nishimura <i>in</i> Nakaseko <i>et al.</i> , 1979: 23	L. Cret.	N
<i>Holocryptocanium tuberculatum</i> (T)	Dumitrica, 1970: 75	L. Cret.	N
<i>Holocryptocapsa fallax</i> (T)	Tan, 1927: 52	E. Cret.	N
<i>Holocryptocapsa hindei</i>	Tan, 1927: 53	E. Cret.	N
<i>Homeoarchicorys eiformigum</i> (T)	Empson-Morin, 1981: 278	L. Cret.	N
<i>Homeoparonaella reciproca</i>	Carter <i>in</i> Carter <i>et al.</i> , 1988: 28	E. Jur.	S
<i>Homeoparonaella argolidensis</i>	Baumgartner, 1980: 288	L. Jur.	S
<i>Homeoparonaella asymmetrica</i>	Kozur & Mostler, 1992: 104	M. Jur.	S
<i>Homeoparonaella barbata</i>	Hull, 1997: 40	L. Jur.	S
<i>Homeoparonaella elegans yangi</i>	Kiessling, 1999: 32	L. Jur.	S
<i>Homeoparonaella gigantea</i>	Baumgartner, 1980: 289	L. Jur.	S
<i>Homeoparonaella glinesi</i>	Hull, 1997: 41	L. Jur.	S
<i>Homeoparonaella hattorii</i>	Yeh & Cheng, 1996a: 96	E. Jur.	S
<i>Homeoparonaella hydensis</i>	Yeh, 1987a: 23	E. Jur.	S
<i>Homeoparonaella lowryensis</i>	Whalen & Carter, 2002: 104	E. Jur.	S
<i>Homeoparonaella peteri</i>	Jud, 1994: 80	E. Cret.	S
<i>Homeoparonaella ? pseudoewingi</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 278	M. Jur.	S
<i>Homeoparonaella radians</i>	Hull, 1997: 41	L. Jur.	S
<i>Homeoparonaella scurrae</i>	Hull, 1997: 42	L. Jur.	S
<i>Hozmadia costata</i>	Kozur & Mostler, 1994: 114	M. Tr.	N
<i>Hozmadia gifuensis</i>	Sugiyama, 1992: 1194	M. Tr.	N
<i>Hozmadia koeveskallensis</i>	Kozur & Mostler, 1994: 115	M. Tr.	N
<i>Hozmadia krystyni</i>	Kozur & Mostler, 2006: 63	M. Tr.	N
<i>Hozmadia latispinosa</i>	Kozur, Krainer & Mostler, 1996b: 232	M. Tr.	N
<i>Hozmadia levis</i>	Kozur & Mostler, 2006: 64	M. Tr.	N
<i>Hozmadia longicephalis</i>	Kozur & Mostler, 1994: 115	M. Tr.	N
<i>Hozmadia longobardica</i>	Kozur & Mostler, 1981: 82	M. Tr.	N
<i>Hozmadia multispinosa</i>	Kozur & Mostler, 2006: 64	M. Tr.	N
<i>Hozmadia ozawai</i>	Sugiyama, 1992: 1193	E. Tr.	N
<i>Hozmadia parva</i>	Kozur & Mostler, 1981: 83	L. Tr.	N
<i>Hozmadia pinnapedis</i>	Kozur & Mostler, 2006: 64	M. Tr.	N
<i>Hozmadia pyramidalis</i>	Goričan <i>in</i> Goričan & Buser, 1990: 146	M. Tr.	N
<i>Hozmadia reticulata</i> (T)	Dumitrica, Kozur & Mostler, 1980: 21	M. Tr.	N
<i>Hozmadia reticulocostata</i>	Kozur, Krainer & Mostler, 1996b: 232	M. Tr.	N
<i>Hozmadia rotundispina</i>	Kozur, Krainer & Mostler, 1996b: 233	M. Tr.	N
<i>Hozmadia spinifera</i>	Sugiyama, 1997: 157	M. Tr.	N
<i>Hozmadia spinosa</i>	Kozur & Mostler, 1994: 115	M. Tr.	N
<i>Hsuum acutum</i>	Yeh, 1987a: 63	E. Jur.	N
<i>Hsuum altile</i>	Hori & Otsuka, 1989: 180	E. Jur.	N
<i>Hsuum arabicum</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 46	E. Cret.	N
<i>Hsuum arenaense</i>	Whalen & Carter, 2002: 124	E. Jur.	N
<i>Hsuum baldfacense</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 135	M. Jur.	N
<i>Hsuum baloghi</i>	Grill & Kozur, 1986: 254	M. Jur.	N
<i>Hsuum basovi</i>	Vishnevskaya <i>in</i> Basov & Vishnevskaya, 1991: 165	L. Jur.	N

<i>Hsuum belliatulum</i>	Pessagno & Whalen, 1982: 131	M. Jur.	N
<i>Hsuum bipartitum</i>	Grill & Kozur, 1986: 256	M. Jur.	N
<i>Hsuum busuangaense</i>	Yeh & Cheng, 1996a: 110	E. Jur.	N
<i>Hsuum ? cataphracta</i>	O'Dogherty, 1994: 97	E. Cret.	N
<i>Hsuum ? circularium</i>	Wu, 1993: 124	L. Jur.	N
<i>Hsuum ? cordevolicum</i>	Kozur & Mostler, 1981: 88	L. Tr.	N
<i>Hsuum cuestaensis</i> (T)	Pessagno, 1977a: 81	L. Jur.	N
<i>Hsuum erraticum</i>	Wu, 1993: 124	L. Jur.	N
<i>Hsuum exiguum</i>	Yeh & Cheng, 1996a: 110	E. Jur.	N
<i>Hsuum feliformis</i>	Jud, 1994: 81	E. Cret.	N
<i>Hsuum fuchsi</i>	Grill & Kozur, 1986: 255	M. Jur.	N
<i>Hsuum fukazawaense</i>	Sashida, 1988: 17	E. Jur.	N
<i>Hsuum gratum</i>	Yeh, 1987a: 65	E. Jur.	N
<i>Hsuum hisuikyoense</i>	Isozaki & Matsuda, 1985: 437	E. Jur.	N
<i>Hsuum ? inexploratum</i> (T)	Blome, 1984b: 356	M. Jur.	N
<i>Hsuum infirmum</i>	Sashida, 1988: 17	E. Jur.	N
<i>Hsuum ? lucidum</i>	Yeh, 1987a: 64	E. Jur.	N
<i>Hsuum lupheri</i>	Pessagno & Whalen, 1982: 131	M. Jur.	N
<i>Hsuum ? matsuoikai</i>	Isozaki & Matsuda, 1985: 438	E. Jur.	N
<i>Hsuum maxwelli</i>	Pessagno, 1977a: 81	M. Jur.	N
<i>Hsuum mclaughlini</i>	Pessagno & Blome in Pessagno <i>et al.</i> , 1984: 25	L. Jur.	N
<i>Hsuum minoratum</i>	Sashida, 1988: 16	E. Jur.	N
<i>Hsuum mirabundum</i>	Pessagno & Whalen, 1982: 131	M. Jur.	N
<i>Hsuum mulleri</i>	Pessagno & Whalen, 1982: 133	E. Jur.	N
<i>Hsuum naturale</i>	Hull, 1997: 86	L. Jur.	N
<i>Hsuum ? noaxensis</i>	Cordey, 1998: 111	M. Jur.	N
<i>Hsuum obispoensis</i>	Pessagno, 1977a: 82	L. Jur.	N
<i>Hsuum occultatum</i>	Zhang, 1990: 179	E. Jur.	N
<i>Hsuum olorizi</i>	El Kadiri, 1992: 42	E. Jur.	N
<i>Hsuum optimus</i>	Carter in Carter <i>et al.</i> , 1988: 51	E. Jur.	N
<i>Hsuum parasolense</i>	Pessagno & Whalen, 1982: 133	M. Jur.	N
<i>Hsuum parvulum</i>	Yeh, 1987a: 65	E. Jur.	N
<i>Hsuum pectorale</i>	O'Dogherty, 1994: 97	E. Cret.	N
<i>Hsuum philippinense</i>	Yeh & Cheng, 1996a: 112	E. Jur.	N
<i>Hsuum plectocostatum</i>	Carter in Gorican <i>et al.</i> , 2006: 214	M. Jur.	N
<i>Hsuum primum</i>	Takemura, 1986: 50	M. Jur.	N
<i>Hsuum raricostatum</i>	Jud, 1994: 81	E. Cret.	N
<i>Hsuum rectiseriales</i>	Zhang, 1990: 179	E. Jur.	N
<i>Hsuum robustum</i>	Pessagno & Whalen, 1982: 133	M. Jur.	N
<i>Hsuum rosebudense</i>	Pessagno & Whalen, 1982: 134	M. Jur.	N
<i>Hsuum rutogense</i>	Yang & Wang, 1990: 207	L. Jur.	N
<i>Hsuum santamariaense</i>	Hull, 1997: 86	L. Jur.	N
<i>Hsuum speciosum</i>	Hull, 1997: 87	L. Jur.	N
<i>Hsuum ? stanleyensis</i>	Pessagno, 1977a: 82	M. Jur.	N
<i>Hsuum tamanense</i>	Yang, 1993: 114	L. Jur.	N
<i>Hsuum triangulum</i>	Yeh & Cheng, 1996a: 114	E. Jur.	N
<i>Hsuum ? unicum</i>	Yeh, 1987a: 66	E. Jur.	N
<i>Hsuum validum</i>	Yeh, 1987a: 66	E. Jur.	N
<i>Hsuum ? varium</i>	Wu, 1993: 124	L. Jur.	N
<i>Huglusphaera aperta</i>	Kozur, Moix & Ozsvárt, 2007b: 182	L. Tr.	S
<i>Huglusphaera aspinosa</i>	Kozur, Moix & Ozsvárt, 2007b: 183	L. Tr.	S
<i>Huglusphaera weemsi</i> (T)	Kozur, Moix & Ozsvárt, 2007b: 181	L. Tr.	S
<i>Huglusphaera yini</i>	Kozur, Moix & Ozsvárt, 2007b: 183	L. Tr.	S
<i>Huglusphaera zakharovi</i>	Kozur, Moix & Ozsvárt, 2007b: 183	L. Tr.	S
<i>Hungarosaturnalis brevispinosus</i>	Mostler & Krainer, 1994: 99	M. Tr.	E
<i>Hungarosaturnalis dinarica</i>	Mostler & Krainer, 1994: 99	M. Tr.	E
<i>Hungarosaturnalis fissa</i>	Mostler & Krainer, 1994: 99	M. Tr.	E
<i>Hungarosaturnalis grandis</i>	Mostler & Krainer, 1994: 100	M. Tr.	E
<i>Hungarosaturnalis inaequispinosa</i>	Mostler & Krainer, 1994: 100	M. Tr.	E
<i>Hungarosaturnalis latimarginatus</i>	Mostler & Krainer, 1994: 101	M. Tr.	E
<i>Hungarosaturnalis latipannosus</i>	Mostler & Krainer, 1994: 101	M. Tr.	E
<i>Hungarosaturnalis latiundulata</i>	Mostler & Krainer, 1994: 101	M. Tr.	E
<i>Hungarosaturnalis longispinosus</i>	Mostler & Krainer, 1994: 102	M. Tr.	E
<i>Hungarosaturnalis longobardica</i>	Kozur & Mostler, 1983: 8	M. Tr.	E
<i>Hungarosaturnalis multispinosa</i> (T)	Kozur & Mostler, 1983: 8	M. Tr.	E
<i>Hungarosaturnalis praeheliosaturoides</i>	Mostler & Krainer, 1994: 102	M. Tr.	E
<i>Hungarosaturnalis tenuis</i>	Mostler & Krainer, 1994: 102	M. Tr.	E
<i>Hungarosaturnalis vulgaris</i>	Mostler & Krainer, 1994: 102	M. Tr.	E



<i>Hymeniastrum alatum</i>	Rüst, 1898: 28	L. Jur.	S
<i>Hymeniastrum ancora</i>	Rüst, 1898: 27	L. Jur.	S
<i>Hymeniastrum denudatum</i>	Rüst, 1898: 27	L. Jur.	S
<i>Hymeniastrum rotundum</i> (Td)	Rüst, 1888: 200	E. Cret.	S
<i>Hymeniastrum ungula</i> (Ts)	Rüst, 1898: 28	L. Jur.	S
<i>Hypoxiphothecaella claviformis</i>	Kozur, Moix & Ozsvárt, 2007a: 166	L. Tr.	N
<i>Hypoxiphothecaella elongata</i>	Kozur, Moix & Ozsvárt, 2007a: 167	L. Tr.	N
<i>Hypoxiphothecaella foezyi</i>	Kozur, Moix & Ozsvárt, 2007a: 167	L. Tr.	N
<i>Hypoxiphothecaella inflata</i>	Kozur, Moix & Ozsvárt, 2007a: 168	L. Tr.	N
<i>Hypoxiphothecaella mersinensis</i> (Ts)	Kozur, Moix & Ozsvárt, 2007a: 166	L. Tr.	N
<i>Icrioma ? cistella</i>	Carter, 1993: 47	L. Tr.	S
<i>Icrioma cruciformis</i>	Tekin, 1999: 82	L. Tr.	S
<i>Icrioma praecipua</i>	Blome, 1983: 22	L. Tr.	S
<i>Icrioma tetrancistrum</i> (T)	De Wever in De Wever <i>et al.</i> , 1979: 86	L. Tr.	S
<i>Icrioma transversa</i>	Blome, 1983: 22	L. Tr.	S
<i>Immersothorax cyclops</i> (T)	Dumitrica, 1970: 78	L. Cret.	N
<i>Intermediella trispinosa</i> (Ts)	Lahm, 1984: 53	M. Tr.	S
<i>Intocapsa interna</i> (Td)	Tikhomirova, 1987b: 35	L. Jur.	N
<i>Italosaturnalis elegans</i> (Ts)	Mostler & Krainer, 1994: 109	L. Tr.	S
<i>Italosaturnalis tetraspinosa</i>	Mostler & Krainer, 1994: 109	L. Tr.	S
<i>Jacus ? anatifformis</i>	De Wever, 1982: 205	E. Jur.	N
<i>Jacus clatratus</i>	De Wever, 1982: 205	E. Jur.	N
<i>Jacus coronatus</i> (Ts)	De Wever, 1982: 208	E. Jur.	N
<i>Jacus isa</i>	De Wever, 1982: 212	E. Jur.	N
<i>Jacus ? italicus</i>	Jud, 1994: 82	E. Cret.	N
<i>Jacus magnificus</i>	Carter in Carter <i>et al.</i> , 1988: 57	E. Jur.	N
<i>Jacus reiferensis</i>	Pessagno <i>et al.</i> , 1986: 32	E. Jur.	N
<i>Jacus ? sandspitensis</i>	Pessagno <i>et al.</i> , 1986: 33	E. Jur.	N
<i>Jacus wakitai</i>	Takemura, 1986: 45	M. Jur.	N
<i>Justium medium</i>	Yeh, 1989: 58	L. Tr.	S
<i>Justium novum</i> (T)	Blome, 1983: 44	L. Tr.	S
<i>Justium robustum</i>	Blome, 1983: 46	L. Tr.	S
<i>Kafanella ordinata</i>	Tikhomirova, 1987b: 40	M. Jur.	N
<i>Kafanella suberecta</i>	Tikhomirova, 1987b: 40	M. Jur.	N
<i>Kafanella submersa</i> (Td)	Tikhomirova, 1987b: 41	M. Jur.	N
<i>Kafanella tumida</i>	Tikhomirova, 1987b: 41	M. Jur.	N
<i>Kahlerosphaera abnormis</i>	Kozur, Moix & Ozsvárt, 2007b: 185	L. Tr.	S
<i>Kahlerosphaera ? aspinosa</i>	Kozur & Mock in Kozur & Mostler, 1981: 36	L. Tr.	S
<i>Kahlerosphaera brevispina</i>	Kozur & Mostler, 2006: 24	M. Tr.	S
<i>Kahlerosphaera coronensis</i>	Yeh, 1990: 10	L. Tr.	S
<i>Kahlerosphaera covensis</i>	Cordey, 1998: 55	M. Tr.	S
<i>Kahlerosphaera faludyi</i>	Kozur, Moix & Ozsvárt, 2007b: 185	L. Tr.	S
<i>Kahlerosphaera hamvasi</i>	Kozur, Moix & Ozsvárt, 2007b: 186	L. Tr.	S
<i>Kahlerosphaera karinthyi</i>	Kozur, Moix & Ozsvárt, 2007b: 186	L. Tr.	S
<i>Kahlerosphaera kemerensis adentatus</i>	Tekin, 1999: 64	L. Tr.	S
<i>Kahlerosphaera kemerensis kemerensis</i>	Tekin, 1999: 65	L. Tr.	S
<i>Kahlerosphaera kerteszi</i>	Kozur, Moix & Ozsvárt, 2007b: 186	L. Tr.	S
<i>Kahlerosphaera koestleri</i>	Kozur, Moix & Ozsvárt, 2007b: 187	L. Tr.	S
<i>Kahlerosphaera longispinosa</i>	Kozur & Mostler, 1979a: 65	L. Tr.	S
<i>Kahlerosphaera norica</i>	Kozur & Mock in Kozur & Mostler, 1981: 36	L. Tr.	S
<i>Kahlerosphaera pamuki</i>	Kozur, Moix & Ozsvárt, 2007b: 187	L. Tr.	S
<i>Kahlerosphaera parvispinosa</i> (T)	Kozur & Mostler, 1979a: 64	L. Tr.	S
<i>Kahlerosphaera petalouda</i>	Rose, 1994: 231	L. Tr.	S
<i>Kahlerosphaera philippinensis</i>	Yeh, 1990: 11	L. Tr.	S
<i>Kahlerosphaera rejtoei</i>	Kozur, Moix & Ozsvárt, 2007b: 188	L. Tr.	S
<i>Kahlerosphaera szerbi</i>	Kozur, Moix & Ozsvárt, 2007b: 188	L. Tr.	S
<i>Kahlerosphaera vonneguti</i>	Kozur, Moix & Ozsvárt, 2007b: 189	L. Tr.	S
<i>Karnospongella bispinosa</i> (T)	Kozur & Mostler, 1981: 42	L. Tr.	S
<i>Karnospongella goricanae</i>	Kellici & De Wever, 1995: 148	M. Tr.	S
<i>Karnospongella multispinosa</i>	Kozur, Moix & Mostler in Moix <i>et al.</i> , 2007: 295	L. Tr.	S
<i>Karnospongella transitia</i>	Kozur & Mostler, 1994: 57	M. Tr.	S
<i>Karnospongella trispinosa</i>	Lahm, 1984: 42	L. Tr.	S
<i>Kassinia kassini</i> (Td)	Khabakov, 1937: 110	L. Jur.	N
<i>Kassinia ? rostokensis</i>	Lozyniak, 1981: 72	L. Jur.	N
<i>Katorella bifurcata</i> (T)	Kozur & Mostler, 1981: 51	L. Tr.	S
<i>Katorella trifurcata</i>	Kozur & Mostler, 1994: 75	M. Tr.	S
<i>Katroma angusta</i>	Yeh, 1987a: 79	E. Jur.	N
<i>Katroma aurita</i>	Whalen & Carter, 2002: 134	E. Jur.	N

<i>Katroma bicornus</i>	De Wever, 1982: 193	E. Jur.	N
<i>Katroma bifurca</i>	Yeh, 1987a: 79	E. Jur.	N
<i>Katroma brevitubus</i>	Dumitrica & Goričan <i>in</i> Goričan <i>et al.</i> , 2006: 220	E. Jur.	N
<i>Katroma clara</i>	Yeh, 1987a: 80	E. Jur.	N
<i>Katroma dengqensis</i>	Li, 1988: 329	E. Jur.	N
<i>Katroma elliptica</i>	Kishida & Hisada, 1985: 116	E. Jur.	N
<i>Katroma elongata</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 224	E. Jur.	N
<i>Katroma hocakoeyensis</i>	Tekin, 2002a: 190	E. Jur.	N
<i>Katroma inflata</i>	Yeh, 1987a: 81	E. Jur.	N
<i>Katroma inflatio</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 69	E. Jur.	N
<i>Katroma irvingi</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 69	E. Jur.	N
<i>Katroma kurusuensis</i>	Hori, 1988: 553	E. Jur.	N
<i>Katroma megasphaera</i>	Yeh & Cheng, 1998: 28	E. Jur.	N
<i>Katroma milloti</i>	Schaaf, 1984: 124	E. Cret.	N
<i>Katroma neagui</i> (T)	Pessagno & Poisson, 1981: 62	E. Jur.	N
<i>Katroma ninstintsi</i>	Carter <i>in</i> Carter <i>et al.</i> , 1988: 60	E. Jur.	N
<i>Katroma ? ornata</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 178	L. Tr.	N
<i>Katroma pinquitulo</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 70	E. Jur.	N
<i>Katroma ? proba</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 179	L. Tr.	N
<i>Katroma regina</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 70	E. Jur.	N
<i>Katroma sashidai</i>	Tekin, 2002a: 191	E. Jur.	N
<i>Katroma ? sinetubus</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 230	E. Jur.	N
<i>Katroma tetrastyla</i>	Steiger, 1992: 77	L. Jur.	N
<i>Katroma triangularis</i>	Kishida & Hisada, 1985: 117	E. Jur.	N
<i>Katroma ? tunoglui</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 179	L. Tr.	N
<i>Katroma westermanni</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 71	E. Jur.	N
<i>Kinyrosphaera helicata</i>	Bragin <i>in</i> Bragin & Krylov, 1999: 551	L. Tr.	S
<i>Kinyrosphaera helicata goekcamensis</i>	Tekin <i>in</i> Tekin & Yurtsever, 2003: 151	L. Tr.	S
<i>Kinyrosphaera trispinosa</i> (Ts)	Bragin <i>in</i> Bragin & Krylov, 1999: 550	L. Tr.	S
<i>Komoella symmetrica</i> (Ts)	Lahm, 1984: 32	M. Tr.	E
<i>Kozurastrum aciferum</i>	Bragin, 1991a: 57	L. Tr.	E
<i>Kozurastrum beattinense</i>	Carter, 1993: 52	L. Tr.	E
<i>Kozurastrum decilobum</i>	Carter, 1993: 53	L. Tr.	E
<i>Kozurastrum diminutum</i>	Bragin, 1991a: 58	L. Tr.	E
<i>Kozurastrum hexacanthium</i>	Bragin, 1991a: 59	L. Tr.	E
<i>Kozurastrum hexaspinosum</i>	Bragin, 1991c: 93	L. Tr.	E
<i>Kozurastrum huxleyense</i>	Carter, 1993: 53	L. Tr.	E
<i>Kozuria septibrachialis</i> (Ts)	Zhang, 1990: 173	L. Tr.	N
<i>Kozuria sexibrachialis</i>	Zhang, 1990: 173	L. Tr.	N
<i>Kozuricyrtium carinatus</i> (T)	Tekin, 1999: 154	L. Tr.	N
<i>Kozuricyrtium pulchra</i>	Tekin, 1999: 155	L. Tr.	N
<i>Kozurium corningensis</i>	Pessagno, 1977b: 57	E. Cret.	N
<i>Kozurium zingulai</i> (T)	Pessagno, 1977b: 58	E. Cret.	N
<i>Krempelinella kronenartiga</i> (T)	Empson-Morin, 1981: 265	L. Cret.	N
<i>Kreutzstella vierkantiga</i> (T)	Empson-Morin, 1981: 258	L. Cret.	S
<i>Kulacella recoarensis</i> (T)	Kozur & Mostler, 1981: 45	M. Tr.	S
<i>Kungalaria newcombi</i> (T)	Dumitrica & Carter, 1999: 421	L. Tr.	E
<i>Ladinocampe annuloperforata</i>	Kozur & Mostler, 1994: 92	M. Tr.	N
<i>Ladinocampe dinarica</i>	Tekin & Mostler, 2005b: 11	M. Tr.	N
<i>Ladinocampe latiannulata</i>	Kozur & Mostler, 1994: 92	M. Tr.	N
<i>Ladinocampe multiperforata</i> (T)	Kozur, 1984: 73	M. Tr.	N
<i>Ladinocampe vicentinensis</i>	Kozur & Mostler, 1994: 93	M. Tr.	N
<i>Lagena diana</i>	Karrer, 1867: 365	L. Jur.	N
<i>Lampasa blomei</i> (T)	Hull, 1997: 74	L. Jur.	S
<i>Lantus intermedius</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 232	E. Jur.	N
<i>Lantus praeobes</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 236	E. Jur.	N
<i>Lantus sixi</i> (T)	Yeh, 1987a: 90	E. Jur.	N
<i>Lantus sutnal</i>	O'Dogherty & Gawlick, 2008: 72	E. Jur.	N
<i>Lanubus dickinsoni</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 242	M. Jur.	S
<i>Lanubus holdsworthi</i> (T)	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 243	M. Jur.	S
<i>Lanubus purus</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 243	M. Jur.	S
<i>Larnacopylomma primigenium</i> (T)	Dumitrica, 1989: 250	L. Cret.	S
<i>Latium longulum</i> (Ts)	Blome, 1984a: 55	L. Tr.	N
<i>Latium mundum</i>	Blome, 1984a: 55	L. Tr.	N
<i>Latium paucum</i>	Blome, 1984a: 55	L. Tr.	N
<i>Laxtorum atliense</i>	Blome, 1984a: 56	L. Tr.	N
<i>Laxtorum capitaneum</i>	Carter, 1993: 112	L. Tr.	N
<i>Laxtorum ? carnicum</i>	Sugiyama, 1997: 158	L. Tr.	N

<i>Laxtorum hemingense</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 80	E. Jur.	N
<i>Laxtorum hichisoense</i>	Isozaki & Matsuda, 1985: 436	E. Jur.	N
<i>Laxtorum hindei</i> (T)	Blome, 1984a: 56	L. Tr.	N
<i>Laxtorum ? jurassicum</i>	Isozaki & Matsuda, 1985: 435	E. Jur.	N
<i>Laxtorum kulense</i>	Blome, 1984a: 57	L. Tr.	N
<i>Laxtorum perfectum</i>	Carter, 1993: 113	L. Tr.	N
<i>Laxtorum porterheadense</i>	Carter, 1993: 114	L. Tr.	N
<i>Leugeo parvispinata</i>	Hull, 1997: 52	L. Jur.	S
<i>Levilleugeo ordinarius</i> (T)	Yang & Wang, 1990: 203	L. Jur.	S
<i>Liassosaturnalis parvus</i> (Ts)	Kozur & Mostler, 1990: 203	E. Jur.	S
<i>Liassosaturnalis undulatus</i>	Kozur & Mostler, 1990: 203	E. Jur.	S
<i>Ligulatubus yaoui</i> (T)	Tekin & Mostler, 2005a: 30	M. Tr.	S
<i>Linaresia beniderkoulensis</i> (T)	El Kadiri, 1992: 44	E. Jur.	N
<i>Linaresia chrafatensis</i>	El Kadiri, 1992: 44	E. Jur.	N
<i>Linaresia mizutanii</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 137	M. Jur.	N
<i>Liosphaera media</i>	Vinassa de Regny, 1899: 221	L. Jur.	S
<i>Lipmanium ? caseyi</i>	Pessagno, 1977b: 37	E. Cret.	N
<i>Lipmanium ? ovalum</i>	Bragina, 2008: 127	L. Cret.	N
<i>Lipmanium sacramentoensis</i> (Ts)	Pessagno, 1969: 402	L. Cret.	N
<i>Litapium lagena</i>	Vinassa de Regny, 1901: 503	L. Cret.	S
<i>Litapium lagena var. elliptica</i>	Vinassa de Regny, 1901: 503	L. Cret.	S
<i>Lithapium aculeatum</i>	Rüst, 1898: 18	L. Jur.	S
<i>Lithapium brachyceras</i>	Vinassa de Regny, 1899: 229	L. Jur.	S
<i>Lithapium crassiculicolum</i>	Sheng, 1976: 129	Tr.?	S
<i>Lithapium ellipticum</i>	Squinabol, 1903: 117	L. Cret.	S
<i>Lithapium exile</i>	Sheng, 1976: 129	Tr.?	S
<i>Lithapium gutta</i>	Vinassa de Regny, 1899: 229	L. Jur.	S
<i>Lithapium incrassatum</i>	Squinabol, 1903: 117	L. Cret.	S
<i>Lithapium promptum</i>	Wang & Sheng, 1982: 86	L. Jur.	S
<i>Lithapium pruniforme</i>	Rüst, 1898: 17	L. Jur.	S
<i>Lithapium rigidum</i>	Ichikawa, 1950: 297	Tr.?	S
<i>Lithapium sinense</i>	Sheng, 1976: 129	Tr.?	S
<i>Lithapium spinosum</i>	Tan, 1927: 37	E. Cret.	S
<i>Lithapium spinosum</i>	Rüst, 1898: 17	L. Jur.	S
<i>Lithapium supraspinosum</i>	Khudyaev, 1931: 34	E. Cret.	S
<i>Lithatractus microstylus</i>	Rüst, 1898: 18	L. Jur.	S
<i>Lithobotrys dubia</i>	Rüst, 1885: 301	L. Jur.	N
<i>Lithobotrys undulata</i>	Heitzer, 1930: 390	M. Jur.	N
<i>Lithobotrys uva</i>	Rüst, 1885: 301	L. Jur.	N
<i>Lithocampe (Lithocampanula) andersoni</i>	Campbell & Clark, 1944: 42	L. Cret.	N
<i>Lithocampe (Lithocampanula) andersoni paucisepta</i>	Campbell & Clark, 1944: 43	L. Cret.	N
<i>Lithocampe altissima</i> (Ti)	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe ananassa</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe apiarium</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe aptychophila</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe botryoides</i>	Rüst, 1898: 61	L. Jur.	N
<i>Lithocampe chalilovi</i>	Aliev, 1965: 66	E. Cret.	N
<i>Lithocampe chenodes</i>	Renz, 1974: 793	E. Cret.	N
<i>Lithocampe coarctata</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe columna</i>	Rüst, 1898: 63	L. Jur.	N
<i>Lithocampe constricta</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe constricta</i>	Rüst, 1898: 61	L. Jur.	N
<i>Lithocampe costata</i>	Heitzer, 1930: 401	M. Jur.	N
<i>Lithocampe crassitestata</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe cretacea</i>	Rüst, 1885: 313	L. Jur.	N
<i>Lithocampe cryptocephala</i>	Dumitrica, 1970: 67	L. Cret.	N
<i>Lithocampe doliiformis</i>	Zhamoida, 1968: 172	E. Jur.	N
<i>Lithocampe elegans</i>	Hinde, 1908: 720	Tr.	N
<i>Lithocampe eminentis</i>	Bak, 1999: 151	L. Cret.	N
<i>Lithocampe euganea</i>	Squinabol, 1904: 235	L. Cret.	N
<i>Lithocampe eureia</i>	Foreman, 1968: 62	L. Cret.	N
<i>Lithocampe exaltata</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe fasciata</i>	Rüst, 1898: 63	L. Jur.	N
<i>Lithocampe fusiformis</i>	Hinde, 1893: 225	Cret.	N
<i>Lithocampe giattinii</i>	Vinassa de Regny, 1901: 508	L. Cret.	N
<i>Lithocampe globifera</i>	Rüst, 1898: 63	L. Jur.	N
<i>Lithocampe gracilis</i>	Khabakov, 1937: 115	E. Cret.	N
<i>Lithocampe grutterinki</i>	Tan, 1927: 63	E. Cret.	N

<i>Lithocampe hanni</i>	Tan, 1927: 64	E. Cret.	N
<i>Lithocampe impervia</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe ingens</i>	Rüst, 1898: 62	L. Jur.	N
<i>Lithocampe irregularipora</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe irregularis</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe jurassica</i>	Muzavor, 1977: 104	L. Jur.	N
<i>Lithocampe kparissovae</i>	Zhamoida, 1968: 173	L. Tr.	N
<i>Lithocampe krenensis</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe lanterna</i>	Rüst, 1898: 62	L. Jur.	N
<i>Lithocampe ? lepidosa</i>	Kozlova in Kozlova & Gorbovetz, 1966: 119	L. Cret.	N
<i>Lithocampe levis</i>	Hinde, 1908: 720	Tr.	N
<i>Lithocampe lipmanae</i>	Aliev, 1965: 64	E. Cret.	N
<i>Lithocampe lipmanae varians</i>	Aliev, 1965: 65	E. Cret.	N
<i>Lithocampe magnifica</i>	Rüst, 1898: 62	L. Jur.	N
<i>Lithocampe marinae</i>	Gorbovetz in Kozlova & Gorbovetz, 1966: 118	L. Cret.	N
<i>Lithocampe mediodilatata</i>	Rüst, 1885: 316	L. Jur.	N
<i>Lithocampe mendonensis</i>	Hinde, 1908: 720	Tr.	N
<i>Lithocampe micropora</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe morata</i>	Aliev, 1965: 61	E. Cret.	N
<i>Lithocampe multipora</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe nerinea</i>	Rüst, 1885: 316	L. Jur.	N
<i>Lithocampe nudata</i> (T)	Kocher in Baumgartner <i>et al.</i> , 1980: 55	M. Jur.	N
<i>Lithocampe obesa</i>	Squinabol, 1903: 141	L. Cret.	N
<i>Lithocampe oblectans</i>	Rüst, 1885: 316	L. Jur.	N
<i>Lithocampe obliqua</i>	Rüst, 1892b: 190	M. Tr.	N
<i>Lithocampe pagoda</i>	Rüst, 1898: 62	L. Jur.	N
<i>Lithocampe pentagonale</i>	Ichikawa, 1950: 312	Tr.?	N
<i>Lithocampe perampla</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe pervulgata</i>	Rüst, 1885: 314	L. Jur.	N
<i>Lithocampe pseudochrysalis</i> typ.	Tan, 1927: 63	E. Cret.	N
<i>Lithocampe pseudochrysalis</i> var. $\alpha$	Tan, 1927: 64	E. Cret.	N
<i>Lithocampe pupoides</i>	Hinde, 1908: 720	Tr.	N
<i>Lithocampe quiniseriata</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe rotundata</i>	Aliev, 1965: 61	E. Cret.	N
<i>Lithocampe rotundata polycamerata</i>	Aliev, 1965: 62	L. Cret.	N
<i>Lithocampe ruesti</i>	Ozoldova, 1975: 83	L. Jur.	N
<i>Lithocampe sexcorollata</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe sichotica</i>	Zhamoida, 1968: 174	L. Tr.	N
<i>Lithocampe spinata</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe spinosa</i>	Iacob & Nicorici, 1957: 12	L. Jur.	N
<i>Lithocampe splendida</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe strelkovi</i>	Aliev, 1965: 66	E. Cret.	N
<i>Lithocampe subcretacea</i>	Neviani, 1900: 665	L. Jur.	N
<i>Lithocampe syssolaensis</i>	Khudyayev, 1931: 43	E. Cret.	N
<i>Lithocampe telegraphica</i>	Vinassa de Regny, 1901: 508	L. Cret.	N
<i>Lithocampe terniseriata</i>	Rüst, 1885: 315	L. Jur.	N
<i>Lithocampe tetracamerata</i>	Lipman, 1962: without description	L. Cret.	N
<i>Lithocampe tetracapsa</i>	Zhamoida, 1968: 175	L. Tr.	N
<i>Lithocampe thiara</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Lithocampe trochus</i>	Rüst, 1885: 316	L. Jur.	N
<i>Lithocampe tumulata</i>	Aliev, 1965: 60	E. Cret.	N
<i>Lithocampe veneta</i>	Squinabol, 1903: 141	L. Cret.	N
<i>Lithocampe venusta</i>	Heitzer, 1930: 400	M. Jur.	N
<i>Lithocampe wharanui</i>	Hollis, 1997: 76	L. Cret.	N
<i>Lithocampium parvum</i>	Rüst, 1885: 311	L. Jur.	N
<i>Lithocampium reclinatum</i>	Rüst, 1885: 311	L. Jur.	N
<i>Lithocampium rectilineum</i>	Rüst, 1885: 311	L. Jur.	N
<i>Lithocampium stabile</i> (Td)	Rüst, 1885: 311	L. Jur.	N
<i>Lithochytris (Lithochytridium) robusta</i>	Campbell & Clark, 1944: 31	L. Cret.	N
<i>Lithochytris bipodium</i>	Parona, 1890: 167	L. Jur.	N
<i>Lithochytris bütschlii</i>	Rüst, 1885: 310	L. Jur.	N
<i>Lithociclia racovitzae</i>	Iacob & Nicorici, 1957: 10	L. Jur.	S
<i>Lithocircus cornutus</i>	Rüst, 1888: 203	E. Cret.	N
<i>Lithocircus haeckeli</i>	Pantanelli, 1880: 50	L. Jur.	N
<i>Lithocircus rhombus</i>	Pantanelli, 1880: 50	L. Jur.	N
<i>Lithocircus spiniger</i>	Rüst, 1888: 203	E. Cret.	N
<i>Lithocircus truncatus</i>	Pantanelli, 1880: 50	L. Jur.	N
<i>Lithocorys nipponica</i> (Td)	Ichikawa, 1950: 311	Tr.?	N

<i>Lithocorys pseudocretacea</i>	Ichikawa, 1950: 311	Tr.?	N
<i>Lithocubus rotundus</i>	Rüst, 1888: 204	E. Cret.	S
<i>Lithocubus tenuis</i>	Rüst, 1888: 204	E. Cret.	S
<i>Lithocyclus alternans</i>	Rüst, 1885: 293	L. Jur.	S
<i>Lithocyclus discus</i>	Perner, 1891: 260	L. Cret.	S
<i>Lithocyclus exilis</i>	Hinde, 1893: 233	Cret.	S
<i>Lithocyclus justa</i>	Rüst, 1888: 197	E. Cret.	S
<i>Lithocyclus ovalis</i>	Khudyaev, 1931: 35	E. Cret.	S
<i>Lithocyclus squarrosa</i> (Td)	Rüst, 1885: 293	L. Jur.	S
<i>Lithomelissa</i> ( <i>Acromelissa</i> ) <i>crassaformis</i>	Campbell & Clark, 1944: 24	L. Cret.	N
<i>Lithomelissa</i> ( <i>Micromelissa</i> ) <i>heros</i> (T)	Campbell & Clark, 1944: 25	L. Cret.	N
<i>Lithomelissa</i> ( <i>Micromelissa</i> ) <i>robusta</i>	Campbell & Clark, 1944: 26	L. Cret.	N
<i>Lithomelissa</i> ( <i>Sethomelissa</i> ) <i>armata</i>	Campbell & Clark, 1944: 26	L. Cret.	N
<i>Lithomelissa</i> ? <i>aitai</i>	Hollis, 1997: 56	L. Cret.	N
<i>Lithomelissa</i> ? <i>amazon</i>	Foreman, 1968: 26	L. Cret.	N
<i>Lithomelissa</i> ? <i>hoplites</i>	Foreman, 1968: 26	L. Cret.	N
<i>Lithomelissa</i> ? <i>panus</i>	De Wever in De Wever <i>et al.</i> , 1979: 91	L. Tr.	N
<i>Lithomelissa</i> ? <i>petila</i>	Foreman, 1975: 616	E. Cret.	N
<i>Lithomespillus curvispinus</i>	Rüst, 1898: 17	L. Jur.	S
<i>Lithomespilus coronatus</i>	Squinabol, 1904: 198	L. Cret.	S
<i>Lithomespilus ovoideus</i>	Squinabol, 1904: 198	L. Cret.	S
<i>Lithomitra</i> ( <i>Lithomitrisa</i> ) <i>formosa</i>	Campbell & Clark, 1944: 41	L. Cret.	N
<i>Lithomitra</i> ( <i>Lithomitrisa</i> ) <i>regina</i>	Campbell & Clark, 1944: 41	L. Cret.	N
<i>Lithomitra</i> ( <i>Lithomitrisa</i> ) <i>regina angustata</i>	Campbell & Clark, 1944: 41	L. Cret.	N
<i>Lithomitra</i> ( <i>Lithomitrisa</i> ) <i>regina subconica</i>	Campbell & Clark, 1944: 41	L. Cret.	N
<i>Lithomitra airaghii</i>	Neviani, 1900: 665	L. Jur.	N
<i>Lithomitra capito</i>	Rüst, 1898: 59	L. Jur.	N
<i>Lithomitra capitoidea</i>	Zhamoida, 1968: 169	L. Jur.	N
<i>Lithomitra catenata</i>	Hinde, 1908: 718	Tr.	N
<i>Lithomitra cereiformis</i>	Rüst, 1898: 59	L. Jur.	N
<i>Lithomitra dolium</i>	Khabakov, 1937: 113	E. Cret.	N
<i>Lithomitra excellens</i>	Tan, 1927: 56	E. Cret.	N
<i>Lithomitra extensa</i>	Hinde, 1908: 717	Tr.	N
<i>Lithomitra forficula</i>	Rüst, 1892b: 188	M. Tr.	N
<i>Lithomitra pentacamera</i>	Lozyniak, 1981: 70	L. Jur.	N
<i>Lithomitra praelonga</i>	Hinde, 1908: 718	Tr.	N
<i>Lithomitra pseudopinguis</i>	Tan, 1927: 57	E. Cret.	N
<i>Lithomitra savignanensis</i>	Neviani, 1900: 664	L. Jur.	N
<i>Lithomitra savignanensis</i> var. <i>bombianae</i>	Neviani, 1900: 665	L. Jur.	N
<i>Lithomitra scalaris</i>	Hinde, 1908: 718	Tr.	N
<i>Lithomitra splendens</i>	Khabakov, 1937: 112	E. Cret.	N
<i>Lithomitra tisansis</i>	Lozyniak, 1981: 70	L. Jur.	N
<i>Lithomitra turiformis</i>	Subbotina, 1960: 239	L. Cret.	N
<i>Lithopera elongata</i>	Pantanelli, 1880: 51	L. Jur.	N
<i>Lithopera ovata</i>	Pantanelli, 1880: 51	L. Jur.	N
<i>Lithornithium biventre</i>	Rüst, 1885: 310	L. Jur.	N
<i>Lithostrobos</i> ( <i>Conostrobos</i> ) <i>natlandi</i>	Campbell & Clark, 1944: 38	L. Cret.	N
<i>Lithostrobos</i> ( <i>Lithostrobos</i> ) <i>punctulatus</i> (Ts)	Pessagno, 1963: 210	L. Cret.	N
<i>Lithostrobos brevicostatus</i>	Ozoldova, 1975: 84	L. Jur.	N
<i>Lithostrobos capulus</i>	Vinassa de Regny, 1899: 235	L. Jur.	N
<i>Lithostrobos communis</i>	Squinabol, 1904: 228	L. Cret.	N
<i>Lithostrobos dignus</i>	Tan, 1927: 54	E. Cret.	N
<i>Lithostrobos dilatatus</i>	Rüst, 1898: 57	L. Jur.	N
<i>Lithostrobos duodecimcostatus</i>	Squinabol, 1903: 138	L. Cret.	N
<i>Lithostrobos elegans</i>	Richter, 1925: 556	L. Cret.	N
<i>Lithostrobos elegans</i>	Squinabol, 1903: 138	L. Cret.	N
<i>Lithostrobos erectus</i>	Tan, 1927: 53	E. Cret.	N
<i>Lithostrobos incertus</i>	Wang & Sheng, 1982: 90	L. Tr.	N
<i>Lithostrobos incrassatus</i>	Squinabol, 1904: 228	L. Cret.	N
<i>Lithostrobos litus</i>	Foreman, 1978b: 747	L. Cret.	N
<i>Lithostrobos minimus</i>	Richter, 1925: 557	L. Cret.	N
<i>Lithostrobos nodosus</i>	Tan, 1927: 53	E. Cret.	N
<i>Lithostrobos ornatus</i>	Tan, 1927: 54	E. Cret.	N
<i>Lithostrobos pagoda</i> (T)	Squinabol, 1904: 229	L. Cret.	N
<i>Lithostrobos parvicus</i>	Aliev, 1965: 36	E. Cret.	N
<i>Lithostrobos parvicus cornea</i>	Aliev, 1965: 37	E. Cret.	N
<i>Lithostrobos parvus</i>	Tan, 1927: 55	E. Cret.	N
<i>Lithostrobos pseudoconulus</i>	Pessagno, 1963: 210	L. Cret.	N



<i>Lithostrobus pseudomulticostatus</i>	Tan, 1927: 54	E. Cret.	N
<i>Lithostrobus pusillus</i>	Hinde, 1908: 713	Tr.	N
<i>Lithostrobus rostovzevi</i>	Lipman in Glazunova <i>et al.</i> , 1960: 133	L. Cret.	N
<i>Lithostrobus ? simplex</i>	Vinassa de Regny, 1899: 235	L. Jur.	N
<i>Lithostrobus tandjani</i>	Hinde, 1900: 34	Jur.	N
<i>Lithostrobus turritlella</i>	Lipman, 1952: 41	L. Cret.	N
<i>Lithostrobus zhamoidai</i>	Kazintsova, 1979: 99	L. Cret.	N
<i>Livarella densiporata</i> (T)	Kozur & Mostler, 1981: 115	L. Tr.	N
<i>Livarella gifuensis</i>	Yoshida, 1986: 15	L. Tr.	N
<i>Livarella inflata</i>	Yeh, 1992: 67	L. Tr.	N
<i>Livarella longus</i>	Yoshida, 1986: 14	L. Tr.	N
<i>Livarella magna</i>	Tekin, 1999: 148	L. Tr.	N
<i>Livarella mecobrachialis</i>	Zhang, 1990: 172	L. Tr.	N
<i>Livarella usonensis</i>	Yeh, 1992: 67	L. Tr.	N
<i>Livarella validus</i>	Yoshida, 1986: 14	L. Tr.	N
<i>Livinallongella hauseri</i> (Ts)	Lahm, 1984: 30	M. Tr.	E
<i>Livinallongella lahmi</i>	Kozur, Krainer & Mostler, 1996b: 224	M. Tr.	E
<i>Lobactinocapsa bilobata</i>	Dumitrica, 1978b: 48	M. Tr.	E
<i>Lobactinocapsa ellipsoconcha</i> (T)	Dumitrica, 1978b: 49	M. Tr.	E
<i>Lobactinocapsa carnica</i>	Kozur & Mostler, 1981: 29	L. Tr.	E
<i>Loffa lepida</i>	Blome, 1983: 38	L. Tr.	S
<i>Loffa mulleri</i> (T)	Pessagno in Pessagno <i>et al.</i> , 1979: 177	L. Tr.	S
<i>Loffa vesterensis</i>	Blome, 1983: 38	L. Tr.	S
<i>Loopus ? campbelli</i>	Yang, 1993: 123	L. Jur.	N
<i>Loopus doliolum</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 30	E. Cret.	N
<i>Loopus doliolum martae</i>	Beccaro, 2004b: 13	L. Jur.	N
<i>Loopus ? probus</i>	Yang, 1993: 125	L. Jur.	N
<i>Loopus yangi</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 31	E. Cret.	N
<i>Lophocorys cribosa</i> (Td)	Rüst, 1885: 308	L. Jur.	N
<i>Lophocorys spinosa</i>	Rüst, 1885: 308	L. Jur.	N
<i>Lophophaena furcifera</i>	Rüst, 1898: 45	E. Jur.	N
<i>Lophophaena ? glaucidium</i>	Foreman, 1968: 22	L. Cret.	N
<i>Lophophaena microcephala</i>	Rüst, 1898: 45	L. Jur.	N
<i>Loupanus thompsoni</i> (T)	Carter, 1993: 86	L. Tr.	S
<i>Lupherium abnormisum</i>	Li, 1986: 314	L. Jur.	N
<i>Lupherium longicornis</i>	Wu, 2000: 302	L. Jur.	N
<i>Lupherium mudongensis</i>	Li, 1986: 314	L. Jur.	N
<i>Lupherium ? nitidum</i>	Pessagno & Whalen, 1982: 135	M. Jur.	N
<i>Lupherium officerense</i>	Pessagno & Whalen, 1982: 135	M. Jur.	N
<i>Lupherium snowshoense</i> (Ts)	Pessagno & Whalen, 1982: 136	M. Jur.	N
<i>Lychnocanium armatum</i>	Rüst, 1888: 206	E. Cret.	N
<i>Lychnocanium carsispina</i>	Squinabol, 1903: 129	L. Cret.	N
<i>Lychnocanium collare</i>	Rüst, 1898: 42	L. Jur.	N
<i>Lychnocanium elegans</i>	Squinabol, 1903: 130	L. Cret.	N
<i>Lychnocanium euganeum</i>	Squinabol, 1904: 212	L. Cret.	N
<i>Lychnocanium longicorne</i>	Rüst, 1898: 43	L. Jur.	N
<i>Lychnocanium parvulum</i>	Squinabol, 1904: 212	L. Cret.	N
<i>Lychnocanium rectispinum</i>	Rüst, 1898: 43	L. Jur.	N
<i>Lychnocanium xiphophorum</i>	Rüst, 1898: 43	L. Jur.	N
<i>Lysemelas olbia</i> (T)	Sugiyama, 1997: 160	L. Tr.	N
<i>Mallanites romanus</i> (T)	O'Dogherty, 1994: 376	E. Cret.	S
<i>Mariella balcanica</i>	Tikhomirova, 1989: 40	E. Jur.	N
<i>Mariella petrushevskayae</i> (Td)	Tikhomirova, 1989: 40	E. Jur.	N
<i>Maudia yakounense</i> (Th)	Carter in Carter <i>et al.</i> , 1988: 61	E. Jur.	N
<i>Medusetta fossilis</i>	Takahashi, 2004: 123	L. Cret.	P
<i>Melittosphaera quasipulchra</i>	Sheng, 1976: 126	Tr.?	E
<i>Mendacastrum aculeatum</i>	Dumitrica & Zügel, 2002: 30	L. Jur.	S
<i>Mendacastrum baumgartneri</i> (T)	Dumitrica & Zügel, 2002: 28	L. Jur.	S
<i>Mesosaturnalis acuminatus</i>	Carter, 1993: 55	L. Tr.	S
<i>Mesosaturnalis furcatus</i>	Bragin, 2007: 997	L. Tr.	S
<i>Mesosaturnalis octospinus</i>	Sugiyama, 1997: 160	L. Tr.	S
<i>Mesovallupus blomei</i>	Cheng, 1992: 18	L. Jur.	S
<i>Mesovallupus crassus</i>	Cheng, 1992: 18	L. Jur.	S
<i>Mesovallupus guadalupensis</i> (T)	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 28	L. Jur.	S
<i>Mesovallupus lanterna</i>	Cheng, 1992: 19	L. Jur.	S
<i>Mesovallupus nawalapa</i>	Cheng, 1992: 20	L. Jur.	S
<i>Mesovallupus pessagnoei</i>	Cheng, 1992: 20	L. Jur.	S
<i>Mesovallupus tenuis</i>	Cheng, 1992: 21	L. Jur.	S

<i>Meyenella meyeri</i> (Td)	Davis, 1950: 211	L. Jur.	S
<i>Meyenella rotula</i>	Davis, 1950: 213	L. Jur.	S
<i>Micromelissa coarctata</i>	Rüst, 1888: 207	E. Cret.	N
<i>Micromelissa ventricosa</i>	Squinabol, 1903: 130	L. Cret.	N
<i>Microsciadiocapsa devalvensis</i>	Bragina, 2008: 133	L. Cret.	N
<i>Microsciadiocapsa ? elegantissima</i>	Bragina, 2008: 136	L. Cret.	N
<i>Microsciadiocapsa macropora</i>	Bragina, 2008: 133	L. Cret.	N
<i>Microsciadiocapsa mambrini</i>	Bragina, 2008: 133	L. Cret.	N
<i>Microsciadiocapsa mangaleniensis</i>	Bragina, 2008: 135	L. Cret.	N
<i>Microsciadiocapsa quasissutterensis</i>	Bragina, 2008: 135	L. Cret.	N
<i>Microsciadiocapsa tethyensis</i>	Bragina, 2008: 136	L. Cret.	N
<i>Microsciadocapsa berryessaensis</i>	Pessagno, 1969: 404	L. Cret.	N
<i>Microsciadocapsa cortinaensis</i>	Pessagno, 1969: 404	L. Cret.	N
<i>Microsciadocapsa lipmanae</i>	Pessagno, 1969: 405	L. Cret.	N
<i>Microsciadocapsa madisonae</i>	Pessagno, 1969: 406	L. Cret.	N
<i>Microsciadocapsa monticelloensis</i> (T)	Pessagno, 1969: 407	L. Cret.	N
<i>Microsciadocapsa radiata</i>	Pessagno, 1969: 408	L. Cret.	N
<i>Microsciadocapsa sutterensis</i>	Pessagno, 1969: 409	L. Cret.	N
<i>Mictyoditra curvata</i>	Dumitrica in Dumitrica et al., 1997a: 44	E. Cret.	N
<i>Mictyoditra humerosa</i>	Dumitrica in Dumitrica et al., 1997a: 45	E. Cret.	N
<i>Mictyoditra ? ramocosta</i>	Dumitrica in Dumitrica et al., 1997a: 44	E. Cret.	N
<i>Milax adrianae</i>	Jud, 1994: 83	E. Cret.	N
<i>Milax alienus</i> (Th)	Blome, 1984b: 374	M. Jur.	N
<i>Milax conicus</i>	Wu, 2000: 304	L. Jur.	N
<i>Milax ? flexuosus</i>	Blome, 1984b: 376	M. Jur.	N
<i>Milax inflatus</i>	Blome, 1984b: 378	M. Jur.	N
<i>Milax nobilis</i>	Wu, 2000: 304	L. Jur.	N
<i>Milax xizangensis</i>	Wu, 2000: 304	L. Jur.	N
<i>Minocapsa aitai</i>	Hull, 1997: 146	L. Jur.	N
<i>Minocapsa cylindrica</i> (T)	Matsuoka, 1991: 735	E. Jur.	N
<i>Minocapsa globosa</i>	Matsuoka, 1991: 736	E. Jur.	N
<i>Minocapsa ? tansinhoki</i>	Hull, 1997: 148	L. Jur.	N
<i>Minocapsa truncata</i>	Wu, 2000: 304	L. Jur.	N
<i>Mirifusus apenninicus</i>	Jud, 1994: 83	E. Cret.	N
<i>Mirifusus baileyi</i>	Pessagno, 1977a: 83	L. Jur.	N
<i>Mirifusus fragilis</i>	Baumgartner, 1984: 770	M. Jur.	N
<i>Mirifusus fragilis praeguadalupensis</i>	Baumgartner & Bartolini in Baumgartner et al., 1995: 316	M. Jur.	N
<i>Mirifusus guadalupensis</i> (T)	Pessagno, 1977a: 83	L. Jur.	N
<i>Mirifusus kezheni</i>	Li, 1986: 313	L. Jur.	N
<i>Mirifusus medidilatatus globosus</i>	Steiger, 1992: 66	L. Jur.	N
<i>Mirifusus mediodilatatus minor</i>	Baumgartner, 1984: 772	E. Cret.	N
<i>Mirifusus odoghertyi</i>	Jud, 1994: 84	E. Cret.	N
<i>Mirifusus proavus</i>	Tonielli, 1991: 24	M. Jur.	N
<i>Mirifusus rakhovensis</i>	Tikhomirova, 1983b: 83	L. Jur.	N
<i>Mirifusus rudarnensis</i>	Tikhomirova, 1983b: 84	L. Jur.	N
<i>Miropyle mirabilis</i> (T)	Dumitrica, 1988: 183	L. Cret.	S
<i>Mita amphora</i>	Danelian, 2008: 6	E. Cret.	N
<i>Mita ? cypraea</i>	Bragina, 2004: S367	L. Cret.	N
<i>Mita magnifica</i> (Th)	Pessagno, 1977b: 44	E. Cret.	N
<i>Mita weddellensis</i>	Kiessling, 1999: 45	L. Jur.	N
<i>Mitrocalpis depressa</i>	Rüst, 1888: 206	E. Cret.	N
<i>Mitrocalpis uralicus</i>	Grigoryeva, 1975: 105	L. Cret.	N
<i>Moebircircus ruthae</i>	Dumitrica & Zügel, 2008: 74	L. Jur.	S
<i>Molzaxis haeckeli</i>	Dumitrica, 2004: 205	M. Tr.	N
<i>Monicasterix alpina</i> (T)	Kozur & Mostler, 1994: 87	M. Tr.	N
<i>Monicasterix brevituba</i>	Kozur & Mostler, 1994: 88	M. Tr.	N
<i>Monicasterix gabiolaensis</i>	Kozur & Mostler, 1994: 88	M. Tr.	N
<i>Monicasterix ornata</i>	Tekin & Mostler, 2005b: 8	M. Tr.	N
<i>Monicasterix parvisegmentata</i>	Tekin & Mostler, 2005b: 8	M. Tr.	N
<i>Monicasterix prisca</i>	Kozur & Mostler, 1994: 89	M. Tr.	N
<i>Monicasterix pulchra</i>	Tekin & Mostler, 2005b: 8	M. Tr.	N
<i>Monocapnuchosphaera gracilis</i>	Tekin, 1999: 76	L. Tr.	S
<i>Monocapnuchosphaera inflata</i>	Tekin, 1999: 77	L. Tr.	S
<i>Monocapnuchosphaera longispina</i> (T)	Tekin, 1999: 77	L. Tr.	S
<i>Monocapnuchosphaera subtornata</i>	Tekin, 1999: 78	L. Tr.	S
<i>Monocapnuchosphaera subtornata dextra</i>	Tekin, 1999: 78	L. Tr.	S
<i>Monocapnuchosphaera subtornata sinistra</i>	Tekin, 1999: 79	L. Tr.	S
<i>Monocapnuchosphaera tornata</i>	Tekin, 1999: 79	L. Tr.	S

<i>Monosera gujoensis</i>	Takemura & Nakaseko, 1986: 1022	M. Jur.	N
<i>Monospongella magnispinosa</i>	Kozur & Mostler, 2006: 29	M. Tr.	S
<i>Monospongella rotunda</i>	Kozur & Mostler, 2006: 29	M. Tr.	S
<i>Monospongella tortilis</i> (T)	Kozur & Mostler, 2006: 29	M. Tr.	S
<i>Monostylosphaera sinensis</i> (T)	Xu, 1992: 144	L. Tr.	E
<i>Monostylus hirsutus</i> (Td)	Cayeux, 1897: 189	L. Cret.	S
<i>Monostylus triassicus</i>	Kozur & Mostler, 1979a: 59	L. Tr.	S
<i>Monotrabs goricanae</i>	Beccaro, 2004a: 84	M. Jur.	S
<i>Monotrabs plenioides</i> (T)	Baumgartner, 1984: 773	M. Jur.	S
<i>Monotrabs sabinus</i>	Tonielli, 1992: 166	M. Jur.	S
<i>Mostlericyrtium bacilliformis</i>	Bragin, 2007: 1021	L. Tr.	N
<i>Mostlericyrtium sitepesiformis</i> (T)	Tekin, 1999: 180	L. Tr.	N
<i>Mostlericyrtium striata</i>	Tekin, 1999: 181	L. Tr.	N
<i>Muellericyrtium triassicum</i> (T)	Kozur & Mostler, 1981: 111	M. Tr.	N
<i>Muelleritortis bosniensis</i>	Kozur & Mostler, 1996a: 88	M. Tr.	E
<i>Muelleritortis cive</i>	Sugiyama, 1997: 161	L. Tr.	E
<i>Muelleritortis cochleata hungarica</i>	Dosztaly, 1991: 344	M. Tr.	E
<i>Muelleritortis cochleata koeveskalensis</i>	Kozur, 1988a: 53	M. Tr.	E
<i>Muelleritortis cochleata tumidospina</i>	Kozur, 1988a: 54	M. Tr.	E
<i>Muelleritortis expansa</i>	Kozur & Mostler, 1996a: 88	M. Tr.	E
<i>Muelleritortis longispinosa</i>	Kozur, 1988a: 54	M. Tr.	E
<i>Muelleritortis nobilis</i>	Dosztaly, 1991: 345	M. Tr.	E
<i>Muelleritortis pulchra</i>	Kozur, 1988a: 54	M. Tr.	E
<i>Muelleritortis pulchra rotunda</i>	Kozur & Mostler, 1996a: 89	M. Tr.	E
<i>Muelleritortis quadrata</i>	Kozur & Mostler, 1996a: 88	M. Tr.	E
<i>Muelleritortis quadrata parvispina</i>	Kozur & Mostler, 1996a: 89	M. Tr.	E
<i>Mulderella goestlingensis</i> (Ts)	Kozur & Mostler, 1981: 30	L. Tr.	S
<i>Multastrum cypricum</i>	Bragina in Bragina & Vishnevskaya, 2007: 593	L. Cret.	S
<i>Multastrum flos</i> (T)	Vishnevskaya, 1991b: 91	L. Cret.	S
<i>Multastrum mangaliense</i>	Bragina in Bragina & Vishnevskaya, 2007: 593	L. Cret.	S
<i>Multastrum ? perapediense</i>	Bragina in Bragina & Vishnevskaya, 2007: 594	L. Cret.	S
<i>Multastrum regalis</i>	Vishnevskaya, 1991b: 91	L. Cret.	S
<i>Multastrum robustum</i>	Bragina in Bragina & Vishnevskaya, 2007: 591	L. Cret.	S
<i>Multiaracusella muelleri</i> (T)	Kozur & Mostler, 1979a: 84	L. Tr.	E
<i>Multiaracusella spinosa</i>	Kozur & Mostler, 1979a: 84	L. Tr.	E
<i>Multimonilis japonicus</i>	Sugiyama, 1997: 161	L. Tr.	N
<i>Multimonilis pulcher</i> (T)	Yeh, 1989: 72	L. Tr.	N
<i>Multimonilis splendidus</i>	Yeh, 1989: 73	L. Tr.	N
<i>Myelastrum quadricorne</i> (Td)	Rüst, 1898: 32	L. Jur.	S
<i>Myllocercion acineton</i> (T)	Foreman, 1968: 37	L. Cret.	N
<i>Myllocercion rhodanon</i>	Foreman, 1968: 38	L. Cret.	N
<i>Nabolella brevispinosa</i>	Tekin & Mostler, 2005b: 9	M. Tr.	N
<i>Nabolella crenulata</i>	Tekin & Mostler, 2005b: 9	M. Tr.	N
<i>Nabolella trispinata</i>	Tekin & Mostler, 2005b: 9	M. Tr.	N
<i>Nabolella trispinosa</i>	Bragin in Bragin & Krylov, 1999: 562	L. Tr.	N
<i>Nakasekoellus inkensis</i>	Kozur in Kozur & Mostler, 1994: 250	L. Tr.	N
<i>Nandartia humerosa</i>	Dumitrica, 2004: 222	M. Tr.	N
<i>Nandartia octostyla</i>	Dumitrica, 2004: 222	M. Tr.	N
<i>Nandartia robusta</i>	Dumitrica, 2004: 222	M. Tr.	N
<i>Napora antelopensis</i>	Pessagno <i>et al.</i> , 1986: 34	M. Jur.	N
<i>Napora aperta</i>	Yeh, 1987a: 83	E. Jur.	N
<i>Napora aranea</i>	Dumitrica & Zügel, 2003: 57	L. Jur.	N
<i>Napora avirostrum</i>	Dumitrica & Zügel, 2003: 58	L. Jur.	N
<i>Napora baumgartneri</i>	Pessagno <i>et al.</i> , 1986: 35	M. Jur.	N
<i>Napora bearensis</i>	Pessagno <i>et al.</i> , 1986: 35	M. Jur.	N
<i>Napora blechschmidti</i>	Dumitrica in Goričan <i>et al.</i> , 2006: 246	M. Jur.	N
<i>Napora bona</i>	Pessagno <i>et al.</i> , 1986: 36	M. Jur.	N
<i>Napora bondoca</i>	Dumitrica & Zügel, 2003: 58	L. Jur.	N
<i>Napora boneti</i>	Pessagno <i>et al.</i> , 1986: 36	L. Jur.	N
<i>Napora browni</i>	Pessagno <i>et al.</i> , 1986: 36	M. Jur.	N
<i>Napora bukryi</i> (T)	Pessagno, 1977a: 94	L. Jur.	N
<i>Napora burckhardtii</i>	Pessagno <i>et al.</i> , 1986: 37	L. Jur.	N
<i>Napora cerromesaensis</i>	Pessagno <i>et al.</i> , 1986: 38	E. Jur.	N
<i>Napora collieri</i>	Hull, 1997: 114	L. Jur.	N
<i>Napora comis</i>	Yang, 1993: 136	L. Jur.	N
<i>Napora conothorax</i>	Carter & Dumitrica in Goričan <i>et al.</i> , 2006: 250	E. Jur.	N
<i>Napora cosmica</i>	Pessagno <i>et al.</i> , 1986: 38	M. Jur.	N
<i>Napora cristata</i>	Dumitrica & Zügel, 2003: 60	L. Jur.	N

<i>Napora cruda</i>	Yang, 1993: 137	L. Jur.	N
<i>Napora deweveri</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1980: 56	L. Jur.	N
<i>Napora divaricata</i>	Dumitrica & Zügel, 2003: 61	L. Jur.	N
<i>Napora elkcampensis</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 158	L. Jur.	N
<i>Napora espinosa</i>	Hull, 1997: 116	L. Jur.	N
<i>Napora fructuosa</i>	Pessagno <i>et al.</i> , 1986: 39	M. Jur.	N
<i>Napora ? graybayensis</i>	Pessagno <i>et al.</i> , 1986: 39	E. Jur.	N
<i>Napora hasta</i>	Yeh & Cheng, 1996a: 116	E. Jur.	N
<i>Napora heimi</i>	Pessagno <i>et al.</i> , 1986: 40	L. Jur.	N
<i>Napora horrida</i>	Pessagno <i>et al.</i> , 1986: 40	M. Jur.	N
<i>Napora imperfecta</i>	Yang, 1993: 138	L. Jur.	N
<i>Napora insolita</i>	Pessagno <i>et al.</i> , 1986: 41	E. Jur.	N
<i>Napora irregularis</i>	Kiessling, 1999: 68	L. Jur.	N
<i>Napora izeensis</i>	Pessagno <i>et al.</i> , 1986: 41	M. Jur.	N
<i>Napora latissima</i>	Takemura, 1986: 45	M. Jur.	N
<i>Napora lomoalta</i>	Hull, 1997: 118	L. Jur.	N
<i>Napora lospensis</i>	Pessagno, 1977a: 96	L. Jur.	N
<i>Napora maritima</i>	Pessagno <i>et al.</i> , 1986: 42	M. Jur.	N
<i>Napora matsuoikai</i>	Dumitrica & Zügel, 2003: 61	L. Jur.	N
<i>Napora mitrata</i>	Pessagno <i>et al.</i> , 1986: 42	E. Jur.	N
<i>Napora moctezumaensis</i>	Pessagno <i>et al.</i> , 1986: 43	L. Jur.	N
<i>Napora modesta</i>	Dumitrica & Zügel, 2003: 62	L. Jur.	N
<i>Napora morganiensis</i>	Pessagno <i>et al.</i> , 1986: 43	E. Jur.	N
<i>Napora nipponica</i>	Takemura, 1986: 44	M. Jur.	N
<i>Napora opaca</i>	Pessagno <i>et al.</i> , 1986: 44	M. Jur.	N
<i>Napora pacifica</i>	Kiessling, 1999: 70	L. Jur.	N
<i>Napora parva</i>	Takemura, 1986: 45	M. Jur.	N
<i>Napora proba</i>	Yeh, 1987a: 84	E. Jur.	N
<i>Napora propria</i>	Yeh, 1987a: 84	E. Jur.	N
<i>Napora pyramidalis</i>	Baumgartner, 1984: 775	M. Jur.	N
<i>Napora pyramis</i>	Dumitrica & Zügel, 2003: 64	L. Jur.	N
<i>Napora redonda</i>	Hull, 1997: 120	L. Jur.	N
<i>Napora relicca</i>	Yeh, 1987a: 85	E. Jur.	N
<i>Napora robusta</i>	Nakaseko & Nishimura, 1979: 78	L. Tr.	N
<i>Napora saginata</i>	Takemura, 1986: 44	M. Jur.	N
<i>Napora schaudibergensis</i>	Dumitrica & Zügel, 2003: 64	L. Jur.	N
<i>Napora sexi</i>	Hull, 1997: 122	L. Jur.	N
<i>Napora timida</i>	Dumitrica & Zügel, 2003: 65	L. Jur.	N
<i>Napora triangularis</i>	Takemura, 1986: 44	M. Jur.	N
<i>Napora tumultuosa</i>	Pessagno <i>et al.</i> , 1986: 44	M. Jur.	N
<i>Napora turgida</i>	Pessagno <i>et al.</i> , 1986: 45	M. Jur.	N
<i>Napora vegaensis</i>	Pessagno <i>et al.</i> , 1986: 45	L. Jur.	N
<i>Napora ? xizangensis</i>	Li & Wu, 1985: 68	L. Cret.	N
<i>Napora vi</i> (T)	Hori, Whalen & Dumitrica <i>in</i> Gorican <i>et al.</i> , 2006: 256	E. Jur.	N
<i>Natoba minuta</i> (T)	Pessagno & Poisson, 1981: 63	E. Jur.	N
<i>Natraglia luminosa</i> (T)	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 172	L. Tr.	S
<i>Natraglia unica</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 172	L. Tr.	S
<i>Nazarovella tetrafurcata</i> (T)	Kozur & Mostler, 1979a: 68	L. Tr.	S
<i>Neocanoptum nadhanhadensis</i> (T)	Zhang, 1990: 177	L. Tr.	N
<i>Neocanoptum raohensis</i>	Zhang, 1990: 177	L. Tr.	N
<i>Neoparonaella chocoyaensis</i>	Hull, 1997: 43	L. Jur.	S
<i>Neoparonaella delicata</i> (T)	Yang, 1993: 30	L. Jur.	S
<i>Neoparonaella volatica</i>	Hull, 1997: 44	L. Jur.	S
<i>Neopaurinella deweveri</i>	Feng <i>et al.</i> , 2001: 194	M. Tr.	S
<i>Neopaurinella kozuri</i>	Feng <i>et al.</i> , 2001: 194	M. Tr.	S
<i>Neopaurinella ladinica</i>	Kozur & Mostler, 1994: 75	M. Tr.	S
<i>Neopaurinella lahmi</i>	Kozur & Mostler, 1994: 76	M. Tr.	S
<i>Neopaurinella sevatica</i> (Ts)	Kozur & Mostler, 1981: 45	L. Tr.	S
<i>Neopaurinella tumidospina</i>	Kozur & Mostler, 1994: 76	M. Tr.	S
<i>Neopylentonema mesotriassica</i> (T)	Kozur, 1984: 71	M. Tr.	N
<i>Neopylentonema procera</i>	Sugiyama, 1997: 161	L. Tr.	N
<i>Neorelumbra buwaydahensis</i>	Kiessling, 1995: 336	E. Cret.	N
<i>Neorelumbra kiesslingi</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 62	E. Cret.	N
<i>Neorelumbra skenderbegi</i>	Chiari, Marcucci & Prella, 2002: 68	M. Jur.	N
<i>Neorelumbra tetracapsa</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 63	E. Cret.	N
<i>Neorelumbra tippitae</i> (T)	Kiessling, 1995: 334	E. Cret.	N
<i>Neosciadiocapsa agarkovi</i>	Vishnevskaya, 2001: 167	L. Cret.	N
<i>Neosciadiocapsa diabloensis</i> (T)	Pessagno, 1969: 410	L. Cret.	N

<i>Neosciadiocapsa ? gyrus</i>	Petrushevskaya, 1977: 14	L. Cret. N
<i>Neosciadiocapsa jenkinsi</i>	Pessagno, 1975: 1016	L. Cret. N
<i>Neosciadiocapsa stellata</i>	Bragina, 1991b: 102	L. Cret. N
<i>Neosciadiocapsa urquharti</i>	Bragina, 2008: 137	L. Cret. N
<i>Neotripocyclia harperi</i> (Ts)	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 204	L. Jur. S
<i>Neotripocyclia pessagnoii</i>	Yang, 1993: 63	L. Jur. S
<i>Neovallupus dumitricai</i> (T)	Yang & Pessagno, 1989: 129	L. Jur. S
<i>Neovallupus modestus</i>	Yang & Pessagno, 1989: 130	L. Jur. S
<i>Neowrangellium pessagnoii</i> (Ts)	Yeh, 1987b: 66	E. Jur. N
<i>Nephropsyris differens</i>	Rüst, 1898: 37	L. Jur. N
<i>Nevanellus conicus</i> (T)	Kozur & Mostler, 1981: 93	L. Tr. N
<i>Nittrader montegufonensis</i> (T)	Cordey & Carter, 1996: 449	E. Jur. N
<i>Nodocapnuchosphaera altineri</i>	Tekin <i>in</i> Tekin & Yurtsever, 2003: 152	L. Tr. S
<i>Nodocapnuchosphaera tuzcucae</i> (T)	Tekin, 1999: 81	L. Tr. S
<i>Nodopentaspheera pentagonalis</i> (Ts)	Kozur & Mostler, 2006: 47	M. Tr. E
<i>Nodotetraedra barmsteinensis</i> (Ts)	Steiger, 1992: 33	L. Jur. S
<i>Nodotetrasphaera ? irregularis</i>	Kozur & Mostler, 2006: 47	M. Tr. E
<i>Nodotetrasphaera ornata</i> (T)	Kozur & Mostler, 2006: 46	M. Tr. E
<i>Nodotrisphaera ossispina</i> (T)	Kozur & Mostler, 2006: 48	M. Tr. E
<i>Nofrema ? dumitricai</i>	Kellici & De Wever, 1995: 149	M. Tr. N
<i>Nofrema ? gigantoceras</i>	Sugiyama, 1992: 1201	M. Tr. N
<i>Nofrema trispinosa</i> (T)	Dumitrica, Kozur & Mostler, 1980: 25	M. Tr. N
<i>Nolita ramosa</i> (T)	Hull, 1997: 36	L. Jur. S
<i>Norispongus ? goestlingensis</i>	Kozur & Mostler, 1981: 47	L. Tr. S
<i>Norispongus poetschenensis</i> (Ts)	Kozur & Mostler, 1981: 46	L. Tr. S
<i>Noritus lillihormensis</i> (T)	Pessagno & Whalen, 1982: 123	E. Jur. N
<i>Noritus pauxillus</i>	Yeh, 1987a: 55	E. Jur. N
<i>Noritus tenuis</i>	Yeh, 1987a: 55	E. Jur. N
<i>Novitripus placitus</i>	Hull, 1997: 36	L. Jur. S
<i>Novitripus varius</i> (T)	Hull, 1997: 37	L. Jur. S
<i>Novixitus bangongensis</i>	Li, 1986: 312	L. Jur. N
<i>Novixitus bjlobgeski</i>	Vishnevskaya, 1988: 14	E. Cret. N
<i>Novixitus costatus</i>	Bragina, 2004: S364	L. Cret. N
<i>Novixitus ? daneliani</i>	Jud, 1994: 85	E. Cret. N
<i>Novixitus dengoi</i>	Schmidt-Effing, 1980: 252	L. Cret. N
<i>Novixitus jurassicus</i>	Hull, 1997: 134	L. Jur. N
<i>Novixitus mclaughlini</i> (T)	Pessagno, 1977b: 54	L. Cret. N
<i>Novixitus minutus</i>	Wu, 1986: 358	L. Cret. N
<i>Novixitus normalis</i>	Wu & Li, 1982: 69	L. Cret. N
<i>Novixitus picentus</i>	Poluzzi <i>et al.</i> , 1983: 42	E. Cret. N
<i>Novixitus subtilis</i>	Bragina, 2004: S366	L. Cret. N
<i>Novixitus tuberculatus</i>	Wu & Li, 1982: 69	L. Cret. N
<i>Novixitus variabilis</i>	Nakaseko & Nishimura, 1981: 155	L. Cret. N
<i>Novixitus weyli</i>	Schmidt-Effing, 1980: 252	L. Cret. N
<i>Novodiacanthocapsa erdhussa</i>	Empson-Morin, 1981: 270	L. Cret. N
<i>Obesacapsula breggiensis</i>	Jud, 1994: 86	E. Cret. N
<i>Obesacapsula bullata</i>	Steiger, 1992: 68	E. Cret. N
<i>Obesacapsula costarricensis</i>	Schmidt-Effing, 1980: 249	L. Cret. N
<i>Obesacapsula demersa</i>	Tikhomirova, 1983a: 51	E. Cret. N
<i>Obesacapsula ezoensis</i>	Nakaseko & Nishimura <i>in</i> Nakaseko <i>et al.</i> , 1979: 23	L. Cret. N
<i>Obesacapsula magniglobosa</i>	Aita, 1987: 71	M. Jur. N
<i>Obesacapsula maximusa</i>	Kazintsova, 1985: 8	L. Cret. N
<i>Obesacapsula morroensis</i> (T)	Pessagno, 1977a: 87	L. Jur. N
<i>Obesacapsula nodosa</i>	Widz & De Wever, 1993: 84	L. Jur. N
<i>Obesacapsula nodulosa</i>	Tikhomirova, 1983a: 52	E. Cret. N
<i>Obesacapsula pacifica</i>	Vishnevskaya, 1991b: 98	L. Jur. N
<i>Obesacapsula pacifica</i>	Vishnevskaya <i>in</i> Basov & Vishnevskaya, 1991: 167	L. Jur. N
<i>Obesacapsula rusconensis</i>	Baumgartner, 1984: 776	E. Cret. N
<i>Obesacapsula rusconensis umbriensis</i>	Jud, 1994: 88	E. Cret. N
<i>Obesacapsula satiani</i>	Kazintsova, 1985: 7	L. Cret. N
<i>Octodendron ? superfragilis</i>	Kiessling, 1999: 44	L. Jur. S
<i>Octosaturnalis carinatus</i> (T)	Kozur & Mostler, 1990: 206	L. Tr. S
<i>Octostella pulchra</i>	Tekin & Mostler, 2005a: 38	M. Tr. S
<i>Odontosphaera echinocatus</i>	Fischli, 1916: 46	E. Cret. S
<i>Oertlisphaera magna</i> (Ts)	Kozur & Mostler, 1979a: 53	L. Tr. E
<i>Oertlispongus annulatus</i>	Kozur & Mostler, 1983: 33	M. Tr. S
<i>Oertlispongus aspinosus</i>	Kozur & Mostler, 1994: 61	M. Tr. S
<i>Oertlispongus aspinosus curvatus</i>	Kozur & Mostler, 1994: 62	M. Tr. S



<i>Oertlispongos bispinosus</i>	Kozur & Mostler, 1994: 62	M. Tr.	S
<i>Oertlispongos cornubovis</i> (T)	Dumitrica, Kozur & Mostler, 1980: 5	M. Tr.	S
<i>Oertlispongos deweveri</i>	Kozur & Mostler, 1996b: 109	M. Tr.	S
<i>Oertlispongos diacanthus</i>	Sugiyama, 1992: 1217	M. Tr.	S
<i>Oertlispongos inaequispinosus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 5	M. Tr.	S
<i>Oertlispongos inaequispinosus longispinosus</i>	Kozur & Mostler, 1994: 59	M. Tr.	S
<i>Oertlispongos inaequispinosus tumidospinosus</i>	Kozur & Mostler, 1994: 60	M. Tr.	S
<i>Oertlispongos inaequispinosus unispinosus</i>	Kozur & Mostler, 1994: 61	M. Tr.	S
<i>Oertlispongos longirecurvatus</i>	Kozur & Mostler, 1983: 33	M. Tr.	S
<i>Oertlispongos primitivus</i>	Kozur & Mostler, 1994: 62	M. Tr.	S
<i>Oertlispongos primus</i>	Kozur, 1996: 290	M. Tr.	S
<i>Ogivus falloti</i> (Ts)	El Kadiri, 1992: 46	E. Jur.	N
<i>Ogivus rifensis</i>	El Kadiri, 1992: 47	E. Jur.	N
<i>Olanda olorina</i> (T)	Hull, 1997: 152	L. Jur.	N
<i>Ommatodiscus mobilis</i>	Kozlova in Kozlova & Gorbovetz, 1966: 78	L. Cret.	S
<i>Orbiculiforma argescens</i>	Cordey, 1998: 94	E. Jur.	S
<i>Orbiculiforma aspera</i>	Vishnevskaya, 1991b: 89	L. Jur.	S
<i>Orbiculiforma australis</i>	Pessagno, 1975: 1014	L. Cret.	S
<i>Orbiculiforma belliatula</i>	Wu, 1986: 355	L. Cret.	S
<i>Orbiculiforma cachensis</i>	Pessagno, 1976: 34	L. Cret.	S
<i>Orbiculiforma callosa</i>	Yeh, 1987a: 41	E. Jur.	S
<i>Orbiculiforma campbellensis</i>	Pessagno, 1975: 1014	L. Cret.	S
<i>Orbiculiforma catenaria</i>	Ozoldova in Aubrecht & Ozoldova, 1994: 223	L. Jur.	S
<i>Orbiculiforma cedrosensis</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 166	L. Tr.	S
<i>Orbiculiforma chartonae</i>	Schaaf, 1981: 435	E. Cret.	S
<i>Orbiculiforma concava</i>	Li & Wu, 1985: 73	L. Cret.	S
<i>Orbiculiforma coronata</i>	Tumanda, 1989: 29	E. Cret.	S
<i>Orbiculiforma depressa</i>	Wu, 1986: 355	L. Cret.	S
<i>Orbiculiforma gazipasaensis</i>	Tekin, 1999: 118	M. Tr.	S
<i>Orbiculiforma ? heliotropica</i> (T)	Baumgartner in Baumgartner <i>et al.</i> , 1995: 352	L. Jur.	S
<i>Orbiculiforma ? hullae</i>	Kiessling, 1999: 40	L. Jur.	S
<i>Orbiculiforma igoi</i>	Tumanda, 1989: 29	E. Cret.	S
<i>Orbiculiforma ? incognita</i>	Blome, 1984b: 353	M. Jur.	S
<i>Orbiculiforma iniqua</i>	Blome, 1984b: 353	M. Jur.	S
<i>Orbiculiforma inusitata</i>	Wu, 1993: 117	L. Jur.	S
<i>Orbiculiforma ? kanayamaensis</i>	Mizutani, 1981: 172	L. Jur.	S
<i>Orbiculiforma kwunaensis</i>	Carter in Carter <i>et al.</i> , 1988: 44	E. Jur.	S
<i>Orbiculiforma kyklica</i>	Rose, 1994: 259	L. Tr.	S
<i>Orbiculiforma lowreyensis</i>	Pessagno, 1977a: 74	L. Jur.	S
<i>Orbiculiforma matura</i>	Wu, 1986: 355	L. Cret.	S
<i>Orbiculiforma maxima</i>	Pessagno, 1976: 34	L. Cret.	S
<i>Orbiculiforma mclaughlini</i>	Pessagno, 1977a: 74	L. Jur.	S
<i>Orbiculiforma monticelloensis</i>	Pessagno, 1973: 72	L. Cret.	S
<i>Orbiculiforma multangula</i>	Pessagno, 1977b: 27	E. Cret.	S
<i>Orbiculiforma multibrachiata</i>	Carter, 1993: 40	L. Tr.	S
<i>Orbiculiforma multifora</i>	Pessagno & Poisson, 1981: 52	E. Jur.	S
<i>Orbiculiforma nevadaensis</i>	Pessagno, 1977b: 28	E. Cret.	S
<i>Orbiculiforma obesa</i>	Wu, 1993: 117	L. Jur.	S
<i>Orbiculiforma octogonalis</i>	Tekin, 1999: 119	L. Tr.	S
<i>Orbiculiforma ornata</i>	Bragina, 2004: S435	L. Cret.	S
<i>Orbiculiforma ovoidea</i>	Bragina, 2004: S435	L. Cret.	S
<i>Orbiculiforma persenex</i>	Pessagno, 1976: 35	L. Cret.	S
<i>Orbiculiforma ? plana</i>	Hori, 1999: 62	L. Jur.	S
<i>Orbiculiforma quadrata</i> (T)	Pessagno, 1973: 73	L. Cret.	S
<i>Orbiculiforma radiata</i>	De Wever, 1981b: 44	E. Jur.	S
<i>Orbiculiforma railensis</i> (T)	Pessagno, 1977b: 28	E. Cret.	S
<i>Orbiculiforma regis</i>	Pessagno, 1976: 35	L. Cret.	S
<i>Orbiculiforma sacramentoensis</i>	Pessagno, 1976: 36	L. Cret.	S
<i>Orbiculiforma sakaii</i>	Mizutani, 1981: 172	L. Jur.	S
<i>Orbiculiforma satoi</i>	Tumanda, 1989: 29	E. Cret.	S
<i>Orbiculiforma ? sempiterna</i>	Pessagno, 1976: 36	L. Cret.	S
<i>Orbiculiforma silicatilis</i>	Cordey, 1998: 93	E. Jur.	S
<i>Orbiculiforma tecta</i>	Tumanda, 1989: 30	E. Cret.	S
<i>Orbiculiforma teres</i>	Hull, 1997: 16	L. Jur.	S
<i>Orbiculiforma ? trispina</i>	Yeh, 1987a: 42	E. Jur.	S
<i>Orbiculiforma trispinosa</i>	Petercakova in Ozoldova & Petercakova, 1992: 315	E. Cret.	S
<i>Orbiculiforma trispinula</i>	Carter in Carter <i>et al.</i> , 1988: 44	E. Jur.	S
<i>Orbiculiforma unica</i>	Wu, 1986: 355	L. Cret.	S

<i>Orbiculiforma vacaensis</i> (Ts)	Pessagno, 1973: 74	L. Cret. S
<i>Orbiculiformella mediocircus</i>	Dumitrica & Goričan in Goričan <i>et al.</i> , 2006: 264	E. Jur. S
<i>Orbiculiformella sanpabloensis</i>	Whalen & Carter, 2002: 109	E. Jur. S
<i>Orbiculiformia tuberculata</i>	Wu & Li, 1982: 65	E. Cret. S
<i>Orbulina neojurensis</i>	Karrer, 1867: 368	L. Jur. S
<i>Ornatisaturnalis inflatus</i>	Mostler & Krainer, 1994: 105	M. Tr. E
<i>Ornatisaturnalis ingridae</i> (T)	Mostler & Krainer, 1994: 103	M. Tr. E
<i>Ornatisaturnalis multilobatus</i>	Mostler & Krainer, 1994: 105	M. Tr. E
<i>Ornatisaturnalis quadrispinosus</i>	Mostler & Krainer, 1994: 105	M. Tr. E
<i>Ornatisaturnalis translatus</i>	Mostler & Krainer, 1994: 106	M. Tr. E
<i>Oruatemanua primitiva</i>	Takemura & Aono, 2007: 200	E. Tr. L
<i>Oruatemanua triassica</i> (T)	Takemura & Aono, 2007: 200	E. Tr. L
<i>Ovum cetinum</i> (T)	De Wever, 1982: 204	E. Jur. N
<i>Ovum pertusum</i>	De Wever, 1982: 204	E. Jur. N
<i>Pachus firmus</i> (T)	Blome, 1984a: 49	L. Tr. N
<i>Pachus ? indistinctus</i>	Blome, 1984a: 49	L. Tr. N
<i>Pachus longinquus</i>	Blome, 1984a: 49	L. Tr. N
<i>Pachus luculentus</i>	Blome, 1984a: 50	L. Tr. N
<i>Pachus multinodosus</i>	Tekin, 1999: 139	L. Tr. N
<i>Pachyoncus crassus</i>	Pessagno & Blome, 1980: 236	M. Jur. S
<i>Pachyoncus kamiasoensis</i>	Mizutani & Kido, 1983: 257	M. Jur. S
<i>Pachyoncus senecaensis</i>	Pessagno & Blome, 1980: 236	M. Jur. S
<i>Pachyoncus tumidus</i> (T)	Pessagno & Blome, 1980: 237	M. Jur. S
<i>Pachyoncus varius</i>	Pessagno & Blome, 1980: 237	M. Jur. S
<i>Pactarentinia koikei</i>	Sashida, 1991: 691	E. Tr. E
<i>Palacantholithus ? verticillatus</i> (T)	Dumitrica, 1978b: 42	M. Tr. E
<i>Palaeacanthus spinosus</i> (Td)	Davis, 1950: 214	L. Jur. S
<i>Palaeosaturnalis artus</i>	Donofrio & Mostler, 1978: 34	L. Tr. S
<i>Palaeosaturnalis blomei</i>	Kozur & Mostler, 1990: 191	E. Jur. S
<i>Palaeosaturnalis dumitricai</i>	Tekin, 1999: 109	L. Tr. S
<i>Palaeosaturnalis fragilis</i>	Kozur & Mostler, 1990: 194	E. Jur. S
<i>Palaeosaturnalis haeckeli</i>	Kozur & Mostler, 1990: 191	E. Jur. S
<i>Palaeosaturnalis hugluensis</i>	Tekin, 1999: 110	L. Tr. S
<i>Palaeosaturnalis ? incomptus</i>	Sugiyama, 1997: 162	L. Tr. S
<i>Palaeosaturnalis latiannulatus</i>	Kozur & Mostler, 1983: 20	L. Tr. S
<i>Palaeosaturnalis latimarginatus</i>	Donofrio & Mostler, 1978: 35	L. Tr. S
<i>Palaeosaturnalis lenggriesensis</i>	Kozur & Mostler, 1990: 192	E. Jur. S
<i>Palaeosaturnalis levis</i> (T)	Donofrio & Mostler, 1978: 36	L. Cret. S
<i>Palaeosaturnalis liassicus</i>	Kozur & Mostler, 1990: 192	E. Jur. S
<i>Palaeosaturnalis mocki</i>	Kozur & Mostler, 1983: 21	L. Tr. S
<i>Palaeosaturnalis ovalis</i>	Rose, 1994: 247	L. Tr. S
<i>Palaeosaturnalis parvispinosus</i>	Kozur & Mostler, 1990: 192	E. Jur. S
<i>Palaeosaturnalis raridenticulatus</i> (Ts)	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 56	L. Tr. S
<i>Palaeosaturnalis rectangularis</i>	Kozur & Mostler, 1990: 193	E. Jur. S
<i>Palaeosaturnalis schaafl</i>	Kozur & Mostler, 1990: 193	E. Jur. S
<i>Palaeosaturnalis subovalis</i>	Kozur & Mostler, 1990: 193	E. Jur. S
<i>Palaeosaturnalis tenuispinosus</i> (Ts)	Donofrio & Mostler, 1978: 37	L. Tr. S
<i>Palaeosaturnalis validus</i>	Donofrio & Mostler, 1978: 38	L. Tr. S
<i>Palaeosemantis gollii</i> (T)	Dumitrica, 2004: 200	M. Tr. N
<i>Paleoocyrtis elongata</i> (Ts)	Feng, 1992: without description	E. Tr. S
<i>Paleoocyrtis fusina</i>	Feng, 1992: without description	E. Tr. S
<i>Palhindeolithus ? octostyla</i>	Dumitrica, 1982c: 427	M. Tr. E
<i>Palhindeolithus paululus</i>	Dumitrica, 1982c: 426	M. Tr. E
<i>Palhindeolithus triassicus</i>	Dumitrica, 1982c: 426	M. Tr. E
<i>Palinandromeda fimbria</i>	Hull, 1997: 152	L. Jur. N
<i>Palinandromeda murcheayae</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 362	M. Jur. N
<i>Palinandromeda sognoensis</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 366	M. Jur. N
<i>Pantanellium baileyi</i>	Pessagno & Blome, 1980: 238	M. Jur. S
<i>Pantanellium bangaense</i>	Cheng, 1992: 9	L. Jur. S
<i>Pantanellium ? berriasianum</i>	Baumgartner, 1984: 776	E. Cret. S
<i>Pantanellium blomei</i>	Cheng, 1992: 10	L. Jur. S
<i>Pantanellium brevispinum</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 274	E. Jur. S
<i>Pantanellium browni</i>	Pessagno & Blome, 1980: 239	E. Jur. S
<i>Pantanellium bunttonense</i>	Pessagno & Blome, 1980: 239	M. Jur. S
<i>Pantanellium cantuchapai</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 20	L. Jur. S
<i>Pantanellium carlense</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 47	E. Jur. S
<i>Pantanellium carmelitaense</i>	Cheng, 1992: 10	L. Jur. S
<i>Pantanellium coronense</i>	Cheng, 1992: 11	L. Jur. S

<i>Pantanellium corriganensis</i>	Pessagno, 1977b: 33	E. Cret. S
<i>Pantanellium cumshewaense</i>	Pessagno & Blome, 1980: 240	E. Jur. S
<i>Pantanellium danaense</i>	Pessagno & Blome, 1980: 241	E. Jur. S
<i>Pantanellium darlingtoniaense</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 129	L. Jur. S
<i>Pantanellium dawsoni</i>	Pessagno & Blome, 1980: 241	L. Tr. S
<i>Pantanellium deflectum</i>	Yang, 1993: 13	L. Jur. S
<i>Pantanellium dipulaense</i>	Cheng, 1992: 11	L. Jur. S
<i>Pantanellium exilis</i>	Cheng, 1992: 12	L. Jur. S
<i>Pantanellium fishcreekensis</i>	Hull, 1997: 56	L. Jur. S
<i>Pantanellium formosum</i>	Yang, 1993: 14	L. Jur. S
<i>Pantanellium fosteri</i>	Pessagno & Blome, 1980: 242	L. Tr. S
<i>Pantanellium foveatum</i>	Mizutani & Kido, 1983: 256	M. Jur. S
<i>Pantanellium freboldi</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 48	E. Jur. S
<i>Pantanellium globulosum</i>	Steiger, 1992: 26	L. Jur. S
<i>Pantanellium haidaense</i>	Pessagno & Blome, 1980: 242	E. Jur. S
<i>Pantanellium heimi</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 20	L. Jur. S
<i>Pantanellium huazalingoense</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 21	L. Jur. S
<i>Pantanellium inornatum</i>	Pessagno & Poisson, 1981: 56	E. Jur. S
<i>Pantanellium josephinense</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 129	L. Jur. S
<i>Pantanellium kluense</i>	Pessagno & Blome, 1980: 243	E. Jur. S
<i>Pantanellium kungaense</i>	Pessagno & Blome, 1980: 243	E. Jur. S
<i>Pantanellium latum</i>	Pessagno & Blome, 1980: 244	M. Jur. S
<i>Pantanellium macleodi</i>	Cheng, 1992: 12	L. Jur. S
<i>Pantanellium malheureense</i>	Pessagno & Blome, 1980: 244	M. Jur. S
<i>Pantanellium masirahense</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 20	E. Cret. S
<i>Pantanellium meraceibaense</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 22	L. Jur. S
<i>Pantanellium moscowiense</i>	Bragin, 1997: 291	L. Jur. S
<i>Pantanellium multiporis</i>	Li & Wu, 1985: 64	L. Cret. S
<i>Pantanellium nazarovi</i>	Cheng, 1992: 13	L. Jur. S
<i>Pantanellium neuquensis</i>	Pujana, 1991: 399	L. Jur. S
<i>Pantanellium newkluense</i>	Carter, 1993: 65	L. Tr. S
<i>Pantanellium nodaculeatum</i>	Steiger, 1992: 25	L. Jur. S
<i>Pantanellium palawanense</i>	Cheng, 1992: 13	L. Jur. S
<i>Pantanellium parvulum</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 22	L. Jur. S
<i>Pantanellium philippinense</i>	Cheng, 1992: 13	L. Jur. S
<i>Pantanellium pinaense</i>	Cheng, 1992: 14	L. Jur. S
<i>Pantanellium portovenerense</i>	Ciarapica & Zaninetti, 1982: 169	L. Tr. S
<i>Pantanellium quintachillaense</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 23	L. Jur. S
<i>Pantanellium ranchitoense</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 23	L. Jur. S
<i>Pantanellium rarum</i>	Hull, 1997: 58	L. Jur. S
<i>Pantanellium riedeli</i> (T)	Pessagno, 1977a: 78	L. Jur. S
<i>Pantanellium robustum</i>	Cheng, 1992: 14	L. Jur. S
<i>Pantanellium rothwelli</i>	Pessagno & Blome, 1980: 244	L. Tr. S
<i>Pantanellium sanrafaelense</i>	Pessagno & Blome, 1980: 245	E. Jur. S
<i>Pantanellium silberlingi</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 178	L. Tr. S
<i>Pantanellium simplum</i>	Cheng, 1992: 15	L. Jur. S
<i>Pantanellium sincerum</i>	Pessagno & Blome, 1980: 245	M. Jur. S
<i>Pantanellium sixi</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 48	E. Jur. S
<i>Pantanellium skedansense</i>	Pessagno & Blome, 1980: 246	E. Jur. S
<i>Pantanellium skidegatense</i>	Pessagno & Blome, 1980: 246	L. Tr. S
<i>Pantanellium talunkwanense</i>	Pessagno & Blome, 1980: 246	E. Jur. S
<i>Pantanellium tanuense</i>	Pessagno & Blome, 1980: 247	E. Jur. S
<i>Pantanellium tierrablancaense</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 24	L. Jur. S
<i>Pantanellium tozeri</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 179	L. Tr. S
<i>Pantanellium tumandaae</i>	Cheng, 1992: 16	L. Jur. S
<i>Pantanellium tundalaraense</i>	Cheng, 1992: 15	L. Jur. S
<i>Pantanellium turgidum</i>	Cheng, 1992: 16	L. Jur. S
<i>Pantanellium ultrasincerum</i>	Pessagno & Blome, 1980: 247	M. Jur. S
<i>Pantanellium vigrassi</i>	Pessagno & Blome, 1980: 247	M. Jur. S
<i>Pantanellium ? virgeum</i>	Sashida, 1991: 693	E. Tr. S
<i>Pantanellium westermanni</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 24	L. Jur. S
<i>Pantanellium whalenae</i>	Pessagno & MacLeod <i>in</i> Pessagno <i>et al.</i> , 1987: 25	L. Jur. S
<i>Pantanellium wui</i>	Yeh, 1987a: 35	E. Jur. S
<i>Papiliocampe ovalis</i>	Tekin, 1999: 183	L. Tr. N
<i>Papiliocampe tokerae</i> (T)	Tekin, 1999: 183	L. Tr. N
<i>Parabipedis pessagnoei</i> (Ts)	Yeh & Cheng, 1996b: 16	L. Tr. N
<i>Paracanoptum primitivum</i>	Kozur & Mostler, 1990: 220	E. Jur. N
<i>Paradroltus mitterndorfensis</i> (T)	O'Dogherty & Gawlick, 2008: 72	E. Jur. N

<i>Paraheptacladus symmetricus</i> (T)	Kozur & Mostler, 1981: 28	M. Tr.	S
<i>Parahsuum aculeatum</i>	Yeh & Cheng, 1998: 25	E. Jur.	N
<i>Parahsuum carpathicum</i>	Widz & De Wever, 1993: 85	L. Jur.	N
<i>Parahsuum colossum</i>	Zhang, 1990: 181	E. Jur.	N
<i>Parahsuum conicum</i>	Zhang, 1990: 180	E. Jur.	N
<i>Parahsuum constrictum</i>	Cordey, 1998: 113	E. Jur.	N
<i>Parahsuum cruciferum</i>	Takemura, 1986: 49	M. Jur.	N
<i>Parahsuum dentatum</i>	Takemura, 1986: 48	M. Jur.	N
<i>Parahsuum ? grande</i>	Hori & Yao, 1988: 54	E. Jur.	N
<i>Parahsuum hashimotoi</i>	Yeh & Cheng, 1998: 25	E. Jur.	N
<i>Parahsuum ? hiconocosta</i>	Baumgartner & De Wever in Baumgartner <i>et al.</i> , 1995: 378	M. Jur.	N
<i>Parahsuum kanyoense</i>	Sashida, 1988: 21	E. Jur.	N
<i>Parahsuum levicostatum</i>	Takemura, 1986: 48	M. Jur.	N
<i>Parahsuum longiconicum</i>	Sashida, 1988: 20	E. Jur.	N
<i>Parahsuum ? magnum</i>	Takemura, 1986: 49	M. Jur.	N
<i>Parahsuum undulatum</i>	Cordey, 1998: 113	E. Jur.	N
<i>Parahsuum ovale</i>	Hori & Yao, 1988: 51	E. Jur.	N
<i>Parahsuum parvum</i>	Takemura, 1986: 48	M. Jur.	N
<i>Parahsuum primitivum</i>	Kozur & Mostler, 1990: 223	E. Jur.	N
<i>Parahsuum raucum</i>	Zhang, 1990: 181	E. Jur.	N
<i>Parahsuum simplum</i> (T)	Yao, 1982: 61	E. Jur.	N
<i>Parahsuum takarazawaense</i>	Sashida, 1988: 19	E. Jur.	N
<i>Parahsuum transiens</i>	Hori & Yao, 1988: 53	E. Jur.	N
<i>Parahsuum vizzainoense</i>	Whalen & Carter, 2002: 126	E. Jur.	N
<i>Parahsuum vraddense</i>	Bertinelli & Marcucci, 2006: 146	E. Jur.	N
<i>Paraplafkerium alpinum</i>	Kozur & Mostler, 1981: 73	M. Tr.	E
<i>Paraplafkerium quinquespinosum</i> (Ts)	Kozur & Mostler, 1981: 73	M. Tr.	E
<i>Parapodocapsa furcata</i> (T)	Steiger, 1992: 62	L. Jur.	N
<i>Parapoulpus coronensis</i>	Yeh, 1990: 26	L. Tr.	N
<i>Parapoulpus oertlii</i> (Ts)	Kozur & Mostler, 1979a: 88	L. Tr.	N
<i>Parapoulpus parviapertura</i>	Kozur & Mostler, 1979a: 89	L. Tr.	N
<i>Pararchaeospongoprimum hermi</i> (T)	Lahm, 1984: 42	M. Tr.	S
<i>Pararchaeospongoprimum ? vrielyncki</i>	Kellici & De Wever, 1995: 152	M. Tr.	S
<i>Parares cylindricus</i> (Ts)	Takemura, 1986: 46	M. Jur.	N
<i>Parares flexuosus</i>	Takemura, 1986: 47	M. Jur.	N
<i>Pararuesticyrtium ? anatoliaensis</i>	Tekin, 1999: 156	L. Tr.	N
<i>Pararuesticyrtium coniformis</i>	Tekin & Mostler, 2005b: 13	M. Tr.	N
<i>Pararuesticyrtium constrictum</i>	Kozur & Mostler, 1994: 108	M. Tr.	N
<i>Pararuesticyrtium densiporum</i> (T)	Kozur & Mostler in Kozur & Mostler, 1981: 94	L. Tr.	N
<i>Pararuesticyrtium eofassanicum</i>	Kozur & Mostler, 1994: 109	M. Tr.	N
<i>Pararuesticyrtium longispinosum</i>	Kozur, Moix & Ozsvárt, 2007a: 154	L. Tr.	N
<i>Pararuesticyrtium mediobulbosum</i>	Tekin, 1999: 157	L. Tr.	N
<i>Pararuesticyrtium mediofassanicum</i>	Kozur & Mostler, 1994: 109	M. Tr.	N
<i>Pararuesticyrtium mersinensis</i>	Kozur, Moix & Ozsvárt, 2007a: 154	L. Tr.	N
<i>Pararuesticyrtium rariporum</i>	Kozur & Mostler, 1981: 94	L. Tr.	N
<i>Pararuesticyrtium ? sanfilippoe</i>	Tekin & Mostler, 2005b: 15	M. Tr.	N
<i>Pararuesticyrtium trettoense</i>	Kozur & Mostler, 1994: 110	M. Tr.	N
<i>Pararuesticyrtium tschedijae</i>	Tikhomirova, 1986: 25	L. Tr.	N
<i>Parasaturnalis (Japonisaturnalis) multiperforatus</i> (T)	Kozur & Mostler, 1972: 44	L. Tr.	E
<i>Parasaturnalis vigrassi</i>	Yeh, 1987a: 49	E. Jur.	S
<i>Parasaturnalis yehae</i>	Dumitrica & Hori in Goričan <i>et al.</i> , 2006: 296	E. Jur.	S
<i>Parasepsagon asymmetricus</i>	Bragin, 2007: 969	L. Tr.	E
<i>Parasepsagon asymmetricus</i>	Kozur & Mostler, 1981: 35	M. Tr.	E
<i>Parasepsagon asymmetricus praetetraanthus</i>	Kozur & Mostler, 1994: 49	M. Tr.	E
<i>Parasepsagon leptaleus</i>	Sugiyama, 1992: 1208	E. Tr.	E
<i>Parasepsagon robustus</i>	Kozur & Mostler, 1981: 35	M. Tr.	E
<i>Parasepsagon tetraanthus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 13	M. Tr.	E
<i>Paratriassostrum austriacum</i> (T)	Kozur & Mostler, 1981: 64	L. Tr.	S
<i>Paratriassostrum cordevolicum</i>	Kozur & Mostler, 1981: 64	L. Tr.	S
<i>Paratriassostrum crassum</i>	Carter, 1993: 77	L. Tr.	S
<i>Paratriassostrum omegaense</i>	Carter, 1993: 78	L. Tr.	S
<i>Paratriassostrum ? parvum</i>	Kozur & Mostler, 1981: 64	L. Tr.	S
<i>Paratriassocampe ? brevis</i>	Kozur & Mostler, 1994: 135	M. Tr.	N
<i>Paratriassocampe gaetanii</i> (T)	Kozur & Mostler, 1994: 135	M. Tr.	N
<i>Paratriassocampe ornata</i>	Kozur & Mostler, 1994: 136	M. Tr.	N
<i>Paratriassocampe postornata</i>	Kozur & Mostler, 1994: 136	M. Tr.	N
<i>Parentactinia carteri</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 37	E. Jur.	E
<i>Parentactinia inermis</i>	Dumitrica, 1978b: 51	M. Tr.	E

<i>Parentactinia lata</i>	Kozur & Mostler, 1994: 45	M. Tr.	E
<i>Parentactinia nakatsugawaensis</i>	Sashida, 1983: 172	E. Tr.	E
<i>Parentactinia pugnax</i> (T)	Dumitrica, 1978b: 50	M. Tr.	E
<i>Parentactinia suparkai</i>	Sashida & Kamata in Sashida et al., 1999a: 769	M. Tr.	E
<i>Parentactinia virgata</i>	Sashida, 1991: 689	E. Tr.	E
<i>Parentactinosphaera ? longispinosa</i>	Kozur & Mostler, 1979a: 74	L. Tr.	E
<i>Parentactinosphaera oertlii</i> (T)	Kozur & Mostler, 1979a: 73	L. Tr.	E
<i>Paricrioma deweveri</i> (Ts)	Tekin, 1999: 84	L. Tr.	S
<i>Paricrioma truncatum</i>	Bragin, 2007: 980	L. Tr.	S
<i>Paroertlispongus daofuensis</i>	Feng & Liang, 2003: 221	M. Tr.	S
<i>Paroertlispongus lobatus</i>	Kozur & Mostler, 1996b: 124	M. Tr.	S
<i>Paroertlispongus longispinosus</i>	Kozur & Mostler, 1981: 48	M. Tr.	S
<i>Paroertlispongus multispinosus</i> (T)	Kozur & Mostler, 1981: 48	M. Tr.	S
<i>Paroertlispongus obliquus</i>	Kozur & Mostler, 1994: 69	M. Tr.	S
<i>Paroertlispongus rarispinosus</i>	Kozur & Mostler, 1981: 48	M. Tr.	S
<i>Paronaella acuta</i>	O'Dogherty, 1994: 354	L. Cret.	S
<i>Paronaella ? annemariae</i>	Jud, 1994: 90	E. Cret.	S
<i>Paronaella araneae</i>	Hull, 1997: 22	L. Jur.	S
<i>Paronaella bandyi</i>	Pessagno, 1977a: 69	L. Jur.	S
<i>Paronaella ? beatricia</i>	Carter, 1993: 80	L. Tr.	S
<i>Paronaella bifida</i>	Carter, 1993: 81	L. Tr.	S
<i>Paronaella botanyensis</i>	Whalen & Carter in Carter et al., 1998: 51	E. Jur.	S
<i>Paronaella bronnimanni</i>	Pessagno, 1977a: 69	L. Jur.	S
<i>Paronaella carteri</i>	Hull, 1997: 22	L. Jur.	S
<i>Paronaella ? casmaliensis</i> (T)	Pessagno, 1977a: 69	L. Jur.	S
<i>Paronaella centrodepressa</i>	Steiger & Steiger, 1994: 456	L. Jur.	S
<i>Paronaella cleopatraensis</i>	Pessagno, Blome & Hull in Pessagno et al., 1993: 122	L. Jur.	S
<i>Paronaella coalescenda</i>	Kiessling, 1999: 38	L. Jur.	S
<i>Paronaella corpulenta</i>	De Wever, 1981b: 33	E. Jur.	S
<i>Paronaella curticrassa</i>	Carter & Dumitrica in Goričan et al., 2006: 300	E. Jur.	S
<i>Paronaella ? diamphidia</i> (T)	Foreman, 1973: 262	E. Cret.	S
<i>Paronaella ? diastimusphere</i>	Ellis, 1993: 966	E. Cret.	S
<i>Paronaella egregia</i>	Hull, 1997: 23	L. Jur.	S
<i>Paronaella elegans</i> (T)	Pessagno, 1977a: 70	L. Jur.	S
<i>Paronaella ? ewingi</i>	Pessagno, 1971a: 47	L. Jur.	S
<i>Paronaella ? exotica</i>	Pessagno, 1977a: 70	L. Jur.	S
<i>Paronaella ? festiva</i>	Hull, 1997: 23	L. Jur.	S
<i>Paronaella gemmata</i>	De Wever, 1981b: 33	E. Jur.	S
<i>Paronaella grahamensis</i>	Carter in Carter et al., 1998: 40	E. Jur.	S
<i>Paronaella ? hayi</i>	Pessagno, 1977a: 70	L. Jur.	S
<i>Paronaella ? hipposidericus</i> (Ts)	Foreman, 1975: 612	E. Cret.	S
<i>Paronaella isariana</i>	Ohmert, 2006: 18	L. Cret.	S
<i>Paronaella jamesi</i>	Whalen & Carter in Carter et al., 1998: 51	E. Jur.	S
<i>Paronaella kotura</i>	Baumgartner, 1980: 302	L. Jur.	S
<i>Paronaella leebyi</i>	Rose, 1994: 274	L. Tr.	S
<i>Paronaella mulleri</i>	Pessagno, 1977a: 71	L. Jur.	S
<i>Paronaella multifera</i>	Yang, 1993: 42	L. Jur.	S
<i>Paronaella nipomoensis</i>	Hull, 1997: 24	L. Jur.	S
<i>Paronaella norica</i>	Kozur & Mock in Kozur & Mostler, 1981: 61	L. Tr.	S
<i>Paronaella notabilis</i>	Whalen & Carter, 2002: 107	E. Jur.	S
<i>Paronaella pacofiensis</i>	Carter, 1993: 81	L. Tr.	S
<i>Paronaella ? panda</i>	Hull, 1997: 24	L. Jur.	S
<i>Paronaella pessagnoii</i>	Blome, 1984b: 354	M. Jur.	S
<i>Paronaella porosa</i>	Carter in Carter et al., 1998: 40	E. Jur.	S
<i>Paronaella pristidentata</i>	Baumgartner, 1980: 304	L. Jur.	S
<i>Paronaella pseudoaulophacoides</i>	O'Dogherty, 1994: 356	L. Cret.	S
<i>Paronaella ? purismaensis</i> (T)	Pessagno, 1977a: 71	L. Jur.	S
<i>Paronaella pygmaea</i>	Baumgartner, 1980: 306	L. Jur.	S
<i>Paronaella ravenensis</i>	Whalen & Carter in Carter et al., 1998: 51	E. Jur.	S
<i>Paronaella shebajensis</i>	Chiari, Marcucci & Prael, 2002: 72	M. Jur.	S
<i>Paronaella skenaensis</i>	Whalen & Carter in Carter et al., 1998: 52	E. Jur.	S
<i>Paronaella skowkonoensis</i>	Carter in Carter et al., 1998: 40	E. Jur.	S
<i>Paronaella solanoensis</i> (T)	Pessagno, 1971a: 48	L. Cret.	S
<i>Paronaella spica</i>	Bragina, 2004: S411	L. Cret.	S
<i>Paronaella spinifolia</i>	Kozur & Mostler, 2006: 26	M. Tr.	S
<i>Paronaella striata</i>	Kozur & Mostler, 1990: 219	E. Jur.	S
<i>Paronaella tielensis</i>	Carter in Carter et al., 1998: 41	M. Jur.	S
<i>Paronaella trifoliacea</i>	Ozoldova in Ozoldova & Petercakova, 1992: 316	E. Cret.	S



<i>Paronaella tripla</i>	De Wever, 1981b: 34	E. Jur. S
<i>Paronaella ? tubulata</i>	Steiger, 1992: 45	L. Jur. S
<i>Paronaella ultrabifida</i>	Carter, 1993: 82	L. Tr. S
<i>Paronaella variabilis</i>	Carter in Carter <i>et al.</i> , 1988: 41	E. Jur. S
<i>Paronaella venadoensis</i>	Pessagno, 1971a: 49	L. Cret. S
<i>Paronaella venusta</i>	Blome, 1984b: 354	M. Jur. S
<i>Paronaella ? worzeli</i>	Pessagno, 1971a: 50	L. Jur. S
<i>Paronaella yaogusensis</i>	Carter, 1993: 83	L. Tr. S
<i>Parvibrachiale yaoi</i> (T)	Sugiyama, 1997: 166	L. Tr. N
<i>Parvingula aculeata</i>	Carter in Carter <i>et al.</i> , 1988: 54	M. Jur. N
<i>Parvingula alamoensis</i>	Hull, 1995: 21	L. Jur. N
<i>Parvingula antoshkinae</i>	Vishnevskaya, 1998: 60	L. Jur. N
<i>Parvingula blackhorsensis</i>	Pessagno & Whalen, 1982: 137	M. Jur. N
<i>Parvingula blomei</i>	Yang, 1993: 116	L. Jur. N
<i>Parvingula blowi</i>	Pessagno, 1977a: 85	L. Jur. N
<i>Parvingula blowi sibirica</i>	Vishnevskaya & Murchey, 2002: 104	E. Cret. N
<i>Parvingula bluefordae</i>	Hull, 1995: 22	L. Jur. N
<i>Parvingula broqueta</i>	Hull, 1995: 22	L. Jur. N
<i>Parvingula burnensis</i>	Pessagno & Whalen, 1982: 137	M. Jur. N
<i>Parvingula cappa</i>	Cortese, 1993: 176	M. Jur. N
<i>Parvingula citae</i>	Pessagno, 1977b: 48	E. Cret. N
<i>Parvingula colemani</i>	Pessagno & Blome in Pessagno <i>et al.</i> , 1984: 27	L. Jur. N
<i>Parvingula communis</i>	Blome, 1984b: 358	M. Jur. N
<i>Parvingula corona</i>	Hull, 1995: 22	L. Jur. N
<i>Parvingula corralensis</i>	Hull, 1995: 23	L. Jur. N
<i>Parvingula ? cretaea</i>	Baumgartner in Baumgartner <i>et al.</i> , 1980: 59	E. Cret. N
<i>Parvingula cuyamaensis</i>	Hull, 1995: 23	L. Jur. N
<i>Parvingula dhimenaensis</i>	Baumgartner, 1984: 778	L. Jur. N
<i>Parvingula ? discors</i>	Yang, 1993: 117	L. Jur. N
<i>Parvingula elegans</i>	Pessagno & Whalen, 1982: 138	M. Jur. N
<i>Parvingula ? enormis</i>	Yang, 1993: 118	L. Jur. N
<i>Parvingula excelsa</i>	Pessagno & Blome in Pessagno <i>et al.</i> , 1984: 27	L. Jur. N
<i>Parvingula genrietta</i>	Vishnevskaya, 1998: 62	L. Jur. N
<i>Parvingula gigantocornis</i>	Kishida & Hisada, 1985: 118	E. Jur. N
<i>Parvingula gorda</i>	Hull, 1995: 24	L. Jur. N
<i>Parvingula gracila</i>	Hull, 1995: 24	L. Jur. N
<i>Parvingula grantensis</i>	Pessagno & Whalen, 1982: 138	M. Jur. N
<i>Parvingula hamatonbetsensis</i>	Tumanda, 1989: 30	E. Cret. N
<i>Parvingula holdsworthi</i>	Yang, 1993: 119	L. Jur. N
<i>Parvingula hsui</i> (T)	Pessagno, 1977a: 85	L. Jur. N
<i>Parvingula inornata</i>	Blome, 1984b: 360	M. Jur. N
<i>Parvingula jonesi</i>	Pessagno, 1977b: 48	L. Jur. N
<i>Parvingula judae</i>	Kiessling, 1999: 50	L. Jur. N
<i>Parvingula limana</i>	Cortese, 1993: 177	M. Jur. N
<i>Parvingula longa</i>	Jud, 1994: 92	E. Cret. N
<i>Parvingula mashitaensis</i>	Mizutani, 1981: 176	L. Jur. N
<i>Parvingula matura</i>	Pessagno & Whalen, 1982: 139	M. Jur. N
<i>Parvingula media</i>	Pessagno & Whalen, 1982: 139	M. Jur. N
<i>Parvingula nanoconica</i>	Hori & Otsuka, 1989: 183	E. Jur. N
<i>Parvingula ? obesa</i>	Takemura, 1986: 52	M. Jur. N
<i>Parvingula obstinata</i>	Hull, 1995: 26	L. Jur. N
<i>Parvingula omgonensis</i>	Vishnevskaya in Vishnevskaya <i>et al.</i> , 1999: 35	M. Jur. N
<i>Parvingula papulata</i>	Kozlova, 1994: without description	L. Jur. N
<i>Parvingula pizhmica</i>	Kozlova, 1994: without description	L. Jur. N
<i>Parvingula praeacutum</i>	Blome, 1984b: 360	M. Jur. N
<i>Parvingula ? procera</i> (T)	Pessagno, 1977a: 86	L. Jur. N
<i>Parvingula profunda</i> (T)	Pessagno & Whalen, 1982: 140	M. Jur. N
<i>Parvingula pusilla</i>	Kozlova, 1994: without description	L. Jur. N
<i>Parvingula robusta</i>	Hori, 1999: 95	L. Jur. N
<i>Parvingula rothwelli</i>	Pessagno, 1977b: 49	E. Cret. N
<i>Parvingula sanfilippoae</i>	Hull, 1995: 28	L. Jur. N
<i>Parvingula santabarbarensis</i> (T)	Pessagno, 1977a: 86	L. Jur. N
<i>Parvingula satura</i>	Hull, 1995: 30	L. Jur. N
<i>Parvingula schoolhouseensis</i>	Pessagno & Whalen, 1982: 140	M. Jur. N
<i>Parvingula sodaensis</i>	Pessagno & Whalen, 1982: 140	M. Jur. N
<i>Parvingula sollemna</i>	Vishnevskaya, 1991b: 92	L. Jur. N
<i>Parvingula thomesensis</i>	Pessagno, 1977b: 49	E. Cret. N
<i>Parvingula usotanensis</i>	Tumanda, 1989: 30	E. Cret. N

<i>Parvicingula vacaensis</i>	Pujana, 1989: 1046	L. Jur.	N
<i>Parvicingula vera</i>	Pessagno & Whalen, 1982: 144	M. Jur.	N
<i>Parvicingula whalena</i>	Hull, 1995: 32	L. Jur.	N
<i>Parvicingula yehae</i>	Yang, 1993: 120	L. Jur.	N
<i>Parvicuspis colusaensis</i>	Pessagno, 1972: 278	L. Cret.	S
<i>Parvicuspis shastaensis</i> (T)	Pessagno, 1972: 279	L. Cret.	S
<i>Parvifavus clausus</i>	Takemura, 1986: 61	M. Jur.	N
<i>Parvifavus irregularis</i>	Takemura, 1986: 61	M. Jur.	N
<i>Parvifavus minoensis</i> (T)	Takemura, 1986: 61	M. Jur.	N
<i>Parvivacca blomei</i> (T)	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 244	L. Jur.	S
<i>Parvivacca coraforma</i>	Hull, 1997: 60	L. Jur.	S
<i>Parvivacca immodica</i>	Hull, 1997: 61	L. Jur.	S
<i>Parvivacca magna</i>	Jud, 1994: 93	E. Cret.	S
<i>Parvivacca marina</i>	Hull, 1997: 62	L. Jur.	S
<i>Parvivacca robusta</i>	Hull, 1997: 62	L. Jur.	S
<i>Parvivacca rudicula</i>	Steiger & Steiger, 1994: 459	L. Jur.	S
<i>Parvivacca simplex</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 245	L. Jur.	S
<i>Parvivacca varica</i>	Hull, 1997: 62	L. Jur.	S
<i>Patellula andrusovi</i>	Ozoldova in Sykora <i>et al.</i> , 1997: 260	L. Cret.	S
<i>Patellula cognata</i>	O'Dogherty, 1994: 326	L. Cret.	S
<i>Patellula ? decora</i>	Li & Wu, 1985: 62	L. Cret.	S
<i>Patellula eclipica</i>	O'Dogherty, 1994: 329	L. Cret.	S
<i>Patellula euessceei</i>	Empson-Morin, 1981: 257	L. Cret.	S
<i>Patellula heroica</i>	O'Dogherty, 1994: 330	L. Cret.	S
<i>Patellula minuscula</i>	O'Dogherty, 1994: 325	L. Cret.	S
<i>Patellula sakhalinica</i>	Bragina, 2003a: 245	L. Cret.	S
<i>Patellula spica</i>	O'Dogherty, 1994: 327	L. Cret.	S
<i>Patrulus confusus</i>	Dumitrica, 1989: 230	M. Tr.	S
<i>Patrulus tetrahedron</i> (T)	Dumitrica, 1989: 229	M. Tr.	S
<i>Patrulus tetratholus</i>	Dumitrica, 1989: 229	M. Tr.	S
<i>Patulibracchium arbutclensis</i>	Pessagno, 1971a: 27	L. Cret.	S
<i>Patulibracchium californiense</i>	Pessagno, 1971a: 29	L. Cret.	S
<i>Patulibracchium davisii</i> (T)	Pessagno, 1971a: 30	L. Cret.	S
<i>Patulibracchium delvallensis</i>	Pessagno, 1971a: 31	L. Cret.	S
<i>Patulibracchium dickinsoni</i>	Pessagno, 1971a: 32	L. Cret.	S
<i>Patulibracchium grapevinensis</i>	Pessagno, 1977b: 24	E. Cret.	S
<i>Patulibracchium inaequalum</i>	Pessagno, 1971a: 33	L. Cret.	S
<i>Patulibracchium lawsoni</i>	Pessagno, 1971a: 35	L. Cret.	S
<i>Patulibracchium marshensis</i>	Pessagno, 1971a: 36	L. Cret.	S
<i>Patulibracchium obesum</i>	Pessagno, 1977b: 27	E. Cret.	S
<i>Patulibracchium petroleumensis</i>	Pessagno, 1971a: 37	L. Cret.	S
<i>Patulibracchium ? quadrostrum</i>	Bragina, 2003a: 250	L. Cret.	S
<i>Patulibracchium ruesti</i>	Pessagno, 1971a: 38	L. Cret.	S
<i>Patulibracchium taliaferroi</i>	Pessagno, 1971a: 40	L. Cret.	S
<i>Patulibracchium teslaensis</i> (Ts)	Pessagno, 1971a: 41	L. Cret.	S
<i>Patulibracchium torvitatii</i>	Pessagno, 1971a: 42	L. Cret.	S
<i>Patulibracchium unguiae</i>	Pessagno, 1971a: 44	L. Cret.	S
<i>Patulibracchium vereshagini</i>	Kazintsova, 1979: 98	L. Cret.	S
<i>Patulibracchium woodlandensis</i>	Pessagno, 1971a: 45	L. Cret.	S
<i>Paurinella acutispinosa</i>	Kozur & Mostler, 1994: 71	M. Tr.	S
<i>Paurinella aequispinosa</i>	Kozur & Mostler, 1981: 50	M. Tr.	S
<i>Paurinella alta</i>	Kozur & Mostler, 2006: 32	M. Tr.	S
<i>Paurinella balatonica</i>	Kozur & Mostler, 1994: 72	M. Tr.	S
<i>Paurinella bifurcata</i>	Kozur & Mostler, 2006: 32	M. Tr.	S
<i>Paurinella curvata</i> (T)	Kozur & Mostler, 1981: 49	M. Tr.	S
<i>Paurinella curvata spinosa</i>	Kozur & Mostler, 1994: 71	M. Tr.	S
<i>Paurinella curvata tenispinosa</i>	Kozur & Mostler, 1994: 71	M. Tr.	S
<i>Paurinella forceps</i>	Kozur & Mostler, 2006: 33	M. Tr.	S
<i>Paurinella ? inaequispinosa</i>	Kozur & Mostler, 1994: 72	M. Tr.	S
<i>Paurinella latispinosa</i>	Kozur & Mostler, 1994: 73	M. Tr.	S
<i>Paurinella ? longispinosa</i>	Kozur & Mostler, 1994: 73	M. Tr.	S
<i>Paurinella mesotriassica</i>	Kozur & Mostler, 1981: 50	M. Tr.	S
<i>Paurinella opposita</i>	Kozur & Mostler, 2006: 33	M. Tr.	S
<i>Paurinella tornata</i>	Kozur & Mostler, 1994: 73	M. Tr.	S
<i>Paurinella trettoensis</i>	Kozur & Mostler, 1994: 74	M. Tr.	S
<i>Paurinella triangularis</i>	Kozur & Mostler, 2006: 33	M. Tr.	S
<i>Paurinella ? yichuni</i>	Feng & Liu, 1993: 543	M. Tr.	S
<i>Pegoxystris mizutanii</i> (T)	Sugiyama, 1992: 1218	E. Tr.	S

<i>Pentabelus furutani</i> (T)	Sugiyama, 1992: 1215	E. Tr.	E
<i>Pentactinocapsa multispinosa</i>	Kozur, Krainer & Mostler, 1996b: 215	M. Tr.	E
<i>Pentactinocapsa quadripes</i> (T)	Dumitrica, 1978b: 45	M. Tr.	E
<i>Pentactinocarpus acanthicus</i>	Dumitrica, 1978b: 44	M. Tr.	E
<i>Pentactinocarpus annulospinosus</i>	Kozur & Mostler, 1981: 19	L. Tr.	E
<i>Pentactinocarpus aspinosus</i>	Kozur & Mostler, 1981: 20	L. Tr.	E
<i>Pentactinocarpus austriacus</i>	Kozur & Mostler, 1981: 20	L. Tr.	E
<i>Pentactinocarpus bispinosus</i>	Kozur & Mock in Kozur & Mostler, 1981: 21	L. Tr.	E
<i>Pentactinocarpus fusiformis</i> (T)	Dumitrica, 1978b: 44	M. Tr.	E
<i>Pentactinocarpus illyricus</i>	Kozur & Mostler, 1994: 46	M. Tr.	E
<i>Pentactinocarpus longispinosus</i>	Rose, 1994: 311	L. Tr.	E
<i>Pentactinocarpus sevaticus</i>	Kozur & Mostler, 1981: 21	L. Tr.	E
<i>Pentactinocarpus tetracanthus</i>	Dumitrica, 1978b: 44	M. Tr.	E
<i>Pentactinorbis dumitricai</i>	Kozur & Mostler, 1994: 47	M. Tr.	E
<i>Pentactinorbis kozuri</i> (T)	Dumitrica, 1978b: 46	M. Tr.	E
<i>Pentactinorbis mostleri</i>	Dumitrica, 1978b: 47	M. Tr.	E
<i>Pentactinorbis pessagno</i>	Kozur & Mostler, 1994: 48	M. Tr.	E
<i>Pentactinosphaera rudis</i> (T)	Bragin, 1986: 69	L. Tr.	E
<i>Pentaporobrachia longispinosa</i> (Ts)	Kozur & Mostler, 1981: 23	L. Tr.	E
<i>Pentasphaera longispina</i> (T)	Squinabol, 1904: 193	L. Cret.	S
<i>Pentaspogodiscus anisicus</i>	Kozur & Mostler, 1981: 62	M. Tr.	S
<i>Pentaspogodiscus ? dihexacanthus</i> (T)	Carter, 1993: 87	L. Tr.	S
<i>Pentaspogodiscus discoides</i>	Tekin, 1999: 121	M. Tr.	S
<i>Pentaspogodiscus heptastylus</i>	Lahm, 1984: 58	M. Tr.	S
<i>Pentaspogodiscus julicus</i>	Kolar-Jurkovsek, 1989: 162	M. Jur.	S
<i>Pentaspogodiscus ladinicus crosi</i>	Kellici & De Wever, 1995: 154	M. Tr.	S
<i>Pentaspogodiscus lahmi</i>	Kozur, 1996: 293	M. Tr.	S
<i>Pentaspogodiscus mesotriassicus</i>	Dumitrica, Kozur & Mostler, 1980: 10	M. Tr.	S
<i>Pentaspogodiscus ? ruesti</i>	Kozur & Mostler, 1981: 62	M. Tr.	S
<i>Pentaspogodiscus similediscus</i>	Tekin & Mostler, 2005a: 39	M. Tr.	S
<i>Pentaspogodiscus spinosus</i>	Kozur & Mostler, 1979a: 80	L. Tr.	S
<i>Pentaspogodiscus steigeri</i>	Lahm, 1984: 56	M. Tr.	S
<i>Pentaspogodiscus symmetricus</i>	Dumitrica, Kozur & Mostler, 1980: 10	M. Tr.	S
<i>Pentaspogodiscus tortilis</i> (T)	Kozur & Mostler, 1979a: 80	L. Tr.	S
<i>Pentaspogodiscus tortilis ladinicus</i>	Dumitrica, Kozur & Mostler, 1980: 10	M. Tr.	S
<i>Pentatortis hexaspina</i>	Kozur & Mostler, 1996a: 91	M. Tr.	E
<i>Pentatortis krystyni</i>	Kozur & Mostler, 1996a: 90	M. Tr.	E
<i>Pentatortis longobardica</i> (Ts)	Kozur, 1988b: 97	M. Tr.	E
<i>Pentinastrum kurganicum</i>	Amon, 1990: 63	L. Cret.	S
<i>Pentinastrum subbotinae</i>	Lipman in Glazunova <i>et al.</i> , 1960: 132	L. Cret.	S
<i>Perichlamyidium tenuis</i>	Ichikawa, 1950: 300	Tr.?	S
<i>Perispongidium angusticameratum</i> (Td)	Rüst, 1885: 295	L. Jur.	S
<i>Perispongidium ? tethys</i>	De Wever in De Wever <i>et al.</i> , 1979: 94	L. Tr.	S
<i>Perispyridium alinchakense</i>	Pessagno & Blome, 1982: 291	M. Jur.	E
<i>Perispyridium bacatum</i>	Hull, 1997: 80	L. Jur.	E
<i>Perispyridium dangerpointense</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 156	L. Jur.	E
<i>Perispyridium darwini</i>	MacLeod, 1988: 295	M. Jur.	E
<i>Perispyridium delicatum</i>	Yang, 1993: 149	L. Jur.	E
<i>Perispyridium dettermani</i>	Pessagno & Blome, 1982: 292	M. Jur.	E
<i>Perispyridium dobzhanskyi</i>	MacLeod, 1988: 295	E. Jur.	E
<i>Perispyridium dumitricai</i>	Pessagno & Blome, 1982: 292	M. Jur.	E
<i>Perispyridium elegans</i>	MacLeod, 1988: 296	M. Jur.	E
<i>Perispyridium facetum</i>	Pessagno & Blome, 1982: 292	M. Jur.	E
<i>Perispyridium foremanae</i>	Pessagno & Blome, 1982: 293	M. Jur.	E
<i>Perispyridium gemmatum</i>	Pessagno & Blome, 1982: 293	M. Jur.	E
<i>Perispyridium gouldi</i>	MacLeod, 1988: 299	M. Jur.	E
<i>Perispyridium gujohachimanense</i>	Takemura, 1986: 42	M. Jur.	E
<i>Perispyridium hennigi</i>	MacLeod, 1988: 299	M. Jur.	E
<i>Perispyridium magninodosum</i>	Yang & Wang, 1990: 212	L. Jur.	E
<i>Perispyridium marmorus</i>	Vishnevskaya, 1991b: 92	L. Jur.	E
<i>Perispyridium mayri</i>	MacLeod, 1988: 300	M. Jur.	E
<i>Perispyridium neotamanense</i>	Yang, 1993: 154	L. Jur.	E
<i>Perispyridium nitidium</i>	Pessagno & Blome, 1982: 294	M. Jur.	E
<i>Perispyridium olsoni</i>	MacLeod, 1988: 302	M. Jur.	E
<i>Perispyridium packardi</i>	Pessagno & Blome, 1982: 295	M. Jur.	E
<i>Perispyridium pessagno</i>	MacLeod, 1988: 304	M. Jur.	E
<i>Perispyridium pseudodeltidium</i>	Li, 1986: 314	L. Jur.	E
<i>Perispyridium robustum</i>	MacLeod, 1988: 306	M. Jur.	E

<i>Perispyridium schopfi</i>	MacLeod, 1988: 306	M. Jur.	E
<i>Perispyridium serratum</i>	Kiessling, 1999: 46	L. Jur.	E
<i>Perispyridium simpsoni</i>	MacLeod, 1988: 308	M. Jur.	E
<i>Perispyridium slaughteri</i>	MacLeod, 1988: 309	M. Jur.	E
<i>Perispyridium tamanense</i>	Pessagno & Blome, 1982: 295	L. Jur.	E
<i>Perispyridium tamarackense</i>	Pessagno & Blome, 1982: 295	M. Jur.	E
<i>Perispyridium triangularium</i>	MacLeod, 1988: 310	M. Jur.	E
<i>Perispyridium trifolium</i>	Kiessling, 1999: 46	L. Jur.	E
<i>Peritiviator labyrinthi</i> (T)	Pessagno, 1976: 45	L. Cret.	S
<i>Peromelissa crassa</i>	Tan, 1927: 42	E. Cret.	N
<i>Perseus hachimanensis</i> (T)	Takemura & Nakaseko, 1983: 116	M. Jur.	N
<i>Perseus tingoensis</i>	Suzuki & Schmidt-Effing in Suzuki <i>et al.</i> , 2002: 182	E. Jur.	N
<i>Pessagnobrachia macphersoni</i>	O'Dogherty, 1994: 361	L. Cret.	S
<i>Pessagnocyrthium pulchrum</i> (Ts)	Kozur & Mostler, 1981: 108	L. Tr.	N
<i>Pessagnollum multispinosum</i> (T)	Kozur, Krainer & Mostler, 1996b: 226	M. Tr.	S
<i>Pessagnosaturnalis carpathicus</i>	Kozur & Mock in Kozur & Mostler, 1981: 57	L. Tr.	S
<i>Pessagnulus fiskensis</i> (T)	Dumitrica, 1983: 228	L. Cret.	E
<i>Petasiforma foremanae</i> (Ts)	Pessagno, 1969: 411	L. Cret.	N
<i>Petasiforma glascocksensis</i>	Pessagno, 1969: 412	L. Cret.	N
<i>Petasiforma ? inusitata</i>	Pessagno, 1977b: 37	E. Cret.	N
<i>Petasiforma tasmaniense</i>	Pujana in Pujana & Quilty, 2002: 254	L. Cret.	N
<i>Petasiforma tavradae</i>	Bragina, 2004: S354	L. Cret.	N
<i>Phacostaurus magnus</i>	Kozlova in Kozlova & Gorbovetz, 1966: 70	L. Cret.	S
<i>Phacostylus inokovkus</i>	Popova in Popova <i>et al.</i> , 2005: 18	L. Cret.	S
<i>Phacostylus rarus</i>	Squinabol, 1904: 202	L. Cret.	S
<i>Phalangites calamus</i> (T)	O'Dogherty, 1994: 156	L. Cret.	N
<i>Phalangites ? claustratus</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 68	E. Cret.	N
<i>Phalangites hastatus</i>	O'Dogherty, 1994: 158	L. Cret.	N
<i>Phalangites telum</i>	O'Dogherty, 1994: 157	E. Cret.	N
<i>Phantum insperatum</i> (T)	Hull, 1997: 75	L. Jur.	S
<i>Phaseliforma carinata</i> (T)	Pessagno, 1972: 274	L. Cret.	S
<i>Phaseliforma inflata</i>	Bragina, 2004: S441	L. Cret.	S
<i>Phaseliforma laxa</i>	Pessagno, 1972: 276	L. Cret.	S
<i>Phaseliforma meganosensis</i>	Pessagno, 1972: 277	L. Cret.	S
<i>Phaseliforma ovum</i>	Jud, 1994: 93	E. Cret.	S
<i>Phaseliforma subcarinata</i>	Pessagno, 1975: 1013	L. Cret.	S
<i>Phormocampe (Cyrtoecorys) alamedaensis</i>	Campbell & Clark, 1944: 37	L. Cret.	N
<i>Phormocampe (Cyrtoecorys) alamedaensis tenuis</i>	Campbell & Clark, 1944: 37	L. Cret.	N
<i>Phormocampe artemisiae</i>	Rüst, 1898: 56	E. Jur.	N
<i>Phormocampe braunsteinii</i>	Rüst, 1898: 56	E. Jur.	N
<i>Phormocampe diminuta</i>	Rüst, 1898: 56	E. Jur.	N
<i>Phormocampe helena</i>	Rüst, 1898: 57	E. Jur.	N
<i>Phormocampe macropora</i>	Rüst, 1898: 56	E. Jur.	N
<i>Phormocampe elegans</i>	Squinabol, 1904: 227	L. Cret.	N
<i>Phormocampe favosa</i>	Khudyaev, 1931: 41	E. Cret.	N
<i>Phormocyrthis lagena</i>	Hinde, 1908: 710	Tr.	N
<i>Phormocyrthis veneta</i> (T)	Squinabol, 1903: 134	L. Cret.	N
<i>Phormostichoartus ? strongi</i>	Hollis, 1997: 59	L. Cret.	S
<i>Picapora elegantissima</i>	Tekin, 1999: 147	L. Tr.	N
<i>Picapora fassanica</i>	Kozur, 1996: 294	M. Tr.	N
<i>Picapora longobardica</i>	Kozur & Mostler, 2006: 61	M. Tr.	N
<i>Picapora robusta</i> (Ts)	Kozur & Mostler, 1981: 110	L. Tr.	N
<i>Pipettella apenninica</i>	Vinassa de Regny, 1900: 335	L. Jur.	S
<i>Pipettella bononiensis</i>	Vinassa de Regny, 1900: 334	L. Jur.	S
<i>Pipettella pantanellii</i>	Vinassa de Regny, 1900: 334	L. Jur.	S
<i>Pipettella rothpletzi</i>	Vinassa de Regny, 1899: 229	L. Jur.	S
<i>Plafkerium abbotti</i> (T)	Pessagno in Pessagno <i>et al.</i> , 1979: 179	L. Tr.	E
<i>Plafkerium anisetes</i>	Cordey, 1998: 61	L. Tr.	E
<i>Plafkerium ? anisicum</i>	Kozur & Mostler, 1981: 70	M. Tr.	E
<i>Plafkerium ? antiquum</i>	Sugiyama, 1992: 1218	M. Tr.	E
<i>Plafkerium ? bosniensis</i>	Kozur & Mostler, 2006: 54	M. Tr.	E
<i>Plafkerium ? confluens</i>	Dumitrica, Kozur & Mostler, 1980: 13	M. Tr.	E
<i>Plafkerium ? contortum</i>	Dumitrica, Kozur & Mostler, 1980: 13	M. Tr.	E
<i>Plafkerium fidicularium</i>	Carter, 1993: 48	L. Tr.	E
<i>Plafkerium ? firmum</i>	Goričan in Goričan & Buser, 1990: 152	M. Tr.	E
<i>Plafkerium gadoense</i>	Carter, 1993: 48	L. Tr.	E
<i>Plafkerium hindei</i>	Pessagno in Pessagno <i>et al.</i> , 1979: 180	L. Tr.	E
<i>Plafkerium ? inaequispinosum</i>	Kozur & Mostler, 1981: 70	M. Tr.	E

<i>Plafkerium keloense</i>	Carter, 1993: 49	L. Tr.	E
<i>Plafkerium ? longidentatum</i>	Kozur & Mostler, 1981: 71	M. Tr.	E
<i>Plafkerium ? muelleri</i>	Dumitrica, Kozur & Mostler, 1980: 14	M. Tr.	E
<i>Plafkerium ? nazarovi</i>	Kozur & Mostler, 1981: 72	M. Tr.	E
<i>Plafkerium ? obliquum</i>	Kozur & Mostler, 1981: 71	M. Tr.	E
<i>Plafkerium robustum</i>	Yeh, 1989: 65	L. Tr.	E
<i>Planispinocyrtis ? annulata</i>	Kozur & Mostler, 1994: 94	M. Tr.	N
<i>Planispinocyrtis baloghi</i> (T)	Kozur & Mostler, 1981: 111	M. Tr.	N
<i>Planispinocyrtis brevis</i>	Kozur & Mostler, 1994: 94	M. Tr.	N
<i>Planispinocyrtis ? gabiolaensis</i>	Kozur & Mostler, 1994: 95	M. Tr.	N
<i>Planispinocyrtis haeckeli</i>	Kozur & Mostler, 1994: 96	M. Tr.	N
<i>Planispinocyrtis illyrica</i>	Kozur & Mostler, 1994: 96	M. Tr.	N
<i>Planispinocyrtis kefaensis</i>	Sashida & Kamata <i>in</i> Sashida <i>et al.</i> , 1999a: 777	M. Tr.	N
<i>Planispinocyrtis ? longispinosa</i>	Kozur & Mostler, 1994: 97	M. Tr.	N
<i>Planispinocyrtis macrocephalis</i>	Kozur & Mostler, 1994: 98	M. Tr.	N
<i>Planispinocyrtis multiporata</i>	Kozur & Mostler, 1994: 98	M. Tr.	N
<i>Planispinocyrtis multiporata annuloporata</i>	Kozur & Mostler, 1994: 99	M. Tr.	N
<i>Planispinocyrtis ? nishimurai</i>	Kozur & Mostler, 1994: 99	M. Tr.	N
<i>Planispinocyrtis paronai</i>	Kozur & Mostler, 1994: 100	M. Tr.	N
<i>Planispinocyrtis pelsoensis</i>	Kozur & Mostler, 1994: 100	M. Tr.	N
<i>Planispinocyrtis praecursor</i>	Kozur & Mostler, 1994: 103	M. Tr.	N
<i>Planispinocyrtis pulchra</i>	Kozur & Mostler, 1994: 101	M. Tr.	N
<i>Planispinocyrtis pulchra globulata</i>	Kozur & Mostler, 1994: 102	M. Tr.	N
<i>Planispinocyrtis ? thoraciglobulosa</i>	Kozur & Mostler, 1994: 103	M. Tr.	N
<i>Planispinocyrtis ? truempyi</i>	Kozur & Mostler, 1994: 104	M. Tr.	N
<i>Platycryphalus pumilus</i> (Td)	Rüst, 1885: 305	L. Jur.	N
<i>Pleesus aptus</i> (T)	Yeh, 1987a: 82	E. Jur.	N
<i>Poculinapora marsupiala</i>	Dumitrica & Zügel, 2003: 66	L. Jur.	N
<i>Poculinapora poculigera</i> (T)	Dumitrica & Zügel, 2003: 66	L. Jur.	N
<i>Poculinapora spathulipes</i>	Dumitrica & Zügel, 2003: 68	L. Jur.	N
<i>Poculinapora tripartita</i>	Dumitrica & Zügel, 2003: 70	L. Jur.	N
<i>Podobursa akayi</i>	Tekin, 1999: 163	L. Tr.	N
<i>Podobursa andreae</i>	Beccaro, 2004b: 14	M. Jur.	N
<i>Podobursa basilica</i>	Hull, 1997: 100	L. Jur.	N
<i>Podobursa berggreni</i>	Pessagno, 1977a: 90	L. Jur.	N
<i>Podobursa claviformis</i>	Kozur, Moix & Ozsvárt, 2007c: 205	L. Tr.	N
<i>Podobursa dunikowskii</i> (Td)	Wisniewski, 1888: 687	L. Jur.	N
<i>Podobursa fusiformis</i>	Kozur, Moix & Ozsvárt, 2007c: 206	L. Tr.	N
<i>Podobursa galeata</i>	Tekin, 1999: 163	L. Tr.	N
<i>Podobursa lanza</i>	Hull, 1997: 101	L. Jur.	N
<i>Podobursa longiceras</i>	Kozur, Moix & Ozsvárt, 2007c: 206	L. Tr.	N
<i>Podobursa longiceras longiceras</i>	Kozur, Moix & Ozsvárt, 2007c: 207	L. Tr.	N
<i>Podobursa longiceras tetraspinosa</i>	Kozur, Moix & Ozsvárt, 2007c: 207	L. Tr.	N
<i>Podobursa mersinensis</i>	Kozur, Moix & Ozsvárt, 2007c: 207	L. Tr.	N
<i>Podobursa multispina</i>	Jud, 1994: 93	E. Cret.	N
<i>Podobursa nonhelvetica</i>	Yang & Wang, 1990: 209	L. Jur.	N
<i>Podobursa ? polylophia</i> (Ts)	Foreman, 1973: 266	E. Cret.	N
<i>Podobursa primitiva</i>	Tekin, 1999: 164	L. Tr.	N
<i>Podobursa rosea</i>	Hull, 1997: 101	L. Jur.	N
<i>Podobursa sceptrumides</i>	Kozur, Moix & Ozsvárt, 2007c: 208	L. Tr.	N
<i>Podobursa tenuicephala</i>	Bragin, 2007: 1014	L. Tr.	N
<i>Podobursa tetracola</i>	Foreman, 1973: 266	E. Cret.	N
<i>Podobursa torustornis</i>	Li, 1986: 313	L. Jur.	N
<i>Podobursa triacantha hexaradiata</i>	Steiger, 1992: 73	E. Cret.	N
<i>Podobursa triacantha octaradiata</i>	Steiger, 1992: 74	L. Jur.	N
<i>Podobursa triacantha tetraradiata</i>	Steiger, 1992: 72	E. Cret.	N
<i>Podobursa tricola</i>	Foreman, 1973: 267	E. Cret.	N
<i>Podobursa turriiformis</i>	Tekin, 1999: 165	L. Tr.	N
<i>Podobursa tuvalica</i>	Kozur, Moix & Ozsvárt, 2007c: 209	L. Tr.	N
<i>Podobursa vannae</i>	Beccaro, 2004b: 15	L. Jur.	N
<i>Podobursa yazgani</i>	Tekin, 1999: 166	L. Tr.	N
<i>Podocampe armidae</i>	Rüst, 1898: 55	E. Jur.	N
<i>Podocampe eifeliana</i>	Squinabol, 1903: 136	L. Cret.	N
<i>Podocapsa abreojosensis</i>	Whalen & Carter, 2002: 136	E. Jur.	N
<i>Podocapsa amphitreptera</i>	Foreman, 1973: 267	E. Cret.	N
<i>Podocapsa bipoda</i>	Parona, 1890: 165	L. Jur.	N
<i>Podocapsa foremanae</i>	Yang, 1993: 129	L. Jur.	N
<i>Podocapsa guembelii</i> (Td)	Rüst, 1885: 304	L. Jur.	N



<i>Podocapsa haeckelii</i>	Rüst, 1885: 305	L. Jur.	N
<i>Podocapsa hantkenii</i>	Rüst, 1885: 305	L. Jur.	N
<i>Podocapsa heteropoda</i>	Rüst, 1898: 47	L. Jur.	N
<i>Podocapsa ? hexaptera</i>	Conti & Marcucci, 1991: 803	M. Jur.	N
<i>Podocapsa ? imperialis</i>	Jud, 1994: 95	E. Cret.	N
<i>Podocapsa monopus</i>	Rüst, 1898: 48	L. Jur.	N
<i>Podocapsa pantanellii</i>	Parona, 1890: 164	L. Jur.	N
<i>Podocapsa stella</i>	Parona, 1890: 165	L. Jur.	N
<i>Podocapsa ? topferia</i>	Empson-Morin, 1981: 278	L. Cret.	N
<i>Podocapsa trigonia</i>	Wisniowski, 1888: 688	L. Jur.	N
<i>Podocyrtyis (Podocyrtecium) elegantissima</i>	Campbell & Clark, 1944: 29	L. Cret.	N
<i>Podocyrtyis concentrica</i>	Steiger, 1992: 68	E. Cret.	N
<i>Podocyrtyis globosa</i>	Rüst, 1898: 49	L. Jur.	N
<i>Podocyrtyis micropoda</i>	Rüst, 1898: 49	L. Jur.	N
<i>Pogonias harpago</i>	O'Dogherty, 1994: 173	E. Cret.	N
<i>Pogonias incallidus</i>	O'Dogherty, 1994: 174	L. Cret.	N
<i>Pogonias missilis</i>	O'Dogherty, 1994: 174	E. Cret.	N
<i>Pogonias prodromus</i> (T)	O'Dogherty, 1994: 172	E. Cret.	N
<i>Polyentactinia ? biacus</i>	Sugiyama, 1992: 1213	E. Tr.	E
<i>Polyentactinia ? crux</i>	Sugiyama, 1992: 1213	E. Tr.	E
<i>Polyentactinia ? phatthalungensis</i>	Sashida & Igo, 1992: 1304	E. Tr.	E
<i>Polystichia ehrenbergi</i> (Td)	Pantanelli, 1880: 52	L. Jur.	N
<i>Polystichia haeckeli</i>	Pantanelli, 1880: 53	L. Jur.	N
<i>Polystichia muelleri</i>	Pantanelli, 1880: 53	L. Jur.	N
<i>Porodiscus (Discospira) rüsti</i>	Campbell & Clark, 1944: 16	L. Cret.	S
<i>Porodiscus (Discospira) sublaevis</i>	Ichikawa, 1950: 299	Tr.?	S
<i>Porodiscus (Trematodiscus) cretaceus</i>	Campbell & Clark, 1944: 15	L. Cret.	S
<i>Porodiscus (Trematodiscus) minor</i>	Ichikawa, 1950: 299	Tr.?	S
<i>Porodiscus (Trematodiscus) yeharai</i>	Ichikawa, 1950: 298	Tr.?	S
<i>Porodiscus affinis</i>	Hinde, 1900: 21	Jur.	S
<i>Porodiscus bassanii</i>	Neviani, 1900: 653	L. Jur.	S
<i>Porodiscus bicinctus</i>	Rüst, 1898: 23	L. Jur.	S
<i>Porodiscus communis</i> (Td)	Rüst, 1885: 294	L. Jur.	S
<i>Porodiscus crebriporus</i>	Squinabol, 1904: 202	L. Cret.	S
<i>Porodiscus cretaceus</i>	Rüst, 1888: 198	E. Cret.	S
<i>Porodiscus elegans</i>	Hinde, 1900: 22	Jur.	S
<i>Porodiscus ellipsoides</i>	Neviani, 1900: 653	L. Jur.	S
<i>Porodiscus fuegensis</i>	Richter, 1925: 554	L. Cret.	S
<i>Porodiscus glauconitarum</i>	Perner, 1891: 263	L. Cret.	S
<i>Porodiscus glomus</i>	Khabakov, 1937: 103	E. Cret.	S
<i>Porodiscus inflatus</i>	Smirnova & Aliev in Aliev & Smirnova, 1969: 66	E. Cret.	S
<i>Porodiscus intumescens</i>	Khabakov, 1937: 104	E. Cret.	S
<i>Porodiscus kavilkinensis</i>	Aliev in Aliev & Smirnova, 1969: 64	E. Cret.	S
<i>Porodiscus laxus</i>	Rüst, 1888: 198	E. Cret.	S
<i>Porodiscus levis</i>	Hinde, 1908: 705	Tr.	S
<i>Porodiscus nuesslinii</i>	Rüst, 1885: 294	L. Jur.	S
<i>Porodiscus paronae</i> (Td)	Rüst, 1892b: 167	M. Tr.	S
<i>Porodiscus parvulus</i>	Rüst, 1892b: 167	M. Tr.	S
<i>Porodiscus perforatus</i>	Neviani, 1900: 653	L. Jur.	S
<i>Porodiscus pygmaeus</i>	Hinde, 1900: 21	Jur.	S
<i>Porodiscus simplex</i>	Rüst, 1885: 294	L. Jur.	S
<i>Porodiscus subspiralis</i>	Rüst, 1892b: 168	M. Tr.	S
<i>Porodiscus tamasensis</i>	Iacob & Nicorici, 1957: 10	L. Jur.	S
<i>Porodiscus tener</i>	Rüst, 1888: 198	E. Cret.	S
<i>Porodiscus tenuis</i>	Hinde, 1900: 22	Jur.	S
<i>Porodiscus triangularis</i>	Iacob & Nicorici, 1957: 10	L. Jur.	S
<i>Porodiscus triassicus</i>	Rüst, 1892b: 167	M. Tr.	S
<i>Porodiscus trigonus</i>	Ichikawa, 1950: 299	Tr.?	S
<i>Porodiscus vulgaris</i>	Lipman, 1952: 32	L. Cret.	S
<i>Poulpus carcharus</i>	Sugiyama, 1997: 166	L. Tr.	N
<i>Poulpus ? caveiformis</i>	Hori & Grant-Mackie in Hori et al., 2003: 48	E. Tr.	N
<i>Poulpus curvispinus</i>	Dumitrica, Kozur & Mostler, 1980: 22	M. Tr.	N
<i>Poulpus curvispinus praecurvispinus</i>	Kozur & Mostler, 1994: 116	M. Tr.	N
<i>Poulpus gracilis</i>	Kozur & Mostler, 1994: 117	M. Tr.	N
<i>Poulpus haeckeli</i>	Yeh, 1987a: 94	E. Jur.	N
<i>Poulpus hirsutus</i>	De Wever, 1982: 191	E. Jur.	N
<i>Poulpus illyricus</i>	Kozur & Mostler, 1994: 117	M. Tr.	N
<i>Poulpus karnicus</i>	Yeh, 1989: 74	L. Tr.	N

<i>Poulpus longicephalis</i>	Kozur & Mostler, 1994: 118	M. Tr.	N
<i>Poulpus lupheri</i>	Yeh, 1987a: 94	E. Jur.	N
<i>Poulpus nakasekoi</i>	Sugiyama, 1992: 1196	M. Tr.	N
<i>Poulpus nishimurae</i>	Sugiyama, 1992: 1196	E. Tr.	N
<i>Poulpus oculatus</i>	De Wever, 1982: 191	E. Jur.	N
<i>Poulpus pansus</i>	De Wever in De Wever et al., 1979: 96	L. Tr.	N
<i>Poulpus phasmatodes</i>	De Wever in De Wever et al., 1979: 96	L. Tr.	N
<i>Poulpus piabyx</i> (T)	De Wever in De Wever et al., 1979: 98	L. Tr.	N
<i>Poulpus reschi</i>	Kozur & Mostler, 1979a: 87	L. Tr.	N
<i>Poulpus transitus</i>	Kozur & Mostler, 1981: 81	L. Tr.	N
<i>Praeacanthocircus carnicus</i> (Ts)	Kozur & Mostler, 1983: 27	L. Tr.	N
<i>Praeacanthocircus spinosus</i>	Kozur & Mostler, 1990: 211	E. Jur.	S
<i>Praeacaneta mimetica</i>	Dumitrica in Dumitrica et al., 1997a: 47	E. Cret.	N
<i>Praecatenopyle drocensis</i> (T)	Dumitrica, 1989: 232	L. Jur.	S
<i>Praecitriduma apexensis</i>	Carter, 1993: 98	L. Tr.	N
<i>Praecitriduma canthofistula</i>	Carter, 1993: 99	L. Tr.	N
<i>Praecitriduma mostleri</i> (T)	Kozur, 1984: 67	L. Tr.	N
<i>Praeconocaryomma bajaensis</i>	Whalen in Goričan et al., 2006: 322	E. Jur.	S
<i>Praeconocaryomma californianaensis</i>	Pessagno, 1976: 41	L. Cret.	S
<i>Praeconocaryomma copiosa</i>	Wu, 1986: 357	L. Cret.	S
<i>Praeconocaryomma decora</i>	Yeh, 1987a: 39	E. Jur.	S
<i>Praeconocaryomma excelsa</i>	Ellis, 1993: 967	E. Cret.	S
<i>Praeconocaryomma ? fasciata</i>	Carter in Carter et al., 1988: 31	E. Jur.	S
<i>Praeconocaryomma globosa</i>	Wu, 1986: 357	L. Cret.	S
<i>Praeconocaryomma ? hexacubica</i> (T)	Baumgartner, 1984: 780	M. Jur.	S
<i>Praeconocaryomma immodica</i>	Pessagno & Poisson, 1981: 57	L. Jur.	S
<i>Praeconocaryomma irregularis</i>	Li & Wu, 1985: 64	L. Cret.	S
<i>Praeconocaryomma jiangzeensis</i>	Wu & Li, 1982: 65	E. Cret.	S
<i>Praeconocaryomma lipmanae</i>	Pessagno, 1976: 41	L. Cret.	S
<i>Praeconocaryomma ? matsuokai</i>	Kiessling, 1999: 27	L. Jur.	S
<i>Praeconocaryomma media</i>	Pessagno & Poisson, 1981: 57	E. Jur.	S
<i>Praeconocaryomma parvimmamma</i>	Pessagno & Poisson, 1981: 58	E. Jur.	S
<i>Praeconocaryomma prisca</i>	Pessagno, 1977b: 33	E. Cret.	S
<i>Praeconocaryomma regularis</i>	Wu & Li, 1982: 65	E. Cret.	S
<i>Praeconocaryomma regularis spinosa</i>	Wu & Li, 1982: 65	E. Cret.	S
<i>Praeconocaryomma sarahae</i>	Carter in Goričan et al., 2006: 328	E. Jur.	S
<i>Praeconocaryomma splendida</i>	Yeh, 1987a: 40	E. Jur.	S
<i>Praeconocaryomma uhlensis</i>	Pessagno, 1977b: 34	E. Cret.	S
<i>Praeconocaryomma universa</i> (T)	Pessagno, 1976: 42	L. Cret.	S
<i>Praeconocaryomma whiteavesi</i>	Carter in Carter et al., 1988: 31	E. Jur.	S
<i>Praeconocaryomma ? yakounensis</i>	Carter in Goričan et al., 2006: 330	E. Jur.	S
<i>Praeconocaryomma scatebra</i>	Hull, 1997: 65	L. Jur.	S
<i>Praeconosphaera multiconus</i>	Yang, 1993: 104	L. Jur.	S
<i>Praeconosphaera spinosa</i>	Yang, 1993: 105	L. Jur.	S
<i>Praedivatella bulbosa</i>	Kozur & Mostler, 2006: 52	M. Tr.	E
<i>Praedivatella latispinosa</i>	Kozur & Mostler, 2006: 53	M. Tr.	E
<i>Praedivatella latotuba</i>	Kozur & Mostler, 2006: 53	M. Tr.	E
<i>Praedivatella ? longobardica</i>	Kozur & Mostler, 2006: 53	M. Tr.	E
<i>Praedivatella pannosa</i>	Kozur & Mostler, 2006: 54	M. Tr.	E
<i>Praedivatella rugosa</i> (Ts)	Kozur & Mostler, 2006: 52	M. Tr.	E
<i>Praedruppatractylis pessagnoii</i> (Ts)	Kozur & Mostler, 1979a: 82	L. Tr.	E
<i>Praeflustrella ruesti</i>	Kozur & Mostler, 1978: 130	E. Jur.	S
<i>Praegomberellus pulcher</i> (T)	Kozur & Mostler, 1994: 58	M. Tr.	S
<i>Praeheliostaurus goestlingensis</i> (T)	Kozur & Mostler, 1972: 26	L. Tr.	E
<i>Praeheliostaurus levis</i>	Kozur & Mostler, 1972: 26	L. Tr.	E
<i>Praeheliostaurus multidentatus</i>	Lahm, 1984: 106	L. Tr.	E
<i>Praeheliostaurus undulatus</i>	Kolar-Jurkovsek, 1989: 164	M. Jur.	E
<i>Praehexasaturnalis germanicus</i>	Kozur & Mostler, 1990: 195	E. Jur.	S
<i>Praehexasaturnalis kirchsteinensis</i>	Kozur & Mostler, 1990: 195	E. Jur.	S
<i>Praehexasaturnalis merici</i>	Tekin, 2002a: 184	E. Jur.	S
<i>Praehexasaturnalis poultoni</i>	Whalen & Carter in Carter et al., 1998: 54	E. Jur.	S
<i>Praehexasaturnalis tetraradiatus</i>	Kozur & Mostler, 1990: 195	E. Jur.	S
<i>Praemesosaturnalis acanthicus</i>	Bragin, 2007: 997	L. Tr.	S
<i>Praemesosaturnalis ellipticus</i>	Tekin, 1999: 112	L. Tr.	S
<i>Praemesosaturnalis heilongjiangensis</i>	Yang & Mizutani, 1991: 67	L. Tr.	S
<i>Praemesosaturnalis heilongjiangensis aksekiensis</i>	Tekin, 2002b: 424	L. Tr.	S
<i>Praemesosaturnalis nobleae</i>	Tekin, 2002b: 426	L. Tr.	S
<i>Praemesosaturnalis ? ormites</i>	Sugiyama, 1997: 167	L. Tr.	S

<i>Praemesosaturnalis pseudokahleri</i>	Sugiyama, 1997: 167	L. Tr.	S
<i>Praemesosaturnalis rugosus yehae</i>	Tekin, 1999: 113	L. Tr.	S
<i>Praemesosaturnalis spiralis</i>	Bragin, 2007: 996	L. Tr.	S
<i>Praenanina veghae</i> (T)	Kozur in Kozur & Mostler, 1994: 247	L. Tr.	S
<i>Praeorbiculiformella goestlingensis</i>	Kozur & Mostler, 1978: 164	L. Tr.	S
<i>Praeorbiculiformella karnica</i>	Kozur & Mostler, 1978: 165	L. Tr.	S
<i>Praeorbiculiformella latimarginata</i>	Kozur & Mostler, 1978: 165	L. Tr.	S
<i>Praeorbiculiformella ? lomgonensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 58	E. Jur.	S
<i>Praeorbiculiformella plana</i> (T)	Kozur & Mostler, 1978: 164	L. Tr.	S
<i>Praeorbiculiformella polyspinosa</i>	Kozur & Mostler, 1978: 166	L. Tr.	S
<i>Praeorbiculiformella robusta</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 58	E. Jur.	S
<i>Praeorbiculiformella vulgaris</i>	Kozur & Mostler, 1978: 166	L. Tr.	S
<i>Praeorbiculiformella yanensis</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 58	E. Jur.	S
<i>Praeparvingula bandaensis</i>	Pessagno & Hull, 2002: 250	L. Jur.	N
<i>Praeparvingula deadhorsensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 146	L. Jur.	N
<i>Praeparvingula donnae</i>	Bragin, 1997: 292	L. Jur.	N
<i>Praeparvingula gemmata</i>	Hull, 1995: 36	L. Jur.	N
<i>Praeparvingula hurdygurdyensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 148	L. Jur.	N
<i>Praeparvingula ? nebulosa</i>	Hull, 1995: 38	L. Jur.	N
<i>Praeparvingula packsaddlensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 150	L. Jur.	N
<i>Praeparvingula ? proiecta</i>	Kiessling, 1999: 53	L. Jur.	N
<i>Praeparvingula rotunda</i>	Hull, 1995: 40	L. Jur.	N
<i>Praeparvingula saltata</i>	Hull, 1995: 40	L. Jur.	N
<i>Praeparvingula sencilla</i>	Hull, 1995: 42	L. Jur.	N
<i>Praeparvingula siskiyouensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 152	L. Jur.	N
<i>Praeparvingula tiellensis</i>	Carter in Gorican <i>et al.</i> , 2006: 340	M. Jur.	N
<i>Praeprotunuma antiqua</i> (T)	Tekin, 1999: 171	L. Tr.	N
<i>Praewillriedellum cephalospinosum</i> (T)	Kozur, 1984: 51	M. Jur.	N
<i>Praewillriedellum spinosum</i>	Kozur, 1984: 52	M. Jur.	N
<i>Praexitus ? verrucosus</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 56	E. Cret.	N
<i>Praezhamoidellum buekkense</i>	Kozur, 1984: 54	M. Jur.	N
<i>Praezhamoidellum yaoci</i> (Ts)	Kozur, 1984: 53	M. Jur.	N
<i>Prismatium insigne</i>	Rüst, 1888: 204	E. Cret.	S
<i>Prismatium spinosum</i>	Rüst, 1888: 204	E. Cret.	S
<i>Proparvingula moniliformis</i> (T)	Carter, 1993: 106	L. Tr.	N
<i>Protocystis naibiensis</i>	Bragina, 2003b: 10	L. Cret.	P
<i>Protocystis pacifica</i>	Dumitrica & Hollis, 2004: 131	L. Cret.	P
<i>Protokatroma aquila</i> (Ts)	Whalen & Carter in Carter <i>et al.</i> , 1998: 61	E. Jur.	N
<i>Protokatroma busuanguensis</i>	Yeh & Cheng, 1998: 30	E. Jur.	N
<i>Protoperispyridium hippaensis</i>	Carter in Carter <i>et al.</i> , 1988: 59	E. Jur.	E
<i>Protoperispyridium oregonense</i> (Ts)	Yeh, 1987a: 91	E. Jur.	E
<i>Protopsium ehrenbergi</i> (T)	Pessagno & Poisson, 1981: 53	E. Jur.	S
<i>Protopsium gesponsa</i>	De Wever, 1981c: 145	E. Jur.	S
<i>Protopsium ispartaense</i>	Pessagno & Poisson, 1981: 53	E. Jur.	S
<i>Protopsium libidonosum</i>	De Wever, 1981c: 145	E. Jur.	S
<i>Protopsium posinos</i>	De Wever, 1981c: 146	E. Jur.	S
<i>Protosphaera hexagonalis</i> (Td)	Cayeux, 1897: 186	L. Cret.	S
<i>Protosphaera multifurca</i>	Cayeux, 1897: 186	L. Cret.	S
<i>Protostichocapsa streckta</i>	Empson-Morin, 1982: 516	L. Cret.	N
<i>Protovallupus busuangaensis</i>	Cheng, 1992: 21	L. Jur.	S
<i>Protovallupus delicatus</i>	Cheng, 1992: 22	L. Jur.	S
<i>Protovallupus difficilis</i>	Kiessling, 1999: 24	L. Jur.	S
<i>Protovallupus directus</i>	Cheng, 1992: 22	L. Jur.	S
<i>Protovallupus excellens</i>	Yang & Pessagno, 1989: 131	L. Jur.	S
<i>Protovallupus firmus</i>	Cheng, 1992: 23	L. Jur.	S
<i>Protovallupus limbis</i>	Cheng, 1992: 23	L. Jur.	S
<i>Protovallupus mirificus</i>	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 28	L. Jur.	S
<i>Protovallupus tagwmpayensis</i>	Cheng, 1992: 24	L. Jur.	S
<i>Protovallupus tetlamaensis</i>	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 29	L. Jur.	S
<i>Protovallupus unicus</i>	Cheng, 1992: 24	L. Jur.	S
<i>Protovallupus vaticinus</i> (T)	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 29	L. Jur.	S
<i>Protovallupus yangi</i>	Cheng, 1992: 25	L. Jur.	S
<i>Protovallupus yehae</i>	Cheng, 1992: 25	L. Jur.	S
<i>Protoxiphotractus ? fischeri</i>	Pessagno, 1973: 81	L. Jur.	S
<i>Protoxiphotractus kirbyi</i>	Pessagno, 1973: 83	L. Cret.	S
<i>Protoxiphotractus machinosus</i>	O'Dogherty, 1994: 276	L. Cret.	S
<i>Protoxiphotractus perplexus</i> (T)	Pessagno, 1973: 83	L. Cret.	S
<i>Protoxiphotractus ventosus</i>	O'Dogherty, 1994: 277	L. Cret.	S

<i>Protoxiphotractus wilsoni</i>	Hollis, 1997: 38	L. Cret. S
<i>Protunuma disticha</i>	Li, 1986: 314	L. Jur. N
<i>Protunuma europaeus</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty et al., 2006: 433	M. Jur. N
<i>Protunuma fusiformis</i> (T)	Ichikawa & Yao, 1976: 116	M. Jur. N
<i>Protunuma ? haoi</i>	Wu, 2000: 304	L. Jur. N
<i>Protunuma japonicus</i>	Matsuoka & Yao, 1985: 130	L. Jur. N
<i>Protunuma ? lanosus</i>	Ozoldova in Sykora & Ozoldova, 1996: 23	M. Jur. N
<i>Protunuma ? ochiensis</i>	Matsuoka, 1983: 26	M. Jur. N
<i>Protunuma paulsmithi</i>	Carter in Carter et al., 1988: 54	E. Jur. N
<i>Protunuma quadriperforatus</i>	O'Dogherty & Goričan, 2002: 36	M. Jur. N
<i>Protunuma turbo</i>	Matsuoka, 1983: 24	M. Jur. N
<i>Prunobrachium ? auklandensis</i>	Pessagno, 1975: 1014	L. Cret. S
<i>Prunobrachium incisum</i>	Kozlova in Kozlova & Gorbovetz, 1966: 66	L. Cret. S
<i>Prunobrachium kennetti</i>	Pessagno, 1975: 1015	L. Cret. S
<i>Prunobrachium longum</i>	Pessagno, 1975: 1015	L. Cret. S
<i>Prunopyle stanislavi</i>	Vishnevskaya, 2002: 6	L. Cret. S
<i>Prunulum calococcus</i>	Rüst, 1892a: 105	L. Cret. S
<i>Pseudacanthocircus baumgartneri</i>	Kozur & Mostler, 1990: 208	E. Jur. S
<i>Pseudacanthocircus laevis</i>	Kozur & Mostler, 1990: 208	E. Jur. S
<i>Pseudacanthocircus mediospinosus</i> (T)	Kozur & Mostler, 1990: 208	E. Jur. S
<i>Pseudacanthocircus mocki</i>	Kozur & Mostler, 1990: 209	E. Jur. S
<i>Pseudacanthocircus pseudosimplex</i>	Kozur & Mostler, 1990: 209	E. Jur. S
<i>Pseudacanthocircus terminospinosus</i>	Kozur & Mostler, 1990: 209	E. Jur. S
<i>Pseudacanthocircus troegeri</i>	Kozur & Mostler, 1990: 210	E. Jur. S
<i>Pseudoacanthocircus sugiyamai</i>	Tekin, 1999: 116	L. Tr. S
<i>Pseudoacanthosphaera galeata</i>	O'Dogherty, 1994: 297	E. Cret. S
<i>Pseudoaulophacus alekseevi</i>	Vishnevskaya, 2007: 498	L. Cret. S
<i>Pseudoaulophacus circularis</i>	Bragina, 2004: S425	L. Cret. S
<i>Pseudoaulophacus colburni</i>	Pessagno, 1972: 303	L. Cret. S
<i>Pseudoaulophacus delvallensis</i>	Pessagno, 1976: 27	L. Cret. S
<i>Pseudoaulophacus ? florealis</i>	Jud, 1994: 95	E. Cret. S
<i>Pseudoaulophacus floresensis</i> (T)	Pessagno, 1963: 200	L. Cret. S
<i>Pseudoaulophacus pargueraensis</i>	Pessagno, 1963: 204	L. Cret. S
<i>Pseudoaulophacus ? pauliani</i>	Jud, 1994: 95	E. Cret. S
<i>Pseudoaulophacus polonicus</i>	Gorka, 1989: 337	L. Cret. S
<i>Pseudoaulophacus praefloresensis</i>	Pessagno, 1972: 309	L. Cret. S
<i>Pseudoaulophacus putahensis</i>	Pessagno, 1972: 310	L. Cret. S
<i>Pseudoaulophacus riedeli</i>	Pessagno, 1976: 28	L. Cret. S
<i>Pseudoaulophacus stellatus</i>	Vishnevskaya, 1991b: 90	E. Cret. S
<i>Pseudoaulophacus turcensis</i>	Bragina, 2004: S427	L. Cret. S
<i>Pseudoaulophacus venadoensis</i>	Pessagno, 1972: 311	L. Cret. S
<i>Pseudoaulophacus vielseitigus</i>	Empson-Morin, 1981: 257	L. Cret. S
<i>Pseudoaulophacus vistulae</i>	Gorka, 1989: 337	L. Cret. S
<i>Pseudocanoptum ampulla</i>	Suzuki, 1997: 366	E. Jur. N
<i>Pseudocanoptum gracile</i> (Ts)	Suzuki, 1997: 366	E. Jur. N
<i>Pseudocrolanium cristatum</i>	Jud, 1994: 96	E. Cret. N
<i>Pseudocrolanium fluegeli</i> (T)	Jud, 1994: 96	E. Cret. N
<i>Pseudocrucella adriani</i>	Baumgartner, 1980: 291	L. Jur. S
<i>Pseudocrucella ? baroni</i>	Cordey, 1998: 70	E. Jur. S
<i>Pseudocrucella beata</i>	Yeh, 1987a: 28	E. Jur. S
<i>Pseudocrucella carpenterensis</i>	Cordey, 1998: 69	E. Jur. S
<i>Pseudocrucella ehrenbergi</i>	Hull, 1997: 46	L. Jur. S
<i>Pseudocrucella haeckeli</i>	Yang, 1993: 32	L. Jur. S
<i>Pseudocrucella hilara</i>	Yeh, 1987a: 28	E. Jur. S
<i>Pseudocrucella jurassica</i>	Yeh, 1987a: 29	E. Jur. S
<i>Pseudocrucella kubischa</i>	Empson-Morin, 1981: 258	L. Cret. S
<i>Pseudocrucella magna</i>	Blome, 1984b: 351	M. Jur. S
<i>Pseudocrucella ? ornata</i>	De Wever, 1981b: 32	E. Jur. S
<i>Pseudocrucella pecta</i>	Yeh, 1987a: 29	E. Jur. S
<i>Pseudocrucella plana</i>	Blome, 1984b: 351	M. Jur. S
<i>Pseudocrucella prava</i>	Blome, 1984b: 352	M. Jur. S
<i>Pseudocrucella procera</i>	Ozoldova in Ozoldova & Sykora, 1984: 270	L. Jur. S
<i>Pseudocrucella schiarizzai</i>	Cordey, 1998: 69	E. Jur. S
<i>Pseudodictyomitra altiturris</i>	Dumitrica in Dumitrica et al., 1997a: 32	E. Cret. N
<i>Pseudodictyomitra blabla</i>	Schaaf, 1981: 436	E. Cret. N
<i>Pseudodictyomitra camajuanica</i>	Vishnevskaya, 1991b: 95	E. Cret. N
<i>Pseudodictyomitra conicostriata</i>	Dumitrica in Dumitrica et al., 1997a: 32	E. Cret. N
<i>Pseudodictyomitra depressa</i> (T)	Baumgartner, 1984: 782	E. Cret. N

<i>Pseudodictyomitra lanceloti</i>	Schaaf, 1981: 436	E. Cret. N
<i>Pseudodictyomitra languida</i>	O'Dogherty, 1994: 107	E. Cret. N
<i>Pseudodictyomitra lodogaensis</i>	Pessagno, 1977b: 50	E. Cret. N
<i>Pseudodictyomitra matsuoikai</i>	Dumitrica in Dumitrica et al., 1997a: 35	E. Cret. N
<i>Pseudodictyomitra minoensis</i>	Mizutani, 1981: 178	L. Jur. N
<i>Pseudodictyomitra nakasekoi</i>	Taketani, 1982: 60	L. Cret. N
<i>Pseudodictyomitra nodocostata</i>	Dumitrica in Dumitrica et al., 1997a: 34	E. Cret. N
<i>Pseudodictyomitra okamurai</i>	Mizutani, 1981: 178	L. Jur. N
<i>Pseudodictyomitra pachicostata</i>	Wu & Li, 1982: 69	L. Cret. N
<i>Pseudodictyomitra pentacolaensis</i> (T)	Pessagno, 1977b: 50	E. Cret. N
<i>Pseudodictyomitra primitiva</i> (T)	Matsuoka & Yao, 1985: 131	L. Jur. N
<i>Pseudodictyomitra quasilodogaensis</i>	Bragina, 2004: S367	L. Cret. N
<i>Pseudodictyomitra recta</i>	Vishnevskaya, 1991b: 95	E. Cret. N
<i>Pseudodictyomitra rigida</i>	Wu, 1986: 358	L. Cret. N
<i>Pseudodictyomitra suyarii</i>	Dumitrica in Dumitrica et al., 1997a: 36	E. Cret. N
<i>Pseudodictyomitra thurowi</i>	Dumitrica in Dumitrica et al., 1997a: 36	E. Cret. N
<i>Pseudodictyomitra vestalensis</i>	Pessagno, 1977b: 51	L. Cret. N
<i>Pseudodictyomitrella badouxi</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty et al., 2006: 439	M. Jur. N
<i>Pseudodictyomitrella escheri</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty et al., 2006: 440	M. Jur. N
<i>Pseudodictyomitrella renevieri</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty et al., 2006: 440	M. Jur. N
<i>Pseudodictyomitrella spinosa</i> (T)	Grill & Kozur, 1986: 253	M. Jur. N
<i>Pseudodictyomitrella wallacheri</i>	Grill & Kozur, 1986: 253	M. Jur. N
<i>Pseudoertlispongus angulatus</i>	Kozur, 1996: 291	M. Tr. S
<i>Pseudoertlispongus mostleri</i>	Kozur, 1996: 292	M. Tr. S
<i>Pseudoertlispongus mostleri siciliensis</i>	Kozur, 1996: 293	M. Tr. S
<i>Pseudoertlispongus weddigei</i> (Ts)	Lahm, 1984: 46	M. Tr. S
<i>Pseudoeucyrtis ? absconditus</i>	Dumitrica in Dumitrica et al., 1997a: 64	E. Cret. N
<i>Pseudoeucyrtis acus</i>	Jud, 1994: 99	E. Cret. N
<i>Pseudoeucyrtis angusta</i>	Whalen & Carter in Carter et al., 1998: 73	E. Jur. N
<i>Pseudoeucyrtis apochrypha</i>	O'Dogherty, 1994: 182	E. Cret. N
<i>Pseudoeucyrtis ? aspera</i>	Jud, 1994: 100	E. Cret. N
<i>Pseudoeucyrtis buekkensis</i>	Grill & Kozur, 1986: 251	M. Jur. N
<i>Pseudoeucyrtis corpulentus</i>	Dumitrica in Dumitrica et al., 1997a: 64	E. Cret. N
<i>Pseudoeucyrtis cylindrata</i>	Hori, 1999: 85	L. Jur. N
<i>Pseudoeucyrtis elongata</i>	Grill & Kozur, 1986: 252	M. Jur. N
<i>Pseudoeucyrtis firmus</i>	Hull, 1997: 158	L. Jur. N
<i>Pseudoeucyrtis fullerensis</i>	Whalen & Carter in Carter et al., 1998: 74	E. Jur. N
<i>Pseudoeucyrtis ? fusus</i>	Jud, 1994: 100	E. Cret. N
<i>Pseudoeucyrtis levis</i>	Hori, 1999: 87	L. Jur. N
<i>Pseudoeucyrtis liui</i>	Feng, 1992: without description	E. Tr. N
<i>Pseudoeucyrtis paskentaensis</i>	Pessagno, 1977b: 59	E. Cret. N
<i>Pseudoeucyrtis reticularis</i>	Matsuoka & Yao, 1985: 132	L. Jur. N
<i>Pseudoeucyrtis safraensis</i>	Dumitrica & Goričan in Goričan et al., 2006: 352	E. Jur. N
<i>Pseudoeucyrtis sceptrum</i>	Jud, 1994: 101	E. Cret. N
<i>Pseudoeucyrtis tavricus</i>	Bragina, 2004: S389	L. Cret. N
<i>Pseudogodia deweveri</i>	Carter in Goričan et al., 2006: 354	E. Jur. S
<i>Pseudogodia sonmezi</i> (T)	Tekin, 1999: 120	M. Tr. S
<i>Pseudohagiastrium giganteum</i>	Carter & Hori, 2005: 787	E. Jur. S
<i>Pseudohagiastrium longabrachiatum</i>	Carter, 1993: 88	L. Tr. S
<i>Pseudohagiastrium monstrosus</i> (T)	Pessagno in Pessagno et al., 1979: 165	L. Tr. S
<i>Pseudohagiastrium ? tasuense</i>	Carter, 1993: 89	L. Tr. S
<i>Pseudoheliodiscus alpinus</i>	Kozur & Mostler, 1990: 189	E. Jur. S
<i>Pseudoheliodiscus carteri</i>	Rose, 1994: 255	L. Tr. S
<i>Pseudoheliodiscus ? concordis</i> (T)	De Wever, 1981c: 141	E. Jur. S
<i>Pseudoheliodiscus donofrioi</i>	Kozur & Mostler, 1983: 22	L. Tr. S
<i>Pseudoheliodiscus elongatus</i>	Tekin, 1999: 114	L. Tr. S
<i>Pseudoheliodiscus finchi</i>	Pessagno in Pessagno et al., 1979: 170	L. Tr. S
<i>Pseudoheliodiscus glyptispinatus</i>	Zhang, 1990: 171	L. Tr. S
<i>Pseudoheliodiscus huangi</i>	Yeh, 1990: 17	L. Tr. S
<i>Pseudoheliodiscus ? inaequispinosus</i>	Kozur & Mostler, 1990: 190	E. Jur. S
<i>Pseudoheliodiscus ? interruptus</i>	Kozur & Mostler, 1983: 23	L. Tr. S
<i>Pseudoheliodiscus massivus</i>	Kozur & Mostler, 1990: 190	E. Jur. S
<i>Pseudoheliodiscus nevianii</i>	Kozur & Mostler, 1990: 191	E. Jur. S
<i>Pseudoheliodiscus palawanensis</i>	Yeh, 1990: 18	L. Tr. S
<i>Pseudoheliodiscus pamphylensis</i>	De Wever, 1981c: 142	E. Jur. S
<i>Pseudoheliodiscus poissoni</i>	De Wever, 1981c: 142	E. Jur. S
<i>Pseudoheliodiscus radiosus</i>	De Wever, 1981c: 143	E. Jur. S
<i>Pseudoheliodiscus riedeli</i> (T)	Kozur & Mostler, 1972: 25	L. Tr. S



<i>Pseudoheliodiscus robustospinosus</i>	Kozur & Mostler, 1990: 190	E. Jur.	S
<i>Pseudoheliodiscus rotundus</i>	Yang & Mizutani, 1991: 69	E. Jur.	S
<i>Pseudoheliodiscus rugosus</i>	Yeh, 1990: 19	L. Tr.	S
<i>Pseudoheliodiscus sandspitensis</i>	Blome, 1984a: 27	L. Tr.	S
<i>Pseudoheliodiscus ussuriensis</i>	Bragin, 1991c: 94	L. Tr.	S
<i>Pseudoheliodiscus viejoensis</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 171	L. Tr.	S
<i>Pseudoheliodiscus yaoi</i>	Pessagno & Poisson, 1981: 55	E. Jur.	S
<i>Pseudoheptacladus asymmetricus</i>	Lahm, 1984: 31	M. Tr.	E
<i>Pseudoheptacladus tener</i> (Ts)	Lahm, 1984: 31	M. Tr.	E
<i>Pseudohigumastra minuta</i> (T)	Yang, 1993: 34	L. Jur.	S
<i>Pseudohsuum laxum</i> (T)	Zhang, 1990: 182	E. Jur.	N
<i>Pseudohsuum regulare</i>	Zhang, 1990: 182	E. Jur.	N
<i>Pseudolivarella barkhami</i> (Ti)	Rose, 1994: 357	L. Tr.	N
<i>Pseudopantanelium floridum</i> (T)	Yeh, 1987a: 50	E. Jur.	S
<i>Pseudopoulpus acutipodium</i>	Takemura, 1986: 40	M. Jur.	N
<i>Pseudopoulpus crassispinosus</i>	Dumitrica & Zügel, 2003: 32	L. Jur.	N
<i>Pseudopoulpus deweveri</i>	Yeh, 1987a: 87	E. Jur.	N
<i>Pseudopoulpus pessagnoii</i>	Yeh, 1987a: 89	E. Jur.	N
<i>Pseudopoulpus spinosus</i>	Kiessling, 1999: 64	L. Jur.	N
<i>Pseudopoulpus tenuihirsutus</i>	Dumitrica & Zügel, 2003: 34	L. Jur.	N
<i>Pseudopoulpus yamatoensis</i> (T)	Takemura, 1986: 40	M. Jur.	N
<i>Pseudoristola clava</i>	Hull, 1997: 160	L. Jur.	N
<i>Pseudoristola faceta</i> (T)	Yeh, 1987a: 95	E. Jur.	N
<i>Pseudoristola horni</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 437	M. Jur.	N
<i>Pseudoristola megaglobosa</i>	Yeh, 1987a: 96	E. Jur.	N
<i>Pseudoristola nova</i>	Yang & Wang, 1990: 213	L. Jur.	N
<i>Pseudoristola obesa</i>	Yeh, 1987a: 96	E. Jur.	N
<i>Pseudosaturiniforma carnica</i>	Kozur & Mostler, 1979a: 92	L. Tr.	N
<i>Pseudosaturiniforma ladinica</i>	Tekin & Mostler, 2005b: 13	M. Tr.	N
<i>Pseudosaturiniforma latimarginata</i> (T)	Kozur & Mostler, 1979a: 91	L. Tr.	N
<i>Pseudosaturiniforma minuta</i>	Blome, 1984a: 52	L. Tr.	N
<i>Pseudosepsagon ? emonaensis</i>	Goričan <i>in</i> Ramovs & Goričan, 1995: 188	M. Tr.	E
<i>Pseudosepsagon illyricus</i>	Kozur & Mostler, 1994: 51	M. Tr.	E
<i>Pseudosepsagon pentaspinosus</i> (T)	Kozur & Mostler, 1994: 50	M. Tr.	E
<i>Pseudostylosphaera goricanae</i>	Kozur, Krainer & Mostler, 1996b: 213	M. Tr.	E
<i>Pseudostylosphaera gracilis</i> (T)	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 32	L. Tr.	E
<i>Pseudostylosphaera kozuri</i>	Sugiyama, 1992: 1208	E. Tr.	E
<i>Pseudostylosphaera longispinosa</i>	Kozur & Mostler, 1981: 32	M. Tr.	E
<i>Pseudostylosphaera longobardica</i>	Kozur & Mostler, 1981: 33	M. Tr.	E
<i>Pseudostylosphaera magnispinosa</i>	Yeh, 1989: 63	M. Tr.	E
<i>Pseudostylosphaera mostleri</i>	Tekin <i>in</i> Tekin & Göncüoğlu, 2007: 142	L. Tr.	E
<i>Pseudostylosphaera multispinata</i>	Tekin & Mostler, 2005b: 2	M. Tr.	E
<i>Pseudostylosphaera oblonga</i>	Tekin & Mostler, 2005b: 3	M. Tr.	E
<i>Pseudostylosphaera postjaponica</i>	Kozur & Mostler, 1994: 44	M. Tr.	E
<i>Pseudostylosphaera postjaponica slovakensis</i>	Kozur <i>in</i> Kozur <i>et al.</i> , 1995: 161	M. Tr.	E
<i>Pseudostylosphaera procera</i>	Tekin & Mostler, 2005b: 3	M. Tr.	E
<i>Pseudostylosphaera sirena</i>	Zhang, 1990: 168	L. Tr.	E
<i>Pseudostylosphaera slovenica</i>	Kolar-Jurkovsek, 1989: 158	M. Jur.	E
<i>Pseudostylosphaera spinosa</i>	Kozur & Mostler, 1981: 33	L. Tr.	E
<i>Pseudostylosphaera sudari</i>	Kolar-Jurkovsek, 1989: 158	M. Jur.	E
<i>Pseudostylosphaera timorensis</i>	Sashida & Kamata <i>in</i> Sashida <i>et al.</i> , 1999a: 770	M. Tr.	E
<i>Pseudotheocampe abschnitta</i> (T)	Empson-Morin, 1981: 264	L. Cret.	N
<i>Pseudotriassocampe angustiannulata</i>	Kozur & Mostler, 1994: 137	M. Tr.	N
<i>Pseudotriassocampe hungarica</i> (T)	Kozur & Mostler, 1994: 137	M. Tr.	N
<i>Pseudotriassocampe longispinosa</i>	Kozur & Mostler, 1994: 138	M. Tr.	N
<i>Pseudovum cenepasinum</i> (T)	Cordey, 1998: 127	L. Tr.	N
<i>Pseudoxitus angulatus</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 60	E. Cret.	N
<i>Pseudoxitus bonus</i>	Wu, 1993: 127	E. Cret.	N
<i>Pseudoxitus inflatus</i> (T)	Wu, 1993: 127	E. Cret.	N
<i>Pseudoxitus insolitus</i>	Wu, 1993: 127	E. Cret.	N
<i>Pseudoxitus laguncula</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 60	E. Cret.	N
<i>Pseudoxitus omanensis</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 61	E. Cret.	N
<i>Pseudoxitus seriola</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 61	E. Cret.	N
<i>Psilomelissa pyrocephala</i>	Rüst, 1898: 42	L. Jur.	N
<i>Pterocanium venustum</i>	Rüst, 1898: 49	L. Jur.	N
<i>Pterocorys euganea</i>	Squinabol, 1903: 134	L. Cret.	N
<i>Pterocorys longispina</i>	Squinabol, 1914: 280	E. Cret.	N
<i>Pterocyrtidium porrectum</i>	Sarkisova, 2007: 502	L. Cret.	N

<i>Pterospongius alatus</i>	Dumitrica, 1982a: 69	M. Tr.	S
<i>Pterospongius altofissus</i>	Kozur & Mostler, 1996b: 112	M. Tr.	S
<i>Pterospongius aquila</i>	Dosztaly, 1991: 343	M. Tr.	S
<i>Pterospongius bogdani</i>	Kolar-Jurkovsek, 1989: 160	M. Jur.	S
<i>Pterospongius incissus</i>	Dumitrica, 1982a: 69	M. Tr.	S
<i>Pterospongius parvifissus</i>	Kozur & Mostler, 1996b: 113	M. Tr.	S
<i>Pterospongius patrulei</i> (T)	Dumitrica, 1982a: 68	M. Tr.	S
<i>Pterospongius priscus</i>	Kozur & Mostler, 1996b: 113	M. Tr.	S
<i>Pterospongius priscus tortilis</i>	Kozur & Mostler, 1996b: 114	M. Tr.	S
<i>Pterospongius undulatus</i>	Dumitrica, 1982a: 69	L. Tr.	S
<i>Pterotrabs arcuballista</i> (T)	Dumitrica, Baumgartner & Goričan, 1997b: 176	L. Jur.	S
<i>Pterotrabs marculus</i>	Dumitrica, Baumgartner & Goričan, 1997b: 174	M. Jur.	S
<i>Pterotrabs victoria</i>	Dumitrica, Baumgartner & Goričan, 1997b: 178	L. Jur.	S
<i>Pyloctostylus apenninicus</i>	Dumitrica, 1994: 240	E. Cret.	E
<i>Pyloctostylus nazarovi</i> (T)	Dumitrica, 1994: 237	E. Cret.	E
<i>Pyloctostylus ormistoni</i>	Dumitrica, 1994: 238	L. Cret.	E
<i>Pyloctostylus ? piriformis</i>	Dumitrica, 1994: 244	L. Cret.	E
<i>Pylostephanidium clavator</i> (T)	Dumitrica, 1978a: 34	M. Tr.	E
<i>Pyramispongia glascoekensis</i>	Pessagno, 1973: 79	L. Cret.	S
<i>Pyramispongia magnifica</i> (T)	Pessagno, 1973: 80	L. Cret.	S
<i>Pyrumella sapunovi</i> (Td)	Tikhomirova, 1989: 41	E. Jur.	N
<i>Quadrigastrum insulsum</i>	O'Dogherty, 1994: 343	L. Cret.	S
<i>Quadrigastrum lapideum</i>	O'Dogherty, 1994: 342	L. Cret.	S
<i>Quadrigastrum oculus</i> (T)	O'Dogherty, 1994: 342	L. Cret.	S
<i>Quadrisaturnalis dickinsoni</i>	Yeh, 1989: 50	L. Tr.	E
<i>Quadrisaturnalis grandis</i> (T)	Yeh, 1989: 50	L. Tr.	E
<i>Quadrisaturnalis quadratus</i>	Yeh, 1989: 51	L. Tr.	E
<i>Quarkus madstonensis</i> (T)	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 159	M. Jur.	N
<i>Quarticella conica</i>	Takemura, 1986: 59	M. Jur.	N
<i>Quarticella dura</i>	Takemura, 1986: 60	M. Jur.	N
<i>Quarticella hunzikeri</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 438	M. Jur.	N
<i>Quarticella levis</i>	Takemura, 1986: 59	M. Jur.	N
<i>Quarticella ovalis</i> (T)	Takemura, 1986: 58	M. Jur.	N
<i>Quarticella ? quinaria</i>	Takemura, 1986: 60	M. Jur.	N
<i>Quarticella spinosa</i>	Takemura, 1986: 59	M. Jur.	N
<i>Quasipetasus disertus</i>	Blome, 1984a: 57	L. Tr.	N
<i>Quasipetasus insolitus</i> (Ts)	Blome, 1984a: 58	L. Tr.	N
<i>Quasipetasus tubus</i>	Yeh, 1989: 74	L. Tr.	N
<i>Quinquecapsularia grandiloqua</i>	O'Dogherty, 1994: 270	L. Cret.	E
<i>Quinquecapsularia megasphaerica</i>	Dumitrica & Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 468	L. Jur.	E
<i>Quinquecapsularia panacea</i>	O'Dogherty, 1994: 270	L. Cret.	E
<i>Quinquecapsularia spinosa</i> (T)	Pessagno, 1971b: 364	L. Cret.	E
<i>Radium pessagnoii</i> (T)	Yeh, 1989: 67	M. Tr.	E
<i>Raoultius calcar</i> (T)	De Wever, 1982: 218	E. Jur.	N
<i>Recoarella hexaspinosa</i> (T)	Lahm, 1984: 54	M. Tr.	S
<i>Recoarella recoarense</i> (T)	Dumitrica, 1982b: 81	M. Tr.	N
<i>Relanus hettangicus</i>	Kozur & Mostler, 1990: 220	E. Jur.	N
<i>Relanus longus</i>	Kozur & Mostler, 1990: 221	E. Jur.	N
<i>Relanus multiperforatus</i>	Kozur & Mostler, 1990: 221	E. Jur.	N
<i>Relanus reefensis</i> (Ts)	Pessagno & Whalen, 1982: 125	E. Jur.	N
<i>Relanus striatus</i>	Kozur & Mostler, 1990: 221	E. Jur.	N
<i>Religa globosa</i> (T)	Whalen & Carter, 2002: 144	E. Jur.	N
<i>Relindella hexaspinosa</i> (T)	Dumitrica, Kozur & Mostler, 1980: 9	M. Tr.	S
<i>Renilia hexaspinosa</i> (T)	Kozur & Mostler, 1981: 24	M. Tr.	S
<i>Renzium adversum</i>	Blome, 1983: 40	L. Tr.	S
<i>Renzium tricarinarum</i>	Tekin, 1999: 96	L. Tr.	S
<i>Renzium webergorum</i> (T)	Blome, 1983: 42	L. Tr.	S
<i>Renzium whalenae</i>	Tekin <i>in</i> Tekin & Yurtsever, 2003: 154	L. Tr.	S
<i>Reticulotubulus foremanae</i> (T)	Takemura, 1986: 64	M. Jur.	N
<i>Reticulotubulus tintinnabulum</i>	Dumitrica & Zügel, 2003: 46	L. Jur.	N
<i>Rhabdolithis ? devaensis</i>	Dumitrica, 2004: 215	L. Cret.	N
<i>Rhaphidococcus lurianensis</i> (Td)	Pantaneli, 1880: 46	L. Jur.	S
<i>Rhaphidococcus pusillus</i>	Rüst, 1885: 289	L. Jur.	S
<i>Rhodosphaera crassa</i>	Vinassa de Regny, 1899: 221	L. Jur.	S
<i>Rhodosphaera elegans</i>	Vinassa de Regny, 1899: 221	L. Jur.	S
<i>Rhodosphaera hexazonata</i>	Hojnos, 1916: 344	E. Cret.	S
<i>Rhodosphaera mamillosa</i>	Rüst, 1898: 6	L. Jur.	S
<i>Rhodosphaera oligoporus</i>	Hojnos, 1916: 344	E. Cret.	S

<i>Rhodosphaera parvispina</i>	Protescu, 1936: 531	L. Jur.	S
<i>Rhodosphaera sexactinia</i>	Vinassa de Regny, 1899: 221	L. Jur.	S
<i>Rhombodictyum perspicum</i> (Td)	Hojnos, 1916: 349	E. Cret.	S
<i>Rhopalastrum attenuatum</i>	Lipman, 1952: 37	L. Cret.	S
<i>Rhopalastrum capellinii</i>	Vinassa de Regny, 1900: 339	L. Jur.	S
<i>Rhopalastrum carcinoides</i>	Neviani, 1900: 656	L. Jur.	S
<i>Rhopalastrum clava</i>	Vinassa de Regny, 1900: 340	L. Jur.	S
<i>Rhopalastrum clavatum</i>	Squinabol, 1903: 122	L. Cret.	S
<i>Rhopalastrum contractum</i>	Rüst, 1885: 297	L. Jur.	S
<i>Rhopalastrum dalpiazi</i>	Squinabol, 1914: 277	E. Cret.	S
<i>Rhopalastrum deperditum</i>	Squinabol, 1914: 276	E. Cret.	S
<i>Rhopalastrum dilatatum</i>	Rüst, 1885: 298	L. Jur.	S
<i>Rhopalastrum fabianii</i>	Squinabol, 1914: 274	E. Cret.	S
<i>Rhopalastrum flabellum</i>	Ichikawa, 1950: 303	Tr.?	S
<i>Rhopalastrum henlei</i>	Rüst, 1898: 26	L. Jur.	S
<i>Rhopalastrum hungaricum</i>	Hojnos, 1916: 346	E. Cret.	S
<i>Rhopalastrum inaequale</i>	Rüst, 1898: 27	L. Jur.	S
<i>Rhopalastrum ingens</i>	Lipman, 1952: 36	L. Cret.	S
<i>Rhopalastrum irregulare</i>	Squinabol, 1903: 122	L. Cret.	S
<i>Rhopalastrum kobayashii</i>	Ichikawa, 1950: 302	Tr.?	S
<i>Rhopalastrum lissanensis</i>	Vinassa de Regny, 1900: 339	L. Jur.	S
<i>Rhopalastrum neviranii</i>	Squinabol, 1903: 122	L. Cret.	S
<i>Rhopalastrum nudum</i>	Rüst, 1885: 297	L. Jur.	S
<i>Rhopalastrum obtusum</i>	Iacob & Nicorici, 1957: 11	L. Jur.	S
<i>Rhopalastrum paenorbis</i>	Rüst, 1885: 298	L. Jur.	S
<i>Rhopalastrum pedemontanum</i>	Squinabol, 1912: 284	L. Jur.	S
<i>Rhopalastrum proavatum</i> (Td)	Rüst, 1885: 297	L. Jur.	S
<i>Rhopalastrum processum</i>	Rüst, 1885: 297	L. Jur.	S
<i>Rhopalastrum rectangulum</i>	Rüst, 1898: 27	L. Jur.	S
<i>Rhopalastrum retusum</i>	Rüst, 1888: 200	E. Cret.	S
<i>Rhopalastrum rossicum</i>	Lipman, 1968: 162	L. Cret.	S
<i>Rhopalastrum rotundatum</i>	Rüst, 1885: 298	L. Jur.	S
<i>Rhopalastrum speciosum</i>	Squinabol, 1904: 203	L. Cret.	S
<i>Rhopalastrum ? spinosum</i>	Parona, 1890: 159	L. Jur.	S
<i>Rhopalastrum spinosum</i>	Neviani, 1900: 655	L. Jur.	S
<i>Rhopalastrum subretusum</i>	Khabakov, 1937: 107	E. Cret.	S
<i>Rhopalastrum subulatum</i>	Rüst, 1898: 27	L. Jur.	S
<i>Rhopalastrum terebra</i>	Rüst, 1885: 298	L. Jur.	S
<i>Rhopalastrum tortum</i>	Hinde, 1900: 25	Jur.	S
<i>Rhopalastrum tricollicum</i>	Aliev, 1965: 30	E. Cret.	S
<i>Rhopalastrum trigonale</i>	Lipman, 1952: 36	L. Cret.	S
<i>Rhopalastrum trixiphus</i>	Rüst, 1898: 27	L. Jur.	S
<i>Rhopalastrum tuberosum</i>	Rüst, 1885: 297	L. Jur.	S
<i>Rhopalastrum tumidum</i>	Lipman, 1952: 37	L. Cret.	S
<i>Rhopalastrum tumidum</i>	Rüst, 1885: 298	L. Jur.	S
<i>Rhopalastrum ? unicum</i>	Vinassa de Regny, 1899: 231	L. Jur.	S
<i>Rhopalodictyum bisulcum</i>	Rüst, 1885: 300	L. Jur.	N
<i>Rhopalodictyum claviformis</i>	Kozur & Mostler, 1978: 147	L. Tr.	N
<i>Rhopalodictyum fragilis</i>	Kozur & Mostler, 1978: 148	L. Tr.	N
<i>Rhopalodictyum glaber</i>	Kozur & Mostler, 1978: 148	L. Tr.	N
<i>Rhopalodictyum hirsutum</i>	Kozur & Mostler, 1978: 148	L. Tr.	N
<i>Rhopalodictyum nudum</i>	Kozur & Mostler, 1978: 149	L. Tr.	N
<i>Rhopalodictyum parvispinosum</i>	Kozur & Mostler, 1978: 149	L. Tr.	N
<i>Rhopalodictyum reiflingensis</i>	Kozur & Mostler, 1978: 150	L. Tr.	N
<i>Rhopalodictyum robustum</i>	Kozur & Mostler, 1978: 150	L. Tr.	N
<i>Rhopalodictyum simoni</i>	Kozur & Mostler, 1978: 151	L. Tr.	N
<i>Rhopalodictyum suborbiformis</i>	Kozur & Mostler, 1978: 151	L. Tr.	N
<i>Rhopalodictyum trammeri</i>	Kozur & Mostler, 1978: 152	L. Tr.	N
<i>Rhopalosyringium adriaticum</i>	O'Dogherty, 1994: 169	L. Cret.	N
<i>Rhopalosyringium antirrhopum</i>	Riedel & Sanfilippo, 1974: 780	L. Cret.	N
<i>Rhopalosyringium colpodes</i>	Foreman, 1968: 57	L. Cret.	N
<i>Rhopalosyringium elasson</i>	Foreman, 1968: 55	L. Cret.	N
<i>Rhopalosyringium hispidum</i>	O'Dogherty, 1994: 167	L. Cret.	N
<i>Rhopalosyringium kleinum</i>	Empson-Morin, 1981: 265	L. Cret.	N
<i>Rhopalosyringium magnificum</i> (T)	Campbell & Clark, 1944: 30	L. Cret.	N
<i>Rhopalosyringium majuroensis</i>	Schaaf, 1981: 437	E. Cret.	N
<i>Rhopalosyringium obiraensis</i>	Taketani, 1982: 70	L. Cret.	N
<i>Rhopalosyringium perforaculum</i>	O'Dogherty, 1994: 163	E. Cret.	N

<i>Rhopalosyringium radiosum</i>	O'Dogherty, 1994: 169	L. Cret. N
<i>Rhopalosyringium scissum</i>	O'Dogherty, 1994: 168	L. Cret. N
<i>Rhopalosyringium solivagum</i>	O'Dogherty, 1994: 163	E. Cret. N
<i>Rhopalosyringium sparnon</i>	Foreman, 1968: 56	L. Cret. N
<i>Rhopalastrum pistillum</i>	Hinde, 1908: 706	Tr. S
<i>Rhopalastrum verbeeki</i>	Hinde, 1908: 706	Tr. S
<i>Riedelius microceras</i>	De Wever, 1982: 201	E. Jur. N
<i>Riedelius orthoceras</i>	De Wever, 1982: 200	E. Jur. N
<i>Riedelius patulus</i>	De Wever, 1982: 200	E. Jur. N
<i>Riedelius williami</i> (T)	De Wever, 1982: 201	E. Jur. N
<i>Rikivatella ? hericius</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 22	E. Cret. S
<i>Rikivatella nodosospinosa</i> (T)	Kozur & Mostler, 1981: 52	M. Tr. S
<i>Risella ellisensis</i>	Carter, 1993: 72	L. Tr. S
<i>Risella stalkungiensis</i>	Carter, 1993: 74	L. Tr. S
<i>Risella tangilensis</i>	Carter, 1993: 75	L. Tr. S
<i>Risella tledoensis</i> (T)	Carter, 1993: 75	L. Tr. S
<i>Ristola altissima major</i>	Baumgartner & De Wever in Baumgartner <i>et al.</i> , 1995: 474	M. Jur. N
<i>Ristola altissima nodosa</i>	Hori, 1999: 98	L. Jur. N
<i>Ristola asparagus</i>	Jud, 1994: 101	E. Cret. N
<i>Ristola ? bala</i>	Hull, 1995: 42	L. Jur. N
<i>Ristola decora</i> (Ts)	Pessagno & Whalen, 1982: 148	M. Jur. N
<i>Ristola firma</i>	Hull, 1995: 43	L. Jur. N
<i>Ristola macrocephala</i>	Wu, 2000: 303	L. Jur. N
<i>Ristola magnifica</i>	Wu, 1993: 125	L. Jur. N
<i>Ristola martae</i>	Jud, 1994: 102	E. Cret. N
<i>Ristola nakatonbetsensis</i>	Tumanda, 1989: 31	E. Cret. N
<i>Ristola ? praemirifusus</i>	Baumgartner & Bartolini in Baumgartner <i>et al.</i> , 1995: 478	M. Jur. N
<i>Ristola prisca</i>	Blome, 1984b: 364	M. Jur. N
<i>Ristola ? turpicula</i>	Pessagno & Whalen, 1982: 150	M. Jur. N
<i>Rolimbus beatus</i>	Yeh, 1987a: 76	E. Jur. N
<i>Rolimbus gastili</i>	Pessagno <i>et al.</i> , 1986: 26	E. Jur. N
<i>Rolimbus halseyensis</i>	Pessagno <i>et al.</i> , 1986: 28	E. Jur. N
<i>Rolimbus hamiltoni</i>	Pessagno <i>et al.</i> , 1986: 26	E. Jur. N
<i>Rolimbus hilarus</i>	Yeh, 1987a: 77	E. Jur. N
<i>Rolimbus kiustaense</i>	Carter in Carter <i>et al.</i> , 1988: 58	E. Jur. N
<i>Rolimbus lautus</i>	Yeh, 1987a: 77	E. Jur. N
<i>Rolimbus mirus</i> (Ts)	Pessagno <i>et al.</i> , 1986: 28	E. Jur. N
<i>Rolimbus venustus</i>	Pessagno <i>et al.</i> , 1986: 29	E. Jur. N
<i>Rotaforma hessi</i>	Pessagno, 1970: 16	L. Cret. N
<i>Rotaforma mirabilis</i> (T)	Pessagno, 1970: 16	L. Cret. N
<i>Rotaforma volatilis</i>	O'Dogherty, 1994: 238	E. Cret. N
<i>Rüstia elegantula</i> (Td)	Vinassa de Regny, 1899: 226	L. Jur. S
<i>Ruesticyrtium coronatum</i>	Kozur, Moix & Ozsvárt, 2007a: 155	L. Tr. N
<i>Ruesticyrtium georgi georgi</i>	Kozur, Moix & Ozsvárt, 2007a: 156	L. Tr. N
<i>Ruesticyrtium georgi novemdentatum</i>	Kozur, Moix & Ozsvárt, 2007a: 157	L. Tr. N
<i>Ruesticyrtium goczani</i>	Kozur & Mostler, 1981: 95	L. Tr. N
<i>Ruesticyrtium latidentatum</i>	Kozur, Moix & Ozsvárt, 2007a: 157	L. Tr. N
<i>Ruesticyrtium lobatum</i>	Kozur, Moix & Ozsvárt, 2007a: 158	L. Tr. N
<i>Ruesticyrtium longum</i>	Kozur & Mostler, 1981: 96	L. Tr. N
<i>Ruesticyrtium mostleri</i>	Kozur, Moix & Ozsvárt, 2007a: 158	L. Tr. N
<i>Ruesticyrtium rieberi</i> (T)	Kozur & Mostler, 1979a: 101	L. Tr. N
<i>Ruesticyrtium robustum</i>	Kozur & Mostler, 1981: 96	L. Tr. N
<i>Saitoum ambiguum</i>	Dumitrica & Zügel, 2003: 23	L. Jur. N
<i>Saitoum bicorniculatum</i>	Dumitrica & Zügel, 2003: 23	L. Jur. N
<i>Saitoum cepeki</i>	Schaaf, 1981: 437	E. Cret. N
<i>Saitoum corniculum</i>	De Wever, 1981a: 9	L. Jur. N
<i>Saitoum coronarium</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 68	E. Jur. N
<i>Saitoum curtipes</i>	Dumitrica & Zügel, 2003: 24	L. Jur. N
<i>Saitoum curvipedatum</i>	De Wever, 1982: 192	E. Jur. N
<i>Saitoum ? delicatum</i>	Dumitrica & Zügel, 2003: 24	L. Jur. N
<i>Saitoum decourti</i>	Widz & De Wever, 1993: 85	L. Jur. N
<i>Saitoum dickinsoni</i>	Yeh, 1987a: 98	E. Jur. N
<i>Saitoum differtum</i>	Dumitrica & Zügel, 2003: 24	L. Jur. N
<i>Saitoum elegans</i>	De Wever, 1981a: 9	E. Cret. N
<i>Saitoum kapewinteri</i>	Dumitrica & Zügel, 2003: 26	L. Jur. N
<i>Saitoum keki</i>	De Wever, 1982: 192	E. Jur. N
<i>Saitoum labeosum</i>	Dumitrica & Zügel, 2003: 26	L. Jur. N
<i>Saitoum levium</i>	De Wever, 1981a: 10	L. Jur. N

<i>Saitoum macilentum</i>	Dumitrica & Zügel, 2003: 28	L. Jur.	N
<i>Saitoum ? mercuriale</i>	O'Dogherty, 1994: 245	E. Cret.	N
<i>Saitoum ? minai</i> (T)	Whalen & Carter, 2002: 130	E. Jur.	N
<i>Saitoum pagei</i> (T)	Pessagno, 1977a: 98	L. Jur.	N
<i>Saitoum reticulatum</i>	Dumitrica & Zügel, 2003: 28	L. Jur.	N
<i>Saitoum smithi</i>	Yeh, 1987a: 98	E. Jur.	N
<i>Saitoum thayeri</i>	Yeh, 1987a: 98	E. Jur.	N
<i>Saitoum trichylum</i>	De Wever, 1981a: 11	L. Jur.	N
<i>Saitoum triumphense</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 68	E. Jur.	N
<i>Saitoum virgulispina</i>	Dumitrica & Zügel, 2003: 30	L. Jur.	N
<i>Saitulpus neojurassicus</i>	Dumitrica & Zügel, 2003: 31	L. Jur.	N
<i>Saitulpus retrospina</i> (T)	Dumitrica & Zügel, 2003: 31	L. Jur.	N
<i>Saitulpus spinipes</i>	Dumitrica & Zügel, 2003: 32	L. Jur.	N
<i>Saldorfus coldspringensis</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 126	L. Jur.	S
<i>Saldorfus oregonensis</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 127	M. Jur.	S
<i>Salpingocapsa mira</i> (Td)	Rüst, 1885: 307	L. Jur.	N
<i>Sanfilippoella carterae</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 184	L. Tr.	N
<i>Sanfilippoella costata</i>	Kozur & Mostler, 1981: 100	L. Tr.	N
<i>Sanfilippoella laevis</i>	Kozur & Mostler, 1994: 111	M. Tr.	N
<i>Sanfilippoella magnispinosa</i>	Kozur & Mostler, 1981: 100	L. Tr.	N
<i>Sanfilippoella recta</i>	Kozur & Mostler, 1981: 101	L. Tr.	N
<i>Sanfilippoella tortilis</i> (T)	Kozur & Mostler, 1979a: 93	L. Tr.	N
<i>Sanfilippoella lengeranlii</i>	Tekin, 1999: 160	L. Tr.	N
<i>Sanniopileus stultissimus</i>	Dumitrica & Zügel, 2003: 44	L. Jur.	N
<i>Sanniopileus stultus</i> (T)	Dumitrica & Zügel, 2003: 44	L. Jur.	N
<i>Santonaella longoriai</i>	Yang, 1993: 50	L. Jur.	S
<i>Santonaella obesa</i>	Yang, 1993: 52	L. Jur.	S
<i>Sarla ? anisica</i>	Kozur & Mostler, 1994: 77	M. Tr.	S
<i>Sarla ariana</i> (Ts)	Cordey <i>et al.</i> , 1988: 32	M. Tr.	S
<i>Sarla delicata</i>	Blome, 1983: 18	L. Tr.	S
<i>Sarla dispiralis</i>	Bragin, 1986: 67	M. Tr.	S
<i>Sarla ? externa</i>	Blome, 1983: 18	L. Tr.	S
<i>Sarla formosa</i>	Yeh, 1989: 54	L. Tr.	S
<i>Sarla integrita</i>	Cordey <i>et al.</i> , 1988: 33	M. Tr.	S
<i>Sarla ? kretaensis</i> (T)	Kozur & Krahl, 1984: 401	M. Tr.	E
<i>Sarla kretaensis robusta</i>	Dosztaly, 1989: 197	M. Tr.	S
<i>Sarla natividadensis</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 174	L. Tr.	S
<i>Sarla plena</i>	Blome, 1983: 19	L. Tr.	S
<i>Sarla prietoensis</i> (T)	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 174	L. Tr.	S
<i>Sarla robusta</i>	Tekin, 1999: 86	L. Tr.	S
<i>Sarla simplex</i>	Cordey, 1998: 66	L. Tr.	S
<i>Sarla soustra</i>	Cordey <i>et al.</i> , 1988: 33	M. Tr.	S
<i>Sarla triangulata</i>	Yeh, 1989: 54	L. Tr.	S
<i>Sarla vetusta</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 174	L. Tr.	S
<i>Sarla vizcainoensis</i>	Pessagno <i>in</i> Pessagno <i>et al.</i> , 1979: 175	L. Tr.	S
<i>Saturnalis amissus</i>	Squinabol, 1914: 296	E. Cret.	S
<i>Saturnalis ? bifurcatus</i>	Zhamoida <i>in</i> Zhamoida <i>et al.</i> , 1968: 38	L. Cret.	S
<i>Saturnalis brustolensis</i> (T)	Squinabol, 1903: 112	L. Cret.	S
<i>Saturnalis ? deiropede</i>	Foreman, 1968: 12	L. Cret.	S
<i>Saturnalis dicranacanthos</i>	Squinabol, 1914: 289	L. Jur.	S
<i>Saturnalis ellipticus</i>	Squinabol, 1903: 111	L. Cret.	S
<i>Saturnalis euganeus</i>	Squinabol, 1914: 300	L. Cret.	S
<i>Saturnalis fossilis</i>	Parona, 1890: 150	L. Jur.	S
<i>Saturnalis irregularis</i>	Squinabol, 1914: 295	E. Cret.	S
<i>Saturnalis italicus</i>	Squinabol, 1914: 292	E. Cret.	S
<i>Saturnalis korjakensis</i>	Zhamoida, 1972: 105	L. Jur.	S
<i>Saturnalis lateralis</i>	Campbell & Clark, 1944: 6	L. Cret.	S
<i>Saturnalis major</i>	Squinabol, 1914: 288	L. Jur.	S
<i>Saturnalis minimus</i>	Squinabol, 1914: 287	L. Jur.	S
<i>Saturnalis multidentatus</i>	Squinabol, 1914: 298	E. Cret.	S
<i>Saturnalis novalensis</i>	Squinabol, 1914: 268	E. Cret.	S
<i>Saturnalis polymorphus</i>	Squinabol, 1914: 293	E. Cret.	S
<i>Saturnalis simplex</i>	Squinabol, 1914: 286	L. Jur.	S
<i>Saturnalis ? spinosus</i>	Zhamoida <i>in</i> Zhamoida <i>et al.</i> , 1968: 37	L. Cret.	S
<i>Saturnalis subquadratus</i>	Donofrio & Mostler, 1978: 40	L. Cret.	S
<i>Saturnalis variabilis</i>	Squinabol, 1914: 291	L. Jur.	S
<i>Saturnalis venetus</i>	Squinabol, 1914: 269	E. Cret.	S
<i>Saturniforma abastrum</i>	Pessagno, 1970: 18	L. Cret.	N



<i>Saturniforma brionesensis</i>	Pessagno, 1970: 18	L. Cret. N
<i>Saturniforma caelestium</i> (T)	Pessagno, 1970: 19	L. Cret. N
<i>Saturniforma corona</i>	Pessagno, 1970: 19	L. Cret. N
<i>Saturniforma peregrina</i>	Pessagno, 1970: 20	L. Cret. N
<i>Saturnosphaera acifer</i>	Tikhomirova, 1975: 55	L. Tr. S
<i>Saturnosphaera gracilis</i> (Ts)	Tikhomirova, 1975: 54	L. Tr. S
<i>Saturnosphaera pileata</i>	Nakaseko & Nishimura, 1979: 74	L. Tr. S
<i>Saturnosphaera shengi</i>	Yang & Mizutani, 1991: 71	L. Tr. S
<i>Saturnosphaera triassica</i>	Nakaseko & Nishimura, 1979: 74	L. Tr. S
<i>Saturnosphaera zhangii</i>	Yang & Mizutani, 1991: 71	L. Tr. S
<i>Saturnulus dizonium</i>	Rüst, 1898: 8	L. Jur. S
<i>Saturnulus furcatus</i>	Rüst, 1898: 8	L. Jur. S
<i>Saturnulus trizonalis</i> (T)	Rüst, 1898: 9	L. Jur. S
<i>Savaryella guexi</i> (T)	Jud, 1994: 103	E. Cret. S
<i>Savaryella sinistra</i>	O'Dogherty, 1994: 371	E. Cret. S
<i>Savaryella spatulata</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 27	E. Cret. S
<i>Savaryella spinosa</i>	O'Dogherty, 1994: 373	L. Cret. S
<i>Savaryella stella</i>	O'Dogherty, 1994: 374	L. Cret. S
<i>Schaafella deweveri</i>	Vishnevskaya in Basov & Vishnevskaya, 1991: 166	E. Cret. N
<i>Schaafella nodosa</i>	Vishnevskaya in Basov & Vishnevskaya, 1991: 166	E. Cret. N
<i>Schaafella tochilinae</i> (T)	Vishnevskaya in Basov & Vishnevskaya, 1991: 167	E. Cret. N
<i>Schadelfusslerus echtus</i> (Ts)	Empson-Morin, 1981: 276	L. Cret. N
<i>Schadelfusslerus ? valgus</i>	De Wever, Bourdillon-de Grissac & Beurrier, 1988: 168	L. Cret. N
<i>Schaumellus aufragendus</i> (T)	Empson-Morin, 1981: 274	L. Cret. N
<i>Sciadiocapsa causia</i>	Foreman, 1968: 45	L. Cret. N
<i>Sciadiocapsa euganea</i> (Td)	Squinabol, 1904: 211	L. Cret. N
<i>Sciadiocapsa hybrida</i>	O'Dogherty, 1994: 232	L. Cret. N
<i>Sciadiocapsa multiradiata</i>	O'Dogherty, 1994: 234	L. Cret. N
<i>Sciadiocapsa patera</i>	O'Dogherty, 1994: 228	E. Cret. N
<i>Sciadiocapsa pertica</i>	O'Dogherty, 1994: 230	L. Cret. N
<i>Sciadiocapsa petasus</i>	Foreman, 1968: 45	L. Cret. N
<i>Sciadiocapsa ptesimolecis</i>	Foreman, 1968: 44	L. Cret. N
<i>Sciadiocapsa ? rugosa</i>	Bragina, 2008: 132	L. Cret. N
<i>Sciadiocapsa ? baileyi</i>	Pessagno, 1969: 414	L. Cret. N
<i>Sciadiocapsa ? campbelli</i>	Pessagno, 1969: 415	L. Cret. N
<i>Sciadiocapsa ? rumseyensis</i>	Pessagno, 1969: 416	L. Cret. N
<i>Scutispongus alienus</i>	Kozur & Mostler, 1996b: 136	M. Tr. S
<i>Scutispongus baloghi</i>	Kozur & Mostler, 1996b: 136	M. Tr. S
<i>Scutispongus bicornutus</i>	Kozur & Mostler, 1996b: 137	M. Tr. S
<i>Scutispongus bituberosus</i>	Kozur & Mostler, 1996b: 137	M. Tr. S
<i>Scutispongus bogdani ancoraeformis</i>	Kozur & Mostler, 1996b: 135	M. Tr. S
<i>Scutispongus cephalus</i>	Kozur & Mostler, 1996b: 137	M. Tr. S
<i>Scutispongus dumitricai</i>	Kozur & Mostler, 1996b: 138	M. Tr. S
<i>Scutispongus gackoensis</i>	Kozur & Mostler, 1996b: 138	M. Tr. S
<i>Scutispongus ? gracilispinosus</i>	Kozur & Mostler, 1996b: 139	M. Tr. S
<i>Scutispongus latus</i>	Kozur & Mostler, 1996b: 139	M. Tr. S
<i>Scutispongus longispinosus</i>	Kozur & Mostler, 1996b: 140	M. Tr. S
<i>Scutispongus mocki</i>	Kozur & Mostler, 1996b: 140	L. Tr. S
<i>Scutispongus ? parvifoliatus</i>	Kozur & Mostler, 1996b: 141	M. Tr. S
<i>Scutispongus ? parvifoliatus primitivus</i>	Kozur & Mostler, 1996b: 142	M. Tr. S
<i>Scutispongus ploechingeri</i>	Kozur & Mostler, 1996b: 142	M. Tr. S
<i>Scutispongus ploechingeri lobatus</i>	Kozur & Mostler, 1996b: 143	M. Tr. S
<i>Scutispongus reschi</i>	Kozur & Mostler, 1996b: 144	M. Tr. S
<i>Scutispongus rostratus incurvatus</i>	Kozur & Mostler, 1996b: 133	M. Tr. S
<i>Scutispongus rostratus minutispinus</i>	Kozur & Mostler, 1996b: 133	M. Tr. S
<i>Scutispongus sagittaeformis</i>	Kozur & Mostler, 1996b: 144	L. Tr. S
<i>Scutispongus semifusus</i>	Kozur & Mostler, 1996b: 145	M. Tr. S
<i>Scutispongus tortilispinus</i> (T)	Kozur & Mostler, 1996b: 131	M. Tr. S
<i>Scyphiforma cachensis</i> (Ts)	Pessagno, 1969: 417	L. Cret. N
<i>Semantis uncinata</i>	Rüst, 1888: 203	E. Cret. S
<i>Semihsuum biscuithillense</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 138	M. Jur. N
<i>Semihsuum brokencotense</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 138	M. Jur. N
<i>Semihsuum sourdoughense</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 139	M. Jur. N
<i>Senelella triassica</i> (T)	Tekin, 1999: 172	L. Tr. N
<i>Sepsagon aequispinosus</i>	Kolar-Jurkovsek, 1989: 160	M. Jur. E
<i>Sepsagon ? dercourti</i>	Kellici & De Wever, 1995: 157	M. Tr. E
<i>Sepsagon gaetani</i>	Kellici & De Wever, 1995: 158	M. Tr. E
<i>Sepsagon ladinicus</i>	Kozur & Mostler, 1994: 48	M. Tr. E

<i>Sepsagon longispinosus recoarensis</i>	Lahm, 1984: 40	M. Tr.	E
<i>Sepsagon ? robustus</i>	Lahm, 1984: 40	M. Tr.	E
<i>Sepsagon ? spiralis</i>	Xu, 1992: 146	L. Tr.	E
<i>Septinastrum dogeli</i> (Td)	Gorbovetz <i>in</i> Kozlova & Gorbovetz, 1966: 86	L. Cret.	S
<i>Sertasaturalis siliensis</i> (T)	Mostler & Krainer, 1994: 110	L. Tr.	S
<i>Setalella trispinosa</i> (T)	Kozur & Mostler, 1981: 80	M. Tr.	E
<i>Sethamphora pulchra</i>	Squinabol, 1904: 213	L. Cret.	N
<i>Sethamphora pyriformis</i>	Hinde, 1908: 708	Tr.	N
<i>Sethamphora squinaboli</i>	Hinde, 1908: 708	Tr.	N
<i>Sethocapsa accincta</i>	Steiger, 1992: 64	L. Jur.	N
<i>Sethocapsa aculeata</i>	Cortese, 1993: 179	M. Jur.	N
<i>Sethocapsa aculeata</i>	Parona, 1890: 165	L. Jur.	N
<i>Sethocapsa aitari</i>	Chiari, Marcucci & Prela, 2002: 74	M. Jur.	N
<i>Sethocapsa bossoensis</i>	Salvini & Marcucci, 1998: 793	L. Cret.	N
<i>Sethocapsa ? catharinae</i>	Parona, 1890: 166	L. Jur.	N
<i>Sethocapsa cetia</i>	Foreman, 1973: 267	E. Cret.	N
<i>Sethocapsa collaris</i>	Rüst, 1885: 307	L. Jur.	N
<i>Sethocapsa congduensis</i>	Li & Wu, 1985: 71	L. Cret.	N
<i>Sethocapsa crucigera</i>	Rüst, 1898: 46	L. Jur.	N
<i>Sethocapsa dolium</i>	Vinassa de Regny, 1901: 505	L. Cret.	N
<i>Sethocapsa dorysphaeroides</i>	Neviani, 1900: 660	L. Jur.	N
<i>Sethocapsa echinata</i>	Li & Wu, 1985: 71	L. Cret.	N
<i>Sethocapsa elevata</i> (Td)	Hinde, 1900: 29	Jur.	N
<i>Sethocapsa fabii</i>	Cortese, 1993: 178	M. Jur.	N
<i>Sethocapsa fossilis</i>	Squinabol, 1904: 216	L. Cret.	N
<i>Sethocapsa funatoensis</i>	Aita, 1987: 73	M. Jur.	N
<i>Sethocapsa globosa</i>	Rüst, 1885: 306	L. Jur.	N
<i>Sethocapsa gracilis</i>	Hinde, 1900: 30	Jur.	N
<i>Sethocapsa gutta</i>	Vinassa de Regny, 1900: 341	L. Jur.	N
<i>Sethocapsa hanigovcensis</i>	Hojnos, 1916: 352	E. Cret.	N
<i>Sethocapsa hashimotoi</i>	Tumanda, 1989: 31	E. Cret.	N
<i>Sethocapsa hastata</i>	Tan, 1927: 43	E. Cret.	N
<i>Sethocapsa hexagona</i>	Hori, 1999: 74	L. Jur.	N
<i>Sethocapsa hirta</i>	Vinassa de Regny, 1900: 342	L. Jur.	N
<i>Sethocapsa hispida</i>	Squinabol, 1904: 217	L. Cret.	N
<i>Sethocapsa horokanaiensis</i>	Kawabata, 1988: 4	L. Jur.	N
<i>Sethocapsa horrida</i>	Squinabol, 1912: 286	L. Jur.	N
<i>Sethocapsa intumescens</i>	Rüst, 1885: 306	L. Jur.	N
<i>Sethocapsa kaminogoensis</i>	Aita <i>in</i> Aita & Okada, 1986: 114	L. Jur.	N
<i>Sethocapsa kitoi</i>	Jud, 1994: 104	E. Cret.	N
<i>Sethocapsa kodrai</i>	Chiari, Marcucci & Prela, 2002: 74	M. Jur.	N
<i>Sethocapsa ? lagenaria</i>	Wu & Li, 1982: 70	L. Cret.	N
<i>Sethocapsa leiostraca</i>	Foreman, 1973: 268	E. Cret.	N
<i>Sethocapsa ? lineaplana</i>	Yang & Wang, 1990: 210	L. Jur.	N
<i>Sethocapsa macracanthina</i>	Neviani, 1900: 660	L. Jur.	N
<i>Sethocapsa martini</i>	Tan, 1927: 43	E. Cret.	N
<i>Sethocapsa megacephala</i>	Squinabol, 1904: 217	L. Cret.	N
<i>Sethocapsa microacanthos</i>	Squinabol, 1903: 133	L. Cret.	N
<i>Sethocapsa microceras</i>	Rüst, 1898: 46	L. Jur.	N
<i>Sethocapsa mucronata</i>	Squinabol, 1904: 217	L. Cret.	N
<i>Sethocapsa ? nakaensis</i>	Sashida & Uematsu, 1996: 62	L. Jur.	N
<i>Sethocapsa nobilis</i>	Tan, 1927: 43	E. Cret.	N
<i>Sethocapsa orbiculata</i>	Lozyniak, 1981: 66	L. Jur.	N
<i>Sethocapsa ? orca</i>	Foreman, 1975: 617	E. Cret.	N
<i>Sethocapsa pila</i>	Rüst, 1888: 208	E. Cret.	N
<i>Sethocapsa polyedra</i>	Steiger, 1992: 63	E. Cret.	N
<i>Sethocapsa polymasta</i>	Rüst, 1898: 46	L. Jur.	N
<i>Sethocapsa pomum</i>	Squinabol, 1903: 132	L. Cret.	N
<i>Sethocapsa prunoides</i>	Neviani, 1900: 659	L. Jur.	N
<i>Sethocapsa prunoides</i> var. <i>longicollis</i>	Neviani, 1900: 660	L. Jur.	N
<i>Sethocapsa prunum</i>	Vinassa de Regny, 1900: 342	L. Jur.	N
<i>Sethocapsa pseudouterculus</i>	Aita <i>in</i> Aita & Okada, 1986: 116	L. Jur.	N
<i>Sethocapsa pumilio</i>	Rüst, 1885: 306	L. Jur.	N
<i>Sethocapsa simplex</i>	Taketani, 1982: 63	L. Cret.	N
<i>Sethocapsa spinosa</i>	Parona, 1890: 166	L. Jur.	N
<i>Sethocapsa spinosa</i>	Vinassa de Regny, 1899: 233	L. Jur.	N
<i>Sethocapsa ? subcrassitestata</i>	Aita <i>in</i> Aita & Okada, 1986: 118	L. Jur.	N
<i>Sethocapsa taukhaensis</i>	Kemkin & Taketani, 2004: 331	L. Jur.	N

<i>Sethocapsa trachyostraca</i>	Foreman, 1973: 268	E. Cret. N
<i>Sethocapsa tricornis</i>	Jud, 1994: 105	E. Cret. N
<i>Sethocapsa tripes</i>	Yang, 1993: 131	L. Jur. N
<i>Sethocapsa yahazuensis</i>	Aita, 1987: 73	M. Jur. N
<i>Sethocapsa ? zweilii</i>	Jud, 1994: 106	E. Cret. N
<i>Sethocephalus clathratus</i>	Kozlova in Kozlova & Gorbovetz, 1966: 102	L. Cret. N
<i>Sethocephalus haeckeli</i>	Squinabol, 1903: 132	L. Cret. N
<i>Sethochytris orthoceras</i>	Rüst, 1898: 43	L. Jur. N
<i>Sethoconus (Conarachnium) mitchellensis</i>	Campbell & Clark, 1944: 27	L. Cret. N
<i>Sethoconus (Phlebarachnium) polycyrtis</i>	Campbell & Clark, 1944: 27	L. Cret. N
<i>Sethoconus amplus</i>	Rüst, 1898: 44	L. Jur. N
<i>Sethoconus cordayae</i>	Tan, 1927: 42	E. Cret. N
<i>Sethoconus ? deforme</i>	Neviani, 1900: 661	L. Jur. N
<i>Sethoconus gracilis</i>	Squinabol, 1903: 131	L. Cret. N
<i>Sethoconus nashi</i>	Tan, 1927: 43	E. Cret. N
<i>Sethoconus pulcher</i>	Squinabol, 1903: 131	L. Cret. N
<i>Sethoconus speciosus</i>	Squinabol, 1903: 131	L. Cret. N
<i>Sethocorys cepa</i>	Rüst, 1888: 207	E. Cret. N
<i>Sethocyrtis ambiguus</i>	Vishnevskaya, 1986: 148	L. Cret. N
<i>Sethocyrtis arrigens</i>	Rüst, 1898: 45	L. Jur. N
<i>Sethocyrtis communis</i>	Squinabol, 1904: 216	L. Cret. N
<i>Sethocyrtis ? hirsuta</i>	Squinabol, 1904: 215	L. Cret. N
<i>Sethocyrtis mosquensis</i>	Smirnova & Aliev in Aliev & Smirnova, 1969: 66	E. Cret. N
<i>Sethocyrtis multicristata</i>	Rüst, 1898: 45	L. Jur. N
<i>Sethocyrtis perneri</i>	Vinassa de Regny, 1899: 233	L. Jur. N
<i>Sethocyrtis perspicua</i>	Squinabol, 1904: 215	L. Cret. N
<i>Sethocyrtis tintinabulum</i>	Grigoryeva, 1975: 106	L. Cret. N
<i>Sethodiscus tholus</i> (Td)	Rüst, 1885: 306	L. Jur. N
<i>Sethophormis radiata</i>	Squinabol, 1903: 130	L. Cret. N
<i>Sethopilium acolle</i>	Rüst, 1898: 42	L. Jur. N
<i>Sethopilium acropus</i>	Rüst, 1898: 42	L. Jur. N
<i>Sethopilium stenostoma</i>	Rüst, 1898: 42	L. Jur. N
<i>Sethopyramis acuticephala</i>	Squinabol, 1904: 214	L. Cret. N
<i>Sethosphaera prisca</i>	Richter, 1925: 549	L. Cret. S
<i>Shana lii</i> (Ts)	Wu, 1993: 126	E. Cret. N
<i>Shana xialuensis</i>	Wu, 1993: 126	E. Cret. N
<i>Shengia nanpanensis</i> (Ti)	Feng, 1992: without description	E. Tr. N
<i>Shengia solida</i>	Feng, 1992: without description	E. Tr. N
<i>Silicarmiger costatus</i> (T)	Dumitrica, Kozur & Mostler, 1980: 23	M. Tr. N
<i>Silicarmiger costatus anisicus</i>	Kozur & Mostler, 1981: 104	M. Tr. N
<i>Silicarmiger costatus magnicornus</i>	Kozur & Mostler, 1994: 118	M. Tr. N
<i>Silicarmiger latus</i>	Kozur & Mostler, 1994: 119	M. Tr. N
<i>Silicarmiger latus longispinosus</i>	Kozur & Mostler, 1994: 119	M. Tr. N
<i>Silicarmiger latus mediospinosus</i>	Kozur & Mostler, 1994: 120	M. Tr. N
<i>Siphocampe alexandrae</i>	Khabakov, 1937: 114	E. Cret. N
<i>Siphocampe alexandrae wjatkensis</i>	Khabakov, 1937: 114	E. Cret. N
<i>Siphocampe praevanderhoofi</i>	Bragina, 2004: S388	L. Cret. N
<i>Siphocampe rostrata</i>	Khabakov, 1937: 115	E. Cret. N
<i>Siphocampe tenella</i>	Khabakov, 1937: 114	E. Cret. N
<i>Siphocampe turrita</i>	Rüst, 1898: 61	L. Jur. N
<i>Siphocampium accrescens</i> (Td)	Rüst, 1885: 311	L. Jur. N
<i>Siphocampium bicoronatum</i>	Rüst, 1885: 311	L. Jur. N
<i>Siphocampium ? davidi</i>	Schaaf, 1981: 437	E. Cret. N
<i>Siphocampium turricula</i>	Rüst, 1885: 311	L. Jur. N
<i>Solenotryma conicum</i>	Dumitrica, 1970: 82	L. Cret. N
<i>Solenotryma dacryodes</i> (T)	Foreman, 1968: 33	L. Cret. N
<i>Solenotryma ? ichikawai</i>	Matsuoka & Yao, 1985: 133	L. Jur. N
<i>Solenotryma immersa</i>	Tikhomirova, 1987b: 34	L. Jur. N
<i>Solenotryma japonica</i>	Taketani, 1982: 68	L. Cret. N
<i>Solenotryma keni</i>	Kocher, 1981: 91	L. Jur. N
<i>Solicubulus varastinensis</i> (T)	Dumitrica, 1983: 226	L. Jur. E
<i>Solidea hillhousei</i> (T)	Whalen & Carter in Carter et al., 1998: 81	E. Jur. N
<i>Solisaturnalis asymmetrica</i>	Mostler & Krainer, 1994: 106	M. Tr. E
<i>Solisaturnalis brevispinosa</i>	Mostler & Krainer, 1994: 107	M. Tr. E
<i>Solisaturnalis crassimaculata</i>	Mostler & Krainer, 1994: 107	M. Tr. E
<i>Solisaturnalis fissa</i>	Mostler & Krainer, 1994: 107	M. Tr. E
<i>Solisaturnalis lata</i>	Mostler & Krainer, 1994: 108	M. Tr. E
<i>Solisaturnalis longispinosa</i> (Ts)	Mostler & Krainer, 1994: 108	M. Tr. E

<i>Solisaturnalis praefissa</i>	Mostler & Krainer, 1994: 108	M. Tr.	E
<i>Sontonaella bona</i>	Yeh, 1987a: 45	E. Jur.	S
<i>Sontonaella concinna</i>	Yeh, 1987a: 45	E. Jur.	S
<i>Sontonaella fera</i>	Yeh, 1987a: 46	E. Jur.	S
<i>Sontonaella snowshoensis</i> (Ts)	Yeh, 1987a: 46	E. Jur.	S
<i>Sontonaella spongiosa</i>	Yeh, 1987a: 47	E. Jur.	S
<i>Sophia palfyi</i>	Whalen & Carter in Carter et al., 1998: 61	E. Jur.	S
<i>Sophia tuberosa</i> (Ts)	Whalen & Carter in Carter et al., 1998: 61	E. Jur.	S
<i>Sphaerocalpis haeckelii</i> (Td)	Wisniowski, 1888: 687	L. Jur.	S
<i>Sphaeropyle chonopora</i>	Tan, 1927: 34	E. Cret.	S
<i>Sphaeropyle fallax</i>	Tan, 1927: 34	E. Cret.	S
<i>Sphaeropyle macropyla</i>	Vinassa de Regny, 1899: 220	L. Jur.	S
<i>Sphaeropyle micropyla</i>	Vinassa de Regny, 1899: 220	L. Jur.	S
<i>Sphaeropyle nodosa</i>	Iacob & Nicorici, 1957: 9	L. Jur.	S
<i>Sphaeropyle nova</i>	Tan, 1927: 34	E. Cret.	S
<i>Sphaeropyle simplex</i>	Hinde, 1908: 703	Tr.	S
<i>Sphaeropyle thirencis</i>	Schaaf, 1981: 438	E. Cret.	S
<i>Sphaeropyle zonata</i>	Vinassa de Regny, 1899: 220	L. Jur.	S
<i>Sphaerostylus (Sphaerostylanthus) hastatus</i> (Ts)	Campbell & Clark, 1944: 5	L. Cret.	S
<i>Sphaerostylus tibetensis</i>	Sheng, 1976: 127	Tr.?	S
<i>Sphaerostylus weimeiensis</i>	Wang & Sheng, 1982: 84	L. Jur.	S
<i>Sphaerostylus zittelii</i> (Ts)	Rüst, 1885: 291	L. Jur.	S
<i>Sphaerozoum ? hexaspiculum</i>	Wisniowski, 1888: 681	L. Jur.	S
<i>Spicularina ericae</i> (Ts)	Donofrio, 1991: 207	L. Tr.	E
<i>Spinoellipsella densispinosa</i> (Ts)	Kozur & Mostler, 1990: 212	E. Jur.	S
<i>Spinoellipsella latispinosa</i>	Kozur & Mostler, 1990: 212	E. Jur.	S
<i>Spinohollisella bispinosa</i>	Kozur & Mostler, 2006: 39	M. Tr.	S
<i>Spinohollisella diversispinosa</i>	Kozur & Mostler, 2006: 40	M. Tr.	S
<i>Spinohollisella marginospinosa</i>	Kozur & Mostler, 2006: 40	M. Tr.	S?
<i>Spinohollisella trispinosa</i> (T)	Kozur & Mostler, 2006: 39	M. Tr.	S
<i>Spinolobocyrtilium flosculispinum</i> (T)	Kozur & Mostler, 2006: 65	M. Tr.	N
<i>Spinolobocyrtilium ozsvarti</i>	Kozur & Mostler, 2006: 65	M. Tr.	N
<i>Spinomersinella goricanae</i> (T)	Kozur, Moix & Ozsvárt, 2007c: 201	L. Tr.	N
<i>Spinomersinella multispinosa</i>	Kozur, Moix & Ozsvárt, 2007c: 202	L. Tr.	N
<i>Spinopaurinella furcata</i>	Kozur & Mostler, 2006: 34	M. Tr.	S
<i>Spinopaurinella irregularis</i>	Kozur & Mostler, 2006: 34	M. Tr.	S
<i>Spinopaurinella magnispinosa</i> (Ts)	Kozur & Mostler, 2006: 34	M. Tr.	S
<i>Spinopaurinella multispinosa</i>	Kozur & Mostler, 2006: 34	M. Tr.	S
<i>Spinopaurinella pugioformis</i>	Kozur & Mostler, 2006: 35	M. Tr.	S
<i>Spinopoulpus noricus</i> (T)	Kozur & Mock in Kozur & Mostler, 1981: 86	L. Tr.	N
<i>Spinoprotunuma ? constricta</i>	Kozur, Moix & Ozsvárt, 2007c: 212	L. Tr.	N
<i>Spinoprotunuma ? furcatostriata</i>	Kozur, Moix & Ozsvárt, 2007c: 212	L. Tr.	N
<i>Spinoprotunuma triassica</i> (Ts)	Kozur, Moix & Ozsvárt, 2007c: 211	L. Tr.	N
<i>Spinosicapsa ceblienica</i> (T)	Ozoldova, 1975: 80	L. Jur.	N
<i>Spinotriassocampe alata</i>	Kozur & Mostler, 2006: 63	M. Tr.	N
<i>Spinotriassocampe carnica</i>	Kozur & Mostler, 1994: 105	L. Tr.	N
<i>Spinotriassocampe eofassanica</i>	Kozur & Mostler, 1994: 105	M. Tr.	N
<i>Spinotriassocampe hungarica</i> (T)	Kozur, 1984: 74	M. Tr.	N
<i>Spinotriassocampe longobardica</i>	Kozur & Mostler, 1994: 106	M. Tr.	N
<i>Spinotriassocampe mesofassanica</i>	Kozur & Mostler, 1994: 107	M. Tr.	N
<i>Spinotriassocampe praecarnica</i>	Tekin & Mostler, 2005b: 11	M. Tr.	N
<i>Spinotriassocampe transitia</i>	Kozur & Mostler, 1994: 107	M. Tr.	N
<i>Spirema ? orientalis</i>	Zhamoida, 1968: 165	E. Jur.	S
<i>Spirema pellucidum</i>	Rüst, 1898: 37	L. Jur.	S
<i>Spirema sphaerica</i>	Kozlova, 1973: 60	L. Jur.	S
<i>Spirocapsa hindei</i>	Squinabol, 1912: 288	L. Jur.	N
<i>Spongaster horridus</i>	Parona, 1890: 162	L. Jur.	S
<i>Spongaster singularis</i>	Rüst, 1898: 36	L. Jur.	S
<i>Spongaster vietus</i>	Rüst, 1888: 203	E. Cret.	S
<i>Spongasteriscus (Spongasteriscinus) ellipticus</i>	Campbell & Clark, 1944: 20	L. Cret.	S
<i>Spongasteriscus dunikowskyi</i> (Td)	Rüst, 1885: 301	L. Jur.	S
<i>Spongasteriscus rozanovi</i>	Vishnevskaya, 2002: 5	L. Cret.	S
<i>Spongatractus coccostylus</i>	Rüst, 1892b: 160	M. Tr.	S
<i>Spongechinus ? latispinosus</i>	Kozur & Mostler, 1979a: 52	L. Tr.	S
<i>Spongechinus multiaucleatus</i> (Td)	Dunikowski, 1882: 189	E. Jur.	S
<i>Spongechinus neymayi</i>	Dunikowski, 1882: 188	E. Jur.	S
<i>Spongechinus triassicus</i> (T)	Kozur & Mostler, 1979a: 52	L. Tr.	S
<i>Spongiostoma saccideon</i> (Ts)	Carter in Carter et al., 1988: 46	E. Jur.	S

<i>Spongoacanthus horridus</i> (Td)	Squinabol, 1903: 118	L. Cret. S
<i>Spongobrachium boehmii</i>	Rüst, 1888: 202	E. Cret. S
<i>Spongobrachium divergens</i>	Rüst, 1888: 202	E. Cret. S
<i>Spongocapsula conica</i>	Hori, 1999: 103	L. Jur. N
<i>Spongocapsula crassiparia</i>	Kazintsova, 1985: 9	L. Cret. N
<i>Spongocapsula daigoensis</i>	Hori, 1999: 103	L. Jur. N
<i>Spongocapsula dumitricai</i>	Widz & De Wever, 1993: 86	L. Jur. N
<i>Spongocapsula floridicingula</i>	Li, 1986: 313	L. Jur. N
<i>Spongocapsula hooveri</i>	Hull, 1997: 96	L. Jur. N
<i>Spongocapsula krahsteinensis</i>	Suzuki & Gawlick in Gawlick <i>et al.</i> , 2004: 313	M. Jur. N
<i>Spongocapsula obesa</i>	Jud, 1994: 107	E. Cret. N
<i>Spongocapsula ordinata</i>	Tikhomirova, 1983a: 59	E. Cret. N
<i>Spongocapsula ovum</i>	Hori, 1999: 103	L. Jur. N
<i>Spongocapsula palmerae</i> (T)	Pessagno, 1977a: 88	L. Jur. N
<i>Spongocapsula trigonsodaktyloris</i>	Li, 1986: 313	L. Jur. N
<i>Spongocapsula ? tripes</i>	Jud, 1994: 107	E. Cret. N
<i>Spongocapsula tubulosa</i>	Tikhomirova, 1983a: 60	E. Cret. N
<i>Spongocapsula vialovi</i>	Kazintsova, 1985: 9	L. Cret. N
<i>Spongocapsula yehae</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 157	M. Jur. N
<i>Spongocore minuta</i>	Rüst, 1898: 19	L. Jur. S
<i>Spongocyclus lanigera</i>	Renz, 1974: 795	E. Cret. S
<i>Spongocyclus trachodes</i>	Renz, 1974: 796	E. Cret. S
<i>Spongocyrtilis montisovis</i> (Td)	Dunikowski, 1882: 191	E. Jur. S
<i>Spongodictyon involutum</i>	Rüst, 1892b: 139	M. Tr. S
<i>Spongodictyum involutum</i>	Rüst, 1888: 192	E. Cret. S
<i>Spongodiscus (Spongodisculus) orbis</i>	Campbell & Clark, 1944: 18	L. Cret. S
<i>Spongodiscus (Spongodisculus) renillaeformis</i>	Campbell & Clark, 1944: 18	L. Cret. S
<i>Spongodiscus agaricus</i>	Rüst, 1898: 33	L. Jur. S
<i>Spongodiscus ansatus</i>	Rüst, 1898: 33	L. Jur. S
<i>Spongodiscus bismarkii</i>	Rüst, 1898: 33	L. Jur. S
<i>Spongodiscus cauliculatus</i>	Rüst, 1898: 34	L. Jur. S
<i>Spongodiscus celatus</i>	Hinde, 1900: 26	Jur. S
<i>Spongodiscus citrus</i>	Lipman, 1952: 39	L. Cret. S
<i>Spongodiscus concentricus</i>	Bragina, 2003a: 247	L. Cret. S
<i>Spongodiscus cribosus</i>	Tan, 1927: 37	E. Cret. S
<i>Spongodiscus ? dubius</i>	Squinabol, 1904: 205	L. Cret. S
<i>Spongodiscus expansus</i>	Hinde, 1893: 224	Cret. S
<i>Spongodiscus globiferus</i>	Rüst, 1898: 33	L. Jur. S
<i>Spongodiscus gracilis</i>	Hinde, 1908: 706	Tr. S
<i>Spongodiscus impressus</i>	Lipman, 1952: 38	L. Cret. S
<i>Spongodiscus ineptus</i>	Rüst, 1898: 33	L. Jur. S
<i>Spongodiscus maximus</i>	Lipman, 1952: 39	L. Cret. S
<i>Spongodiscus maximus</i>	Squinabol, 1904: 205	L. Cret. S
<i>Spongodiscus minimus</i>	Goltman, 1983: 158	L. Cret. S
<i>Spongodiscus misele</i>	Schaaf, 1981: 438	E. Cret. S
<i>Spongodiscus multus</i>	Kozlova in Kozlova & Gorbovetz, 1966: 87	L. Cret. S
<i>Spongodiscus nitidus</i>	Hinde, 1908: 706	Tr. S
<i>Spongodiscus quasipersenex</i>	Bragina, 2003a: 249	L. Cret. S
<i>Spongodiscus sakhalinensis</i>	Bragina, 2003a: 247	L. Cret. S
<i>Spongodiscus tenuis</i>	Hinde, 1900: 26	Jur. S
<i>Spongodiscus textilis</i>	Hinde, 1908: 707	Tr. S
<i>Spongodiscus volgensis</i>	Lipman, 1952: 38	L. Cret. S
<i>Spongodruppa cocos</i>	Rüst, 1898: 19	L. Jur. S
<i>Spongolena elongata</i>	Rüst, 1888: 202	E. Cret. S
<i>Spongolena oblonga</i>	Rüst, 1888: 202	E. Cret. S
<i>Spongolena symmetrica</i>	Hinde, 1893: 224	Cret. S
<i>Spongolena vespertilio</i>	Rüst, 1898: 35	L. Jur. S
<i>Spongolonche angularis</i>	Hinde, 1908: 707	Tr. S
<i>Spongolonche cornuta</i>	Vinassa de Regny, 1899: 225	L. Jur. S
<i>Spongolonche diversispina</i>	Squinabol, 1904: 206	L. Cret. S
<i>Spongolonche grandis</i>	Campbell & Clark, 1944: 7	L. Cret. S
<i>Spongolonche inaequispinata</i>	Parona, 1890: 161	L. Jur. S
<i>Spongolonche macrostyla</i>	Rüst, 1898: 34	L. Jur. S
<i>Spongolonche minima</i>	Vinassa de Regny, 1899: 225	L. Jur. S
<i>Spongolonche sagittaefera</i>	Rüst, 1888: 201	E. Cret. S
<i>Spongolophophaena globocephalis</i> (T)	Kozur & Mostler, 1994: 125	M. Tr. N
<i>Spongolophophaena longa</i>	Kozur & Mostler, 1994: 125	M. Tr. N
<i>Spongomelissa imperceptusa</i>	Sarkisova, 2007: 501	L. Cret. N



<i>Spongopallium contortum</i> (T)	Dumitrica, Kozur & Mostler, 1980: 16	M. Tr.	S
<i>Spongopallium crassum</i>	Tekin & Mostler, 2005a: 28	M. Tr.	S
<i>Spongopallium</i> ? <i>tetrapterum</i>	Goričan in Ramovs & Goričan, 1995: 190	M. Tr.	S
<i>Spongopallium</i> ? <i>tubulispina</i> (T)	Kozur, Krainer & Mostler, 1996b: 229	M. Tr.	S
<i>Spongoplegma urschlauiense</i> (Td)	Rüst, 1885: 292	L. Jur.	S
<i>Spongoprunum angustum</i>	Lipman, 1952: 30	L. Cret.	S
<i>Spongoprunum articulatum</i>	Lipman, 1952: 30	L. Cret.	S
<i>Spongoprunum crassum</i> (T)	Lipman, 1952: 29	L. Cret.	S
<i>Spongoprunum diversispina</i>	Squinabol, 1904: 199	L. Cret.	S
<i>Spongoprunum macroacanthos</i>	Squinabol, 1903: 118	L. Cret.	S
<i>Spongoprunum minimum</i>	Squinabol, 1903: 118	L. Cret.	S
<i>Spongopyle ecleptos</i>	Renz, 1974: 796	E. Cret.	S
<i>Spongopyle galeata</i>	Renz, 1974: 796	E. Cret.	S
<i>Spongopyle insolita</i>	Kozlova in Kozlova & Gorbovetz, 1966: 91	L. Cret.	S
<i>Spongopyle stauromorphos</i>	Renz, 1974: 796	E. Cret.	S
<i>Spongopyle trabeata</i>	Renz, 1974: 797	E. Cret.	S
<i>Spongopyle turgaica</i>	Amon, 2000: 35	L. Cret.	S
<i>Spongosaturnalis</i> ( <i>Spongosaturnaloides</i> ) <i>quinquespinosa</i> (T)	Kozur & Mostler, 1972: 42	L. Tr.	E
<i>Spongosaturnalis bifidus</i> (T)	Kozur & Mostler, 1972: 31	L. Tr.	S
<i>Spongosaturnalis bipartitus</i> (T)	Kozur & Mostler, 1972: 32	L. Tr.	S
<i>Spongosaturnalis bispinus</i>	Yao, 1972: 28	M. Jur.	S
<i>Spongosaturnalis brevispinosus</i>	Kozur & Mostler, 1972: 33	L. Tr.	S
<i>Spongosaturnalis campbelli</i>	Foreman, 1968: 9	L. Cret.	S
<i>Spongosaturnalis</i> ? <i>catadelos</i> (T)	Foreman, 1968: 11	L. Cret.	S
<i>Spongosaturnalis convertus</i>	Kozur & Mostler, 1972: 34	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>diplocyclis</i> (Ts)	Yao, 1972: 33	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>eidalimus</i>	Foreman, 1975: 610	L. Cret.	S
<i>Spongosaturnalis elegans</i>	Kozur & Mostler, 1972: 34	L. Tr.	S
<i>Spongosaturnalis fissa</i>	Kozur & Mostler, 1972: 35	L. Tr.	S
<i>Spongosaturnalis fluegeli</i>	Kozur & Mostler, 1972: 35	L. Tr.	S
<i>Spongosaturnalis gracilis</i>	Kozur & Mostler, 1972: 35	L. Tr.	S
<i>Spongosaturnalis heisseli</i> (Ts)	Kozur & Mostler, 1972: 36	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>hexagonus</i> (T)	Yao, 1972: 31	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>ichikawai</i>	Foreman, 1975: 611	L. Cret.	S
<i>Spongosaturnalis imperfectus</i>	Yao, 1972: 26	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>inuyamensis</i>	Yao, 1972: 30	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>japonicus</i> (T)	Yao, 1972: 34	M. Jur.	S
<i>Spongosaturnalis kahleri</i>	Kozur & Mostler, 1972: 36	L. Tr.	S
<i>Spongosaturnalis karnicus</i>	Kozur & Mostler, 1972: 37	L. Tr.	S
<i>Spongosaturnalis latifolia</i>	Kozur & Mostler, 1972: 37	L. Tr.	S
<i>Spongosaturnalis latus</i>	Kozur & Mostler, 1972: 37	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>minoensis</i> (Ts)	Yao, 1972: 32	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>moorei</i>	Foreman, 1975: 611	L. Cret.	S
<i>Spongosaturnalis multidentatus</i>	Kozur & Mostler, 1972: 38	L. Tr.	S
<i>Spongosaturnalis nematodes</i>	Foreman, 1968: 10	L. Cret.	S
<i>Spongosaturnalis pannosus</i>	Kozur & Mostler, 1972: 38	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>preclarus</i>	Foreman, 1975: 611	L. Cret.	S
<i>Spongosaturnalis primitivus</i>	Kozur & Mostler, 1972: 38	L. Tr.	S
<i>Spongosaturnalis protoformis</i> (T)	Yao, 1972: 27	M. Jur.	S
<i>Spongosaturnalis pseudosymmetricus</i>	Kozur & Mostler, 1972: 39	L. Tr.	S
<i>Spongosaturnalis quadriradiatus</i>	Kozur & Mostler, 1972: 39	L. Tr.	S
<i>Spongosaturnalis rotundus</i>	Kozur & Mostler, 1972: 40	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>septispinus</i>	Yao, 1972: 32	M. Jur.	S
<i>Spongosaturnalis spiniferus</i> (Ts)	Campbell & Clark, 1944: 7	L. Cret.	S
<i>Spongosaturnalis</i> ? <i>squinaboli</i>	Foreman, 1975: 611	L. Cret.	S
<i>Spongosaturnalis</i> ? <i>suboblongus</i>	Yao, 1972: 29	M. Jur.	S
<i>Spongosaturnalis</i> ? <i>tetraspinus</i>	Yao, 1972: 29	M. Jur.	S
<i>Spongosaturnalis triassicus</i> (T)	Kozur & Mostler, 1972: 40	L. Tr.	S
<i>Spongosaturnalis</i> ? <i>yaoi</i>	Foreman, 1975: 611	L. Cret.	S
<i>Spongosaturnalis zapfei</i>	Kozur & Mostler, 1972: 41	L. Tr.	S
<i>Spongosaturnaloides multidentatus</i>	Kozur & Mostler, 1983: 11	L. Tr.	E
<i>Spongosaturnaloides trispinosus</i>	Kozur & Mostler, 1983: 10	L. Tr.	E
<i>Spongosaturninus corpulentus</i>	Dumitrica & Zügel, 2008: 68	L. Jur.	S
<i>Spongosaturninus ellipticus</i> (T)	Campbell & Clark, 1944: 8	L. Cret.	S
<i>Spongosaturninus hueyi</i>	Pessagno, 1976: 39	L. Cret.	S
<i>Spongosaturninus kiesslingi</i>	Dumitrica & Zügel, 2008: 68	L. Jur.	S
<i>Spongosaturninus latuformis</i>	Campbell & Clark, 1944: 8	L. Cret.	S

<i>Spongosaturrinus matsuoikai</i>	Dumitrica & Zügel, 2008: 68	L. Jur.	S
<i>Spongosaturrinus medioangustus</i>	Dumitrica & Zügel, 2008: 70	L. Jur.	S
<i>Spongosaturrinus parvulus</i>	Campbell & Clark, 1944: 9	L. Cret.	S
<i>Spongosaturrinus parvulus lateralispinosus</i>	Campbell & Clark, 1944: 9	L. Cret.	S
<i>Spongosaturrinus radius</i>	Dumitrica & Zügel, 2008: 70	L. Jur.	S
<i>Spongosaturrinus tortuosus</i>	Dumitrica & Zügel, 2008: 72	L. Jur.	S
<i>Spongoserrula antiqua</i>	Kozur & Mostler, 1996b: 117	M. Tr.	S
<i>Spongoserrula bidentata</i>	Kozur & Mostler, 1996b: 117	M. Tr.	S
<i>Spongoserrula bifurcata</i>	Kozur & Mostler, 1996b: 118	M. Tr.	S
<i>Spongoserrula bifurcata parvispina</i>	Kozur & Mostler, 1996b: 118	M. Tr.	S
<i>Spongoserrula bipolaris</i>	Kozur & Mostler, 1996b: 119	M. Tr.	S
<i>Spongoserrula cordeyi</i>	Kozur & Mostler, 1996b: 119	M. Tr.	S
<i>Spongoserrula cristagalli</i>	Dumitrica, 1982a: 68	M. Tr.	S
<i>Spongoserrula dehli</i>	Cordey <i>et al.</i> , 1988: 31	M. Tr.	S
<i>Spongoserrula falcata</i>	Kozur & Mostler, 1996b: 120	M. Tr.	S
<i>Spongoserrula fluegeli</i>	Kozur & Mostler, 1996b: 121	M. Tr.	S
<i>Spongoserrula fluegeli multispinosa</i>	Kozur & Mostler, 1996b: 122	M. Tr.	S
<i>Spongoserrula goricanae</i>	Kozur & Mostler, 1996b: 122	M. Tr.	S
<i>Spongoserrula nuda</i>	Kozur & Mostler, 1996b: 123	M. Tr.	S
<i>Spongoserrula ornata</i>	Kozur & Mostler, 1996b: 123	M. Tr.	S
<i>Spongoserrula rarauana</i> (T)	Dumitrica, 1982a: 67	M. Tr.	S
<i>Spongoserrula rarauana trinodosa</i>	Kozur & Mostler, 1996b: 115	M. Tr.	S
<i>Spongoserrula rarenticulata</i>	Kozur & Mostler, 1996b: 123	M. Tr.	S
<i>Spongoserrula semicircularis</i>	Kozur & Mostler, 1996b: 124	M. Tr.	S
<i>Spongosilicarmiger gabiolaensis</i>	Kozur & Mostler, 1994: 121	M. Tr.	N
<i>Spongosilicarmiger gabiolaensis curvatospinus</i>	Kozur & Mostler, 1994: 122	M. Tr.	N
<i>Spongosilicarmiger italicus</i> (T)	Kozur, 1984: 64	M. Tr.	N
<i>Spongosilicarmiger italicus transitus</i>	Kozur & Mostler, 1994: 121	M. Tr.	N
<i>Spongosilicarmiger mostleri</i>	Sugiyama, 1992: 1199	M. Tr.	N
<i>Spongosilicarmiger nakasekoi</i>	Yeh, 1990: 25	L. Tr.	N
<i>Spongosilicarmiger posterus</i>	Kozur & Mostler, 1994: 123	M. Tr.	N
<i>Spongosilicarmiger priscus</i>	Kozur & Mostler, 1994: 123	M. Tr.	N
<i>Spongosilicarmiger scabiturritus</i>	Sugiyama, 1992: 1200	M. Tr.	N
<i>Spongosilicarmiger spelae</i>	Sugiyama, 1997: 168	M. Tr.	N
<i>Spongosilicarmiger terebrus</i>	Kozur, Krainer & Mostler, 1996b: 234	M. Tr.	N
<i>Spongosilicarmiger transitus laevis</i>	Kozur, Krainer & Mostler, 1996b: 234	M. Tr.	N
<i>Spongosphaera exigua</i>	Rüst, 1888: 194	E. Cret.	S
<i>Spongostaurus australis</i>	Kiessling, 1999: 42	L. Jur.	S
<i>Spongostaurus circularis</i>	Rüst, 1898: 34	E. Jur.	S
<i>Spongostaurus compactus</i>	Kiessling, 1995: 332	E. Cret.	S
<i>Spongostaurus cruciformis</i>	Carter <i>in</i> Carter <i>et al.</i> , 1988: 45	E. Jur.	S
<i>Spongostaurus ? hokkaidoensis</i>	Taketani, 1982: 49	L. Cret.	S
<i>Spongostaurus magnificus</i>	Rüst, 1888: 201	E. Cret.	S
<i>Spongostaurus megaceras</i>	Rüst, 1898: 34	L. Jur.	S
<i>Spongostaurus mirabilis</i>	Parona, 1890: 162	L. Jur.	S
<i>Spongostaurus pugiunculus</i>	Carter <i>in</i> Carter <i>et al.</i> , 1988: 45	M. Jur.	S
<i>Spongostaurus ? sachalinensis</i>	Bragina, 1999b: 362	L. Cret.	S
<i>Spongostephanidium austriacum</i>	Kozur, Krainer & Mostler, 1996b: 208	M. Tr.	E
<i>Spongostephanidium longispinosum</i>	Sashida, 1991: 694	E. Tr.	E
<i>Spongostephanidium spongiosum</i> (T)	Dumitrica, 1978a: 32	M. Tr.	E
<i>Spongostichomitra indomita</i>	O'Dogherty, 1994: 154	E. Cret.	N
<i>Spongostichomitra phalanga</i> (T)	O'Dogherty, 1994: 153	L. Cret.	N
<i>Spongostylus aequicurvistylus</i>	Lahm, 1984: 69	L. Tr.	S
<i>Spongostylus bosniensis</i>	Tekin & Mostler, 2005a: 26	M. Tr.	S
<i>Spongostylus carnicus</i>	Kozur & Mostler, 1979a: 56	L. Tr.	S
<i>Spongostylus nakasekoi</i>	Kozur, Krainer & Mostler, 1996b: 226	M. Tr.	S
<i>Spongostylus tortilis</i>	Kozur & Mostler, 1979a: 56	L. Tr.	S
<i>Spongostylus tricostatus</i>	Kozur, Krainer & Mostler, 1996b: 227	M. Tr.	S
<i>Spongostylus trispinosus</i>	Kozur & Mostler, 1979a: 57	L. Tr.	S
<i>Spongotortilispinus inaequispinosus</i>	Kozur, Moix & Mostler <i>in</i> Moix <i>et al.</i> , 2007: 296	L. Tr.	S
<i>Spongotortilispinus moixi</i> (T)	Kozur & Mostler <i>in</i> Moix <i>et al.</i> , 2007: 295	L. Tr.	S
<i>Spongotortilispinus ozsvarti</i>	Kozur, Moix & Mostler <i>in</i> Moix <i>et al.</i> , 2007: 296	L. Tr.	S
<i>Spongotortilispinus turkensis</i>	Kozur, Moix & Mostler <i>in</i> Moix <i>et al.</i> , 2007: 296	L. Tr.	S
<i>Spongotortilispinus tivalicus</i>	Kozur, Moix & Mostler <i>in</i> Moix <i>et al.</i> , 2007: 296	L. Tr.	S
<i>Spongotripus</i> ( <i>Spongotripodiscus</i> ) <i>morenoensis</i>	Campbell & Clark, 1944: 19	L. Cret.	S
<i>Spongotripus aculeatus</i>	Lipman, 1952: 39	L. Cret.	S
<i>Spongotripus bicornis</i>	Parona, 1890: 162	L. Jur.	S
<i>Spongotripus communis</i>	Squinabol, 1903: 123	L. Cret.	S

<i>Spongotripus compressus</i>	Squinabol, 1904: 206	L. Cret. S
<i>Spongotripus crassus</i>	Kazintsova, 1979: 97	L. Cret. S
<i>Spongotripus crassus</i>	Kazintsova, 1979: 97	L. Cret. S
<i>Spongotripus impletus</i>	Rüst, 1888: 201	E. Cret. S
<i>Spongotripus incomptus</i>	Carter in Carter <i>et al.</i> , 1988: 47	E. Jur. S
<i>Spongotripus minutus</i>	Parona, 1890: 162	L. Jur. S
<i>Spongotripus papulovi</i>	Amon, 2000: 35	L. Cret. S
<i>Spongotripus pauper</i>	Rüst, 1888: 201	E. Cret. S
<i>Spongotripus ? pujanai</i>	Kiessling, 1999: 42	L. Jur. S
<i>Spongotripus triassicus</i>	Kozur & Mostler, 1979a: 79	L. Tr. S
<i>Spongotripus trigonus</i>	Rüst, 1898: 34	L. Jur. S
<i>Spongotrochus malviniae</i>	Rüst, 1885: 300	L. Jur. S
<i>Spongotrochus tanaensis</i>	Carter in Carter <i>et al.</i> , 1988: 46	E. Jur. S
<i>Spongoxystris hadra</i> (T)	Sugiyama, 1997: 169	M. Tr. S
<i>Spongulus quadrirostratus</i> (Ts)	Marcucci & Salvini in Marcucci <i>et al.</i> , 1994: 30	L. Cret. S
<i>Spongurus</i> ( <i>Spongurantha</i> ) <i>occidentalis</i>	Campbell & Clark, 1944: 13	L. Cret. S
<i>Spongurus</i> ( <i>Spongurantha</i> ) <i>quadratus</i>	Campbell & Clark, 1944: 13	L. Cret. S
<i>Spongurus cylindricus</i> (T)	Bragina, 2003a: 249	L. Cret. S
<i>Spongurus longaevus</i>	Parona, 1890: 154	L. Jur. S
<i>Spongurus marcaensis</i>	Pessagno, 1976: 32	L. Cret. S
<i>Spongurus mollis</i>	Vishnevskaya, 1986: 149	L. Cret. S
<i>Spongurus porrectum</i>	Kazintsova in Zonova <i>et al.</i> , 1993: 45	E. Cret. S
<i>Spongurus resistens</i>	Rüst, 1885: 300	L. Jur. S
<i>Spongurus splendidus</i>	Ichikawa, 1950: 298	Tr.? S
<i>Squinabolella causia</i>	Carter, 1993: 100	L. Tr. N
<i>Squinabolella desrochersi</i>	Carter, 1993: 101	L. Tr. N
<i>Squinabolella illyrica</i>	Kozur & Mostler, 1981: 102	M. Tr. N
<i>Squinabolella inaequispinosa</i>	Kozur & Mostler, 1981: 102	L. Tr. N
<i>Squinabolella longispinosa</i> (T)	Kozur & Mostler, 1979a: 95	L. Tr. N
<i>Squinabolella ? maxima</i>	Rose, 1994: 330	L. Tr. N
<i>Squinabolella multispinata</i>	Bertinelli & Marcucci, 2006: 146	E. Jur. N
<i>Squinabolella parvispinosa</i>	Kozur & Mock in Kozur & Mostler, 1981: 103	L. Tr. N
<i>Squinabolella putahensis</i> (Ts)	Pessagno, 1969: 418	L. Cret. N
<i>Squinabolella ? trispinosa</i>	Carter, 1993: 102	L. Tr. N
<i>Stampfliella tuvalica</i> (T)	Kozur, Moix & Ozsvárt, 2007c: 204	L. Tr. N
<i>Stauracanthocircus asymmetricus</i>	Kozur & Mostler, 1990: 197	E. Jur. E
<i>Stauracanthocircus circularis</i>	Kozur & Mostler, 1990: 198	E. Jur. E
<i>Stauracanthocircus hettangicus</i>	Kozur & Mostler, 1990: 198	E. Jur. E
<i>Stauracanthocircus kayai</i>	Tekin, 1999: 115	L. Tr. E
<i>Stauracanthocircus nadanhadaensis</i>	Yang & Mizutani, 1991: 72	E. Jur. E
<i>Stauracanthocircus pessagnoii</i>	Kozur & Mostler, 1990: 199	E. Jur. E
<i>Stauracanthocircus ? poetschensis</i>	Kozur & Mostler, 1990: 199	L. Tr. E
<i>Stauracanthocircus quadratus</i>	Kozur & Mostler, 1990: 199	E. Jur. E
<i>Stauracanthocircus ruesti</i>	Kozur & Mostler, 1990: 200	E. Jur. E
<i>Stauracanthocircus sanrafaelensis</i>	Whalen & Carter, 2002: 108	E. Jur. E
<i>Stauracanthocircus tozeri</i>	Rose, 1994: 257	L. Tr. E
<i>Stauracanthocircus transitus</i>	Kozur & Mostler, 1990: 200	E. Jur. E
<i>Stauracanthocircus triangulospinosus</i>	Kozur & Mostler, 1990: 201	E. Jur. E
<i>Stauracontium ? alpinum</i>	Dumitrica, Kozur & Mostler, 1980: 17	M. Tr. S
<i>Stauracontium ? granulosum</i>	Dumitrica, Kozur & Mostler, 1980: 16	M. Tr. S
<i>Stauracontium ? marmoladaensis</i>	Kellici & De Wever, 1995: 162	M. Tr. S
<i>Stauracontium minoense</i>	Nakaseko & Nishimura, 1979: 71	L. Tr. S
<i>Stauracontium ? trispinosum ladinicum</i>	Dumitrica, Kozur & Mostler, 1980: 17	M. Tr. S
<i>Stauralastrum euganeum</i>	Squinabol, 1903: 123	L. Cret. S
<i>Stauralastrum gracile</i>	Rüst, 1898: 29	L. Jur. S
<i>Stauralastrum mucronatum</i>	Rüst, 1898: 29	E. Jur. S
<i>Stauralastrum patavinum</i>	Squinabol, 1904: 204	L. Cret. S
<i>Stauralastrum perforatum</i>	Vinassa de Regny, 1899: 231	L. Jur. S
<i>Stauralastrum venustum</i>	Holmes, 1900: 700	L. Cret. S
<i>Staurocromyum mülleri</i>	Rüst, 1888: 193	E. Cret. S
<i>Staurocyclia martini</i>	Rüst, 1898: 21	L. Jur. S
<i>Staurodictya</i> ( <i>Staurodictyon</i> ) <i>rotulata</i>	Campbell & Clark, 1944: 16	L. Cret. S
<i>Staurodictya beneckeii</i> (Td)	Rüst, 1885: 296	L. Jur. S
<i>Staurodictya bononiensis</i>	Vinassa de Regny, 1900: 337	L. Jur. S
<i>Staurodictya ? dubia</i>	Vinassa de Regny, 1900: 337	L. Jur. S
<i>Staurodictya fischeri</i>	Rüst, 1888: 198	E. Cret. S
<i>Staurodictya fresnoensis</i>	Foreman, 1968: 14	L. Cret. S
<i>Staurodictya longispinosa</i>	Vinassa de Regny, 1900: 336	L. Jur. S

<i>Stauroidictya nitida</i>	Rüst, 1888: 198	E. Cret. S
<i>Stauroidictya retusa</i>	Kozlova, 1973: 58	L. Jur. S
<i>Stauroidictya rhomboides</i>	Rüst, 1888: 198	E. Cret. S
<i>Stauroidiscus rüsti</i> (Td)	Neviani, 1900: 652	L. Jur. S
<i>Staurodoras cingulum</i>	Rüst, 1885: 293	L. Jur. S
<i>Staurodoras dercourti</i>	De Wever <i>in</i> De Wever <i>et al.</i> , 1979: 79	L. Tr. S
<i>Staurodoras hawasinensis</i>	Davis, 1950: 210	L. Jur. S
<i>Staurodoras lehneri</i>	Davis, 1950: 210	L. Jur. S
<i>Staurodoras liassica</i>	Dunikowski, 1882: 188	E. Jur. S
<i>Staurodoras mojsisovicsi</i> (Td)	Dunikowski, 1882: 188	E. Jur. S
<i>Staurodoras rhombea</i>	Rüst, 1898: 10	L. Jur. S
<i>Staurodoras variabilis</i>	Nakaseko & Nishimura, 1979: 71	L. Tr. S
<i>Staurodoras wandae</i>	Dunikowski, 1882: 188	E. Jur. S
<i>Staurolonche coprolithica</i>	Rüst, 1885: 291	L. Jur. S
<i>Staurolonche divergens</i>	Rüst, 1885: 291	L. Jur. S
<i>Staurolonche elli</i>	Carter <i>in</i> Carter <i>et al.</i> , 1988: 33	E. Jur. S
<i>Staurolonche extensa</i>	Rüst, 1885: 291	L. Jur. S
<i>Staurolonche grandipora</i>	Ozoldova, 1975: 76	L. Jur. S
<i>Staurolonche hantkenii</i>	Rüst, 1892b: 144	M. Tr. S
<i>Staurolonche jurassica</i>	Yeh & Yang, 2006: 331	E. Jur. S
<i>Staurolonche minima</i>	Vinassa de Regny, 1899: 225	L. Jur. S
<i>Staurolonche pantanellii</i>	Vinassa de Regny, 1899: 225	L. Jur. S
<i>Staurolonche praegrnulosa</i>	Kozur, Krainer & Mostler, 1996b: 228	M. Tr. S
<i>Staurolonche robusta</i> (Td)	Rüst, 1885: 291	L. Jur. S
<i>Staurolonche spatulata</i>	Steiger & Steiger, 1994: 458	L. Jur. S
<i>Staurolonche spinacuta</i>	Yeh & Yang, 2006: 332	E. Jur. S
<i>Staurolonche struckmanni</i>	Rüst, 1885: 292	L. Jur. S
<i>Staurolonche torquispina</i>	Steiger & Steiger, 1994: 458	L. Jur. S
<i>Staurolonchidium elegans</i>	Rüst, 1888: 193	E. Cret. S
<i>Staurolonchidium molinarii</i>	Parona, 1890: 152	L. Jur. S
<i>Staurolonchidium robustum</i>	Parona, 1890: 152	L. Jur. S
<i>Staurolonchidium tuberosum</i>	Rüst, 1898: 10	L. Jur. S
<i>Stauromesosaturnalis deweveri</i>	Kozur & Mostler, 1990: 202	E. Jur. S
<i>Stauromesosaturnalis schizospinosus</i> (T)	Kozur & Mostler, 1990: 202	E. Jur. S
<i>Stauropylissa spongoidale</i> (T)	Dumitrica, 1989: 231	M. Tr. E
<i>Staurosphaera amplissima</i>	Foreman, 1973: 259	E. Cret. S
<i>Staurosphaera antiqua</i>	Rüst, 1885: 289	L. Jur. S
<i>Staurosphaera aspera</i>	Parona, 1890: 151	L. Jur. S
<i>Staurosphaera crassa</i> (Td)	Dunikowski, 1882: 187	E. Jur. S
<i>Staurosphaera euganea</i>	Squinabol, 1903: 112	L. Cret. S
<i>Staurosphaera ? fluegeli</i>	Kozur & Mostler, 1979a: 58	L. Tr. S
<i>Staurosphaera gigas</i>	Vinassa de Regny, 1900: 333	L. Jur. S
<i>Staurosphaera glebulosa</i>	Foreman, 1973: 259	E. Cret. S
<i>Staurosphaera gracilis</i>	Rüst, 1885: 288	L. Jur. S
<i>Staurosphaera hindei</i> (T)	Squinabol, 1904: 191	L. Cret. S
<i>Staurosphaera inaequale</i>	Hojnos, 1916: 347	E. Cret. S
<i>Staurosphaera insularis</i>	Vinassa de Regny, 1901: 502	L. Cret. S
<i>Staurosphaera longispina</i>	Squinabol, 1903: 112	L. Cret. S
<i>Staurosphaera magnifica</i> (T)	Squinabol, 1904: 191	L. Cret. S
<i>Staurosphaera micropora</i>	Parona, 1890: 151	L. Jur. S
<i>Staurosphaera reticulata</i>	Parona, 1890: 151	L. Jur. S
<i>Staurosphaera sedecimporata</i>	Rüst, 1885: 288	L. Jur. S
<i>Staurosphaera sedecimporata</i> var. <i>elegans</i>	Wisniowski, 1888: 683	L. Jur. S
<i>Staurosphaera septemporata</i> (Th)	Parona, 1890: 151	L. Jur. S
<i>Staurosphaera triloba</i>	Nakaseko & Nishimura, 1979: 72	L. Tr. S
<i>Staurosphaera trispinosa</i>	Kozur & Mostler, 1979a: 58	L. Tr. S
<i>Staurosphaera tympanica</i>	Ozoldova, 1979b: 251	L. Jur. S
<i>Staurosphaera veneta</i>	Squinabol, 1904: 191	L. Cret. S
<i>Staurosphaeretta micropora</i>	Bragina, 2004: S396	L. Cret. S
<i>Staurostylus burkutensis</i>	Lozyniak, 1981: 64	L. Jur. S
<i>Staurostylus italicus</i>	Rüst, 1898: 9	L. Jur. S
<i>Stauroxiphos elegans</i>	Vinassa de Regny, 1899: 225	L. Jur. S
<i>Steigerispongus asymmetricus</i>	Kozur & Mostler, 1996b: 148	M. Tr. S
<i>Steigerispongus asymmetricus rectangularis</i>	Kozur & Mostler, 1996b: 149	M. Tr. S
<i>Steigerispongus asymmetricus triangulodentatus</i>	Kozur & Mostler, 1996b: 150	M. Tr. S
<i>Steigerispongus brevipediculus</i>	Kozur & Mostler, 1996b: 150	M. Tr. S
<i>Steigerispongus ? curvispinus</i>	Kozur & Mostler, 1996b: 151	M. Tr. S
<i>Steigerispongus dosztalyi</i>	Kozur & Mostler, 1996b: 151	M. Tr. S

<i>Steigerispongos fojnicaensis</i>	Kozur & Mostler, 1996b: 152	M. Tr.	S
<i>Steigerispongos latofoliatus</i>	Kozur & Mostler, 1996b: 153	M. Tr.	S
<i>Steigerispongos obliquus</i>	Kozur & Mostler, 1996b: 153	M. Tr.	S
<i>Steigerispongos primus</i>	Kozur & Mostler, 1996b: 153	M. Tr.	S
<i>Steigerispongos subsymmetricus</i> (T)	Kozur & Mostler, 1996b: 146	M. Tr.	S
<i>Steigerispongos subsymmetricus fissus</i>	Kozur & Mostler, 1996b: 147	M. Tr.	S
<i>Steigerispongos subsymmetricus latopediculus</i>	Kozur & Mostler, 1996b: 147	M. Tr.	S
<i>Steigerispongos subsymmetricus longiaculeatus</i>	Kozur & Mostler, 1996b: 148	M. Tr.	S
<i>Steigerispongos symmetricus</i>	Kozur & Mostler, 1996b: 154	M. Tr.	S
<i>Stephanastrum inflexum</i>	Rüst, 1898: 32	L. Jur.	S
<i>Stephanastrum ? magnum</i>	Carter in Carter <i>et al.</i> , 1988: 48	E. Jur.	S
<i>Stephanastrum orbiculare</i> (Td)	Rüst, 1898: 32	L. Jur.	S
<i>Stephanastrum uncinatum</i>	Rüst, 1898: 32	L. Jur.	S
<i>Stichocampe cuneatus</i>	Smirnova & Aliev in Aliev & Smirnova, 1969: 69	E. Cret.	N
<i>Stichocampe triangularis</i>	Aliev, 1968: 28	E. Cret.	N
<i>Stichocapsa acerra</i>	Hinde, 1908: 725	Tr.	N
<i>Stichocapsa altiforamina</i>	Tumanda, 1989: 32	E. Cret.	N
<i>Stichocapsa ampulla</i>	Vinassa de Regny, 1900: 345	L. Jur.	N
<i>Stichocapsa apicata</i>	Hinde, 1908: 723	Tr.	N
<i>Stichocapsa arca</i>	Aliev, 1961b: 67	E. Cret.	N
<i>Stichocapsa arca cenomanica</i>	Aliev, 1961b: 68	L. Cret.	N
<i>Stichocapsa arca varians</i>	Aliev, 1968: 31	L. Cret.	N
<i>Stichocapsa asiatica</i>	Ichikawa, 1950: 313	Tr.?	N
<i>Stichocapsa aspera</i>	Hinde, 1908: 724	Tr.	N
<i>Stichocapsa bebalainsis</i>	Tan, 1927: 70	E. Cret.	N
<i>Stichocapsa beckmanni</i>	Rüst, 1898: 66	L. Jur.	N
<i>Stichocapsa bicacuminata</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa biconica</i>	Matsuoka, 1991: 733	E. Jur.	N
<i>Stichocapsa bispinata</i>	Vinassa de Regny, 1899: 238	L. Jur.	N
<i>Stichocapsa boengani</i>	Hinde, 1900: 42	Jur.	N
<i>Stichocapsa bulgarica</i>	Tikhomirova, 1987b: 32	L. Jur.	N
<i>Stichocapsa capax</i>	Hinde, 1908: 723	Tr.	N
<i>Stichocapsa capitata</i>	Hinde, 1908: 724	Tr.	N
<i>Stichocapsa cepula</i>	Hinde, 1908: 721	Tr.	N
<i>Stichocapsa cepula circula</i>	Ichikawa, 1950: 315	Tr.?	N
<i>Stichocapsa chabakovi</i>	Khudyayev, 1931: 44	E. Cret.	N
<i>Stichocapsa chrysalis</i>	Hinde, 1893: 225	Cret.	N
<i>Stichocapsa cicciona</i>	Chiari, Marcucci & Prela, 2002: 76	M. Jur.	N
<i>Stichocapsa conglobata</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa conosphaeroides</i>	Rüst, 1898: 66	L. Jur.	N
<i>Stichocapsa convexa</i>	Yao, 1979: 35	M. Jur.	N
<i>Stichocapsa criбата</i>	Hinde, 1900: 43	Jur.	N
<i>Stichocapsa crinita</i>	Hinde, 1908: 722	Tr.	N
<i>Stichocapsa dawsoni</i>	Rüst, 1892a: 110	L. Cret.	N
<i>Stichocapsa decora</i> (T)	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa decorata</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa devorata arctica</i>	Vishnevskaya & Murchey, 2002: 104	E. Cret.	N
<i>Stichocapsa differens</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa directiporata</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa elegans</i>	Matsuoka, 1991: 731	E. Jur.	N
<i>Stichocapsa elongata</i>	Vinassa de Regny, 1899: 237	L. Jur.	N
<i>Stichocapsa euganea</i>	Squinabol, 1903: 142	L. Cret.	N
<i>Stichocapsa fallax</i>	Tan, 1927: 73	E. Cret.	N
<i>Stichocapsa fasciata</i>	Rüst, 1898: 65	L. Jur.	N
<i>Stichocapsa fenestrata</i>	Hinde, 1908: 725	Tr.	N
<i>Stichocapsa ferosia uvatica</i>	Amon, 1990: 66	L. Cret.	N
<i>Stichocapsa fusiformis</i>	Hinde, 1908: 727	Tr.	N
<i>Stichocapsa fusus</i>	Vinassa de Regny, 1899: 238	L. Jur.	N
<i>Stichocapsa glandiformis</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa globosa</i>	Khabakov, 1937: 115	E. Cret.	N
<i>Stichocapsa globosa</i>	Parona, 1890: 171	L. Jur.	N
<i>Stichocapsa globosa</i>	Vishnevskaya in Vishnevskaya <i>et al.</i> , 1999: 34	M. Jur.	N
<i>Stichocapsa grandis</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa grothii</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa hemisphaera</i>	Aliev, 1961b: 68	E. Cret.	N
<i>Stichocapsa himedaruma</i>	Aita, 1987: 74	M. Jur.	N
<i>Stichocapsa hispida</i>	Hinde, 1908: 722	Tr.	N
<i>Stichocapsa imminuta</i>	Rüst, 1885: 319	L. Jur.	N



<i>Stichocapsa inauris</i>	Hinde, 1908: 721	Tr.	N
<i>Stichocapsa intermedia</i>	Hinde, 1900: 42	Jur.	N
<i>Stichocapsa japonica</i>	Yao, 1979: 36	M. Jur.	N
<i>Stichocapsa jaspidea</i> (Td)	Rüst, 1885: 317	L. Jur.	N
<i>Stichocapsa kassini</i>	Khudyaev, 1931: 44	E. Cret.	N
<i>Stichocapsa khaltanensis</i>	Aliev, 1961b: 69	E. Cret.	N
<i>Stichocapsa khaltanensis nardaranica</i>	Aliev, 1961b: 70	E. Cret.	N
<i>Stichocapsa kvassiensis</i>	Lozyniak, 1981: 71	L. Jur.	N
<i>Stichocapsa labyrinthica</i>	Dumitrica in Dumitrica et al., 1997a: 66	E. Cret.	N
<i>Stichocapsa lageniformis</i>	Tan, 1927: 72	E. Cret.	N
<i>Stichocapsa lens</i>	Hinde, 1900: 43	Jur.	N
<i>Stichocapsa longa</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa magnipora</i>	Chiari, Marcucci & Prella, 2002: 76	M. Jur.	N
<i>Stichocapsa megalcephalia</i>	Campbell & Clark, 1944: 44	L. Cret.	N
<i>Stichocapsa microspina</i>	Iacob & Nicorici, 1957: 13	L. Jur.	N
<i>Stichocapsa minuta</i>	Wang & Sheng, 1982: 90	L. Jur.	N
<i>Stichocapsa modesta</i>	Ichikawa, 1950: 313	Tr.?	N
<i>Stichocapsa mucronata</i>	Hinde, 1908: 726	Tr.	N
<i>Stichocapsa nana</i> (Td)	Sheng, 1976: 132	Tr.?	N
<i>Stichocapsa nanjoensis</i>	Matsuoka, 1991: 733	E. Jur.	N
<i>Stichocapsa naradaniensis</i>	Matsuoka, 1984: 145	M. Jur.	N
<i>Stichocapsa navicula</i>	Rüst, 1898: 65	L. Jur.	N
<i>Stichocapsa nitida</i>	Hinde, 1908: 726	Tr.	N
<i>Stichocapsa nodosa</i>	Aita, 1987: 75	M. Jur.	N
<i>Stichocapsa nova</i>	Neviani, 1900: 666	L. Jur.	N
<i>Stichocapsa obesa</i>	Parona, 1890: 171	L. Jur.	N
<i>Stichocapsa oblongula</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa oblongula minuta</i>	Ichikawa, 1950: 314	Tr.?	N
<i>Stichocapsa ooides</i>	Neviani, 1900: 666	L. Jur.	N
<i>Stichocapsa ornata</i>	Hinde, 1900: 41	Jur.	N
<i>Stichocapsa ovata</i>	Hinde, 1900: 43	Jur.	N
<i>Stichocapsa ovatoidea</i>	Zhamoida, 1972: 125	E. Jur.	N
<i>Stichocapsa patula</i>	Hinde, 1908: 723	Tr.	N
<i>Stichocapsa perpasta</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa petzholdtii</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa pinguis</i>	Hinde, 1893: 225	Cret.	N
<i>Stichocapsa plicata</i>	Matsuoka, 1991: 727	E. Jur.	N
<i>Stichocapsa plicata plicata</i>	Matsuoka, 1991: 729	E. Jur.	N
<i>Stichocapsa plicata semiplicata</i>	Matsuoka, 1991: 729	E. Jur.	N
<i>Stichocapsa plicatoderma</i>	Zhamoida, 1968: 176	E. Jur.	N
<i>Stichocapsa polita</i>	Hinde, 1908: 721	Tr.	N
<i>Stichocapsa porosa</i>	Wang & Sheng, 1982: 91	L. Tr.	N
<i>Stichocapsa praepulchella</i>	Hori, 1999: 88	L. Jur.	N
<i>Stichocapsa procera</i>	Hinde, 1908: 725	Tr.	N
<i>Stichocapsa pseudapicata</i>	Tan, 1927: 73	E. Cret.	N
<i>Stichocapsa pseudocincta</i>	Tan, 1927: 73	E. Cret.	N
<i>Stichocapsa ? pseudoconvexa</i>	Kemkin & Taktetani, 2004: 331	L. Jur.	N
<i>Stichocapsa pseudodecora</i>	Tan, 1927: 72	E. Cret.	N
<i>Stichocapsa pseudopentacola</i>	Tan, 1927: 72	E. Cret.	N
<i>Stichocapsa pseudornata</i>	Tan, 1927: 71	E. Cret.	N
<i>Stichocapsa pygmaea</i>	Hinde, 1900: 43	Jur.	N
<i>Stichocapsa pyramidata massiva</i>	Amon, 1990: 68	L. Cret.	N
<i>Stichocapsa quadripora</i>	Khudyaev, 1931: 44	E. Cret.	N
<i>Stichocapsa rajantzyensis</i>	Tikhomirova, 1987b: 33	E. Jur.	N
<i>Stichocapsa regularis</i>	Khudyaev, 1931: 44	E. Cret.	N
<i>Stichocapsa reticulata</i>	Richter, 1925: 558	L. Cret.	N
<i>Stichocapsa reticulata</i>	Hinde, 1908: 724	Tr.	N
<i>Stichocapsa robusta</i>	Matsuoka, 1984: 146	M. Jur.	N
<i>Stichocapsa rostrata</i>	Rüst, 1885: 319	L. Jur.	N
<i>Stichocapsa rotunda</i>	Hinde, 1900: 41	Jur.	N
<i>Stichocapsa rustica</i>	Hinde, 1908: 727	Tr.	N
<i>Stichocapsa rutteni</i>	Tan, 1927: 71	E. Cret.	N
<i>Stichocapsa saturnalis</i>	Rüst, 1898: 67	L. Jur.	N
<i>Stichocapsa singularis</i>	Tan, 1927: 73	E. Cret.	N
<i>Stichocapsa singularis</i>	Tikhomirova, 1987b: 34	E. Jur.	N
<i>Stichocapsa ? stocki</i> (Ts)	Campbell & Clark, 1944: 44	L. Cret.	N
<i>Stichocapsa ? stylla</i>	Dumitrica in Dumitrica et al., 1997a: 67	E. Cret.	N
<i>Stichocapsa suavis</i>	Tumanda, 1989: 33	E. Cret.	N

<i>Stichocapsa subjuconda</i>	Neviani, 1900: 665	L. Jur.	N
<i>Stichocapsa subjuconda</i>	Ichikawa, 1950: 314	Tr.?	N
<i>Stichocapsa tecta</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa tegiminis</i>	Yao, 1979: 34	M. Jur.	N
<i>Stichocapsa tenuis</i>	Rüst, 1885: 318	L. Jur.	N
<i>Stichocapsa trautscholdii</i>	Rüst, 1888: 213	E. Cret.	N
<i>Stichocapsa triglobosa</i>	Rüst, 1898: 66	L. Jur.	N
<i>Stichocapsa tuscanica</i>	Chiari, Cortese & Marcucci <i>in</i> Chiari <i>et al.</i> , 1997: 70	M. Jur.	N
<i>Stichocapsa tyrrelli</i>	Rüst, 1892a: 110	L. Cret.	N
<i>Stichocapsa ulivii</i>	Chiari, Cortese & Marcucci <i>in</i> Chiari <i>et al.</i> , 1997: 70	M. Jur.	N
<i>Stichocapsa umberti</i>	Rüst, 1898: 66	L. Jur.	N
<i>Stichocapsa venusta</i>	Rüst, 1888: 212	E. Cret.	N
<i>Stichocapsa verbana</i>	Parona, 1890: 171	L. Jur.	N
<i>Stichocapsa whalenae</i>	Yeh & Cheng, 1998: 35	E. Jur.	N
<i>Stichocapsa wichmanni</i>	Tan, 1927: 71	E. Cret.	N
<i>Stichocapsa wisingiana</i>	Khudyayev, 1931: 45	E. Cret.	N
<i>Stichocapsa ? yamizoensis</i>	Hori, 1999: 89	L. Jur.	N
<i>Stichocapsa zyrjanica</i>	Khudyayev, 1931: 45	E. Cret.	N
<i>Stichocorys korjakensis</i>	Zhamoida <i>in</i> Dundo & Zhamoida, 1963: 61	E. Cret.	N
<i>Stichocorys pagoda</i>	Vinassa de Regny, 1900: 344	L. Jur.	N
<i>Stichocorys pulchra</i>	Squinabol, 1904: 229	L. Cret.	N
<i>Stichocorys turrita</i>	Vinassa de Regny, 1899: 236	L. Jur.	N
<i>Stichomitra ? angulata</i>	Bragin & Tekin <i>in</i> Bragin <i>et al.</i> , 2002: 618	L. Jur.	N
<i>Stichomitra annibill</i>	Kocher, 1981: 96	L. Jur.	N
<i>Stichomitra assymetra</i>	Foreman, 1978b: 748	L. Cret.	N
<i>Stichomitra asymbatos</i>	Foreman, 1968: 73	L. Cret.	N
<i>Stichomitra bertrandi</i> (Td)	Cayeux, 1897: 204	L. Cret.	N
<i>Stichomitra cathara</i>	Foreman, 1968: 73	L. Cret.	N
<i>Stichomitra ? cechena</i>	Foreman, 1968: 77	L. Cret.	N
<i>Stichomitra cingulata</i>	Squinabol, 1914: 281	E. Cret.	N
<i>Stichomitra communis</i>	Squinabol, 1903: 141	L. Cret.	N
<i>Stichomitra compsa</i>	Foreman, 1968: 72	L. Cret.	N
<i>Stichomitra costata</i>	Cayeux, 1897: 204	L. Cret.	N
<i>Stichomitra doliolum</i>	Aita <i>in</i> Aita & Okada, 1986: 120	L. Jur.	N
<i>Stichomitra foraminosa</i>	Taketani, 1982: 55	L. Cret.	N
<i>Stichomitra ? itra</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 66	E. Cret.	N
<i>Stichomitra magna</i>	Squinabol, 1904: 234	L. Cret.	N
<i>Stichomitra manifesta</i>	Foreman, 1978b: 748	L. Cret.	N
<i>Stichomitra ? matsukai</i>	Hull, 1997: 164	L. Jur.	N
<i>Stichomitra microcephala</i>	Cayeux, 1897: 204	L. Cret.	N
<i>Stichomitra navalis</i>	O'Dogherty, 1994: 141	E. Cret.	N
<i>Stichomitra paronai</i>	Aliev, 1965: 59	E. Cret.	N
<i>Stichomitra perapedhia</i>	Bragina <i>in</i> Bragina & Bragin, 1996: 251	L. Cret.	N
<i>Stichomitra pseudoscalaris</i>	Tan, 1927: 56	E. Cret.	N
<i>Stichomitra ruesti</i>	Aliev, 1965: 58	E. Cret.	N
<i>Stichomitra shirshovica</i>	Vishnevskaya <i>in</i> Bogdanov <i>et al.</i> , 1987: 57	L. Cret.	N
<i>Stichomitra ? stecki</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 442	M. Jur.	N
<i>Stichomitra ? tairai</i>	Aita, 1987: 72	L. Jur.	N
<i>Stichomitra ? takanoensis</i>	Aita, 1987: 73	M. Jur.	N
<i>Stichomitra tosaensis</i>	Nakaseko & Nishimura <i>in</i> Nakaseko <i>et al.</i> , 1979: 24	L. Cret.	N
<i>Stichomitra tosaensis</i>	Nakaseko & Nishimura, 1981: 162	L. Cret.	N
<i>Stichomitra ? triassica</i>	Dumitrica, Kozur & Mostler, 1980: 25	M. Tr.	N
<i>Stichomitra ? zamoraensis</i>	Pessagno, 1976: 54	L. Cret.	N
<i>Stichophormis costata</i>	Squinabol, 1903: 136	L. Cret.	N
<i>Stichophormis depressa</i>	Rüst, 1885: 317	L. Jur.	N
<i>Stichophormis macropora</i>	Squinabol, 1903: 137	L. Cret.	N
<i>Stichophormis montisserei</i>	Squinabol, 1903: 137	L. Cret.	N
<i>Stichophormis polita</i> (Ts)	Hinde, 1908: 713	Tr.	N
<i>Stichophormis sclopetaria</i> (Td)	Rüst, 1885: 317	L. Jur.	N
<i>Stichophormis tentoriolum</i>	Rüst, 1885: 317	L. Jur.	N
<i>Stichopilium (Stichopilidium) teslaense</i>	Campbell & Clark, 1944: 36	L. Cret.	N
<i>Stichopilium bonum</i>	Kozlova <i>in</i> Kozlova & Gorbovetz, 1966: 113	L. Cret.	N
<i>Stigmatosphaera cruxequitis</i>	Vinassa de Regny, 1901: 500	L. Cret.	S
<i>Stigmatosphaera tithoniana</i>	Vinassa de Regny, 1899: 219	L. Jur.	S
<i>Stigmatosphaerostylus turkensis</i>	Kozur, Kaya & Mostler, 1996a: 275	E. Tr.	E
<i>Striatojaponicapsa glomerulus</i>	Chiari, Marcucci & Prela, 2002: 80	M. Jur.	N
<i>Striatojaponocapsa riri</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 447	M. Jur.	N
<i>Striatojaponocapsa synconexa</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 447	M. Jur.	N

<i>Striatotriassocampe laeviannulata</i>	Kozur & Mostler, 1994: 139	M. Tr.	N
<i>Striatotriassocampe nodosoannulata</i> (T)	Kozur & Mostler, 1994: 138	M. Tr.	N
<i>Struma ardua</i>	Tikhomirova, 1989: 31	E. Jur.	N
<i>Struma decimana</i> (Td)	Tikhomirova, 1989: 31	E. Jur.	N
<i>Stylartus longispina</i>	Squinabol, 1904: 199	L. Cret.	S
<i>Stylatractus ovatus</i>	Hinde, 1900: 19	Jur.	S
<i>Stylatractus paronae</i>	Hinde, 1900: 18	Jur.	S
<i>Stylatractus pellucidus</i>	Rüst, 1888: 195	E. Cret.	S
<i>Stylatractus rothii</i>	Rüst, 1888: 195	E. Cret.	S
<i>Stylatractus spinosus</i>	Rüst, 1888: 195	E. Cret.	S
<i>Stylatractus tener</i>	Hinde, 1900: 18	Jur.	S
<i>Stylocapsa acerosa</i>	Tikhomirova, 1987b: 37	E. Jur.	N
<i>Stylocapsa catenarum</i> (T)	Matsuoka, 1982: 75	L. Jur.	N
<i>Stylocapsa excentrica</i>	Tikhomirova, 1987b: 37	M. Jur.	N
<i>Stylocapsa hastellata</i>	Tan, 1927: 45	E. Cret.	N
<i>Stylocapsa ? hemicostata</i>	Matsuoka, 1983: 17	M. Jur.	N
<i>Stylocapsa lacrimalis</i>	Matsuoka, 1983: 16	M. Jur.	N
<i>Stylocapsa oblongula</i>	Kocher <i>in</i> Baumgartner <i>et al.</i> , 1980: 62	M. Jur.	N
<i>Stylocapsa pachyderma</i>	Tan, 1927: 45	E. Cret.	N
<i>Stylocapsa pylosa</i>	Tan, 1927: 45	E. Cret.	N
<i>Stylocapsa ? spiralis</i> (T)	Matsuoka, 1982: 77	L. Jur.	N
<i>Stylocapsa tecta</i>	Matsuoka, 1983: 14	M. Jur.	N
<i>Stylocryptocapsa fallax</i>	Tan, 1927: 52	E. Cret.	N
<i>Stylocryptocapsa verbeeki</i> typ. (Ts)	Tan, 1927: 51	E. Cret.	N
<i>Stylocryptocapsa verbeeki</i> var. $\alpha$	Tan, 1927: 52	E. Cret.	N
<i>Stylocyclia emeryana</i>	Neviani, 1900: 652	L. Jur.	S
<i>Stylodictya (Stylodictyon) insignis</i>	Campbell & Clark, 1944: 17	L. Cret.	S
<i>Stylodictya bizonata</i>	Rüst, 1898: 24	L. Jur.	S
<i>Stylodictya carteri</i>	Amon, 2000: 44	L. Cret.	S
<i>Stylodictya delicatula</i>	Lipman, 1952: 33	L. Cret.	S
<i>Stylodictya diplospira</i>	Rüst, 1898: 24	E. Jur.	S
<i>Stylodictya fimbriata</i>	Hinde, 1900: 22	Jur.	S
<i>Stylodictya haeckeli</i>	Zittel, 1876: 85	L. Cret.	S
<i>Stylodictya heptagonia</i>	Rüst, 1898: 24	L. Jur.	S
<i>Stylodictya lata</i>	Rüst, 1888: 199	E. Cret.	S
<i>Stylodictya latispinosa</i>	Rüst, 1885: 296	L. Jur.	S
<i>Stylodictya ? lissanensis</i>	Vinassa de Regny, 1900: 337	L. Jur.	S
<i>Stylodictya longispinosa</i>	Rüst, 1885: 296	L. Jur.	S
<i>Stylodictya placentalis</i>	Lipman, 1952: 32	L. Cret.	S
<i>Stylodictya spiralis</i> (Td)	Rüst, 1888: 199	E. Cret.	S
<i>Stylodictya steinmanni</i>	Rüst, 1885: 296	L. Jur.	S
<i>Stylodictya stellaris</i>	Kazintsova, 1979: 96	L. Cret.	S
<i>Stylodiscus pala</i>	Vinassa de Regny, 1899: 230	L. Jur.	S
<i>Stylodruppa bifascicula</i> (Td)	Kazintsova, 1979: 95	L. Cret.	S
<i>Stylodruppa ornata</i>	Bragina, 2003a: 249	L. Cret.	S
<i>Stylodruppa tumefacta</i>	Kazintsova <i>in</i> Zonova <i>et al.</i> , 1993: 47	E. Cret.	S
<i>Stylosphaera (Stylosphaerella) pusilla</i>	Campbell & Clark, 1944: 5	L. Cret.	S
<i>Stylosphaera anatolica</i>	Bragina, 2004: S409	L. Cret.	S
<i>Stylosphaera asperalla</i>	Kozlova, 1973: 57	L. Jur.	S
<i>Stylosphaera densiporata</i>	Hinde, 1908: 703	Tr.	S
" <i>Stylosphaera</i> " <i>fragilis</i>	Bragin, 1991c: 89	M. Tr.	S
<i>Stylosphaera ? goestlingensis</i>	Kozur & Mostler, 1979a: 54	L. Tr.	S
<i>Stylosphaera lanceola</i>	Parona, 1890: 150	L. Jur.	S
<i>Stylosphaera macrostyla</i>	Rüst, 1888: 193	E. Cret.	S
<i>Stylosphaera ? nazarovi</i>	Kozur & Mostler, 1979a: 55	L. Tr.	S
<i>Stylosphaera obtusa</i>	Hinde, 1900: 15	Jur.	S
<i>Stylosphaera resistens</i>	Rüst, 1885: 291	L. Jur.	S
<i>Stylosphaera squinaboli</i>	Tan, 1927: 35	E. Cret.	S
<i>Stylospongia planoconvexa</i> (T)	Pessagno, 1963: 199	L. Cret.	S
<i>Stylospongia ? titirez</i>	Jud, 1994: 110	E. Cret.	S
<i>Stylospongia verteroensis</i>	Pessagno, 1963: 199	L. Cret.	S
<i>Stylostaurus simplex</i>	Vinassa de Regny, 1900: 333	L. Jur.	S
<i>Stylotrochus (Stylotrichiscus) antiquus</i>	Campbell & Clark, 1944: 19	L. Cret.	S
<i>Stylotrochus (Stylotrichiscus) hexagonus</i>	Campbell & Clark, 1944: 20	L. Cret.	S
<i>Stylotrochus (Stylotrichiscus) polygonatus</i>	Campbell & Clark, 1944: 19	L. Cret.	S
<i>Stylotrochus dolichacanthus</i>	Lipman, 1952: 40	L. Cret.	S
<i>Stylotrochus euganeus</i>	Squinabol, 1904: 207	L. Cret.	S
<i>Stylotrochus excavatus</i>	Rüst, 1898: 35	L. Jur.	S

<i>Stylotrochus formosus</i>	Rüst, 1888: 202	E. Cret. S
<i>Stylotrochus hamatus</i>	Rüst, 1888: 202	E. Cret. S
<i>Stylotrochus helios</i>	Squinabol, 1903: 124	L. Cret. S
<i>Stylotrochus hexacanthus</i>	Lipman, 1952: 40	L. Cret. S
<i>Stylotrochus longispina</i>	Squinabol, 1904: 207	L. Cret. S
<i>Stylotrochus longispinus</i>	Rüst, 1898: 35	L. Jur. S
<i>Stylotrochus octacanthus</i>	Lipman, 1952: 40	L. Cret. S
<i>Stylotrochus solitus</i>	Rüst, 1888: 202	E. Cret. S
<i>Stypolarcus laboriosus</i>	Tan, 1927: 38	E. Cret. N
<i>Styptosphaera muralis</i>	Goltman, 1983: 167	L. Cret. N
<i>Sulovella constricta</i> (Ts)	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 77	L. Tr. S
<i>Suna echiodes concava</i>	Kiessling, 1999: 28	L. Jur. S
<i>Suna ehrenbergi</i>	Hull, 1997: 68	L. Jur. S
<i>Suna geometrica</i> (T)	Wu, 1986: 357	L. Cret. S
<i>Suna haeckeli</i>	Hull, 1997: 69	L. Jur. S
<i>Supervallupus haeckeli</i> (Ts)	Yang & Pessagno, 1989: 131	L. Jur. S
<i>Svinitzium mizutani</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 53	E. Cret. N
<i>Svinitzium pseudopuga</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 54	E. Cret. N
<i>Syringium ingens</i>	Tan, 1927: 63	E. Cret. N
<i>Syringium molengraaffi</i>	Tan, 1927: 63	E. Cret. N
<i>Syringocapsa agolarium</i>	Foreman, 1973: 268	E. Cret. N
<i>Syringocapsa batodes</i>	De Wever <i>in</i> De Wever <i>et al.</i> , 1979: 91	L. Tr. N
<i>Syringocapsa bulbosa</i>	Steiger, 1992: 60	L. Jur. N
<i>Syringocapsa circumvoluta</i>	Bragin, 2007: 1014	L. Tr. N
<i>Syringocapsa coliforme</i>	Hori, 1988: 556	E. Jur. N
<i>Syringocapsa coronata</i>	Steiger, 1992: 60	E. Cret. N
<i>Syringocapsa extansa</i>	Tekin, 1999: 167	L. Tr. N
<i>Syringocapsa firma</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 180	L. Tr. N
<i>Syringocapsa glabra</i>	Kozur, Moix & Ozsvárt, 2007c: 209	L. Tr. N
<i>Syringocapsa lata</i>	Yang, 1993: 132	L. Jur. N
<i>Syringocapsa limatum</i> (Ts)	Foreman, 1973: 268	E. Cret. N
<i>Syringocapsa longituba</i>	Steiger & Steiger, 1994: 460	L. Jur. N
<i>Syringocapsa longitubus</i>	Jud, 1994: 112	E. Cret. N
<i>Syringocapsa lucifer</i>	Baumgartner, 1984: 786	E. Cret. N
<i>Syringocapsa nuda</i>	Tekin <i>in</i> Tekin & Bedi, 2007b: 182	L. Tr. N
<i>Syringocapsa pacifica</i>	Vishnevskaya, 1992: 39	L. Jur. N
<i>Syringocapsa rhaetica</i>	Kozur & Mostler, 1981: 87	L. Tr. N
<i>Syringocapsa spinellifera</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 550	L. Jur. N
<i>Syringocapsa suavis</i>	Yang, 1993: 133	L. Jur. N
<i>Syringocapsa tamanensis</i>	Yang, 1993: 133	L. Jur. N
<i>Syringocapsa turgida</i>	Blome, 1984a: 53	L. Tr. N
<i>Takoum hexagonum</i> (T)	Takemura, 1986: 66	M. Jur. N
<i>Takoum takemurai</i>	Dumitrica & Zügel, 2003: 34	L. Jur. N
<i>Tamonella multispinosa</i> (T)	Dumitrica, Kozur & Mostler, 1980: 7	M. Tr. S
<i>Tamonella rarispinosa</i>	Kozur & Mostler, 1994: 54	M. Tr. S
<i>Tandarnia arachnoconcha</i>	Dumitrica, 1982c: 415	M. Tr. N
<i>Tandarnia echinata</i>	Dumitrica, 1982c: 415	M. Tr. N
<i>Tandarnia incerta</i>	Dumitrica, 1982c: 416	M. Tr. N
<i>Tandarnia recoarensis</i> (T)	Dumitrica, 1982c: 415	M. Tr. N
<i>Tandarnia simplicissima</i> (T)	Dumitrica, 1982c: 414	M. Tr. N
<i>Tappanella novacubica</i> (T)	Hull, 1997: 55	L. Jur. S
<i>Tauridastrum longitubus</i> (T)	Tekin, 1999: 123	L. Tr. E
<i>Teesium insignitum</i> (T)	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 72	E. Jur. N
<i>Teichertus cavernosus</i>	Hull, 1997: 76	L. Jur. S
<i>Teichertus hypnoticus</i>	Kiessling, 1999: 41	L. Jur. S
<i>Teichertus ? notus</i>	Hull, 1997: 76	L. Jur. S
<i>Teichertus splendidus</i>	Hull, 1997: 77	L. Jur. S
<i>Tertonium curvicornum</i>	Dumitrica & Zügel, 2003: 49	L. Jur. N
<i>Tertonium rectum</i> (T)	Dumitrica & Zügel, 2003: 49	L. Jur. N
<i>Tessarastrum clavatum</i>	Rüst, 1898: 31	L. Jur. S
<i>Tessarastrum grandidens</i>	Rüst, 1898: 31	L. Jur. S
<i>Tessarastrum quadratum</i> (Td)	Lipman, 1952: 38	L. Cret. S
<i>Tethysetta acuticephala</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 48	E. Cret. N
<i>Tethysetta cingulifera</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 48	E. Cret. N
<i>Tethysetta hullae</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 49	E. Cret. N
<i>Tethysetta ovoidala</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 50	E. Cret. N
<i>Tethysetta pygmaea</i> (T)	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 50	E. Cret. N
<i>Tetracanthellipsis euganeus</i> (T)	Squinabol, 1903: 117	L. Cret. S

<i>Tetracanthellipsis gregalis</i>	O'Dogherty, 1994: 296	L. Cret. S
<i>Tetracapnuosphaera globosa</i> (T)	Kozur & Mostler, 2006: 25	M. Tr. S
<i>Tetracapnuosphaera truncata</i>	Kozur & Mostler, 2006: 25	M. Tr. S
<i>Tetracapsa amazona</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetracapsa ixodes</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetracapsa jucunda</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetracapsa pilula</i> (Td)	Rüst, 1885: 312	L. Jur. N
<i>Tetracapsa pinguis</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetracapsa stenopora</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetracapsa zinckenii</i>	Rüst, 1885: 313	L. Jur. N
<i>Tetraditryma corralitosensis bifida</i>	Conti & Marcucci, 1991: 804	M. Jur. S
<i>Tetraditryma emilei</i>	Hull, 1997: 47	L. Jur. S
<i>Tetraditryma preplena</i>	Baumgartner, 1984: 787	M. Jur. S
<i>Tetraditryma pseudoplana</i> (T)	Baumgartner, 1980: 297	L. Jur. S
<i>Tetrahedrina megapora</i>	Rüst, 1888: 207	E. Cret. N
<i>Tetrahedrina sacciformis</i>	Rüst, 1898: 43	L. Jur. N
<i>Tetrapaurinella brevispina</i>	Kozur & Mostler, 2006: 35	M. Tr. S
<i>Tetrapaurinella curvispina</i>	Kozur & Mostler, 2006: 35	M. Tr. S
<i>Tetrapaurinella discoidalis</i> (T)	Kozur & Mostler, 1994: 77	M. Tr. S
<i>Tetrapaurinella staurus</i>	Dumitrica <i>in</i> Dumitrica <i>et al.</i> , 1997a: 25	E. Cret. S
<i>Tetrapaurinella tetrahedrica</i>	Kozur & Mostler, 1994: 77	M. Tr. S
<i>Tetrarphormis ? leia</i>	Foreman, 1968: 27	L. Cret. N
<i>Tetrarphormis ? lobocarena</i>	Foreman, 1968: 28	L. Cret. N
<i>Tetraplecta hattorii</i>	Dumitrica, 2004: 216	M. Jur. N
<i>Tetraplecta yaoi</i>	Dumitrica, 2004: 216	M. Jur. N
<i>Tetraporobrachia asymmetrica</i>	Kozur & Mostler, 1981: 22	L. Tr. E
<i>Tetraporobrachia composita</i>	Carter, 1993: 90	L. Tr. E
<i>Tetraporobrachia haeckeli</i> (T)	Kozur & Mostler, 1979a: 79	L. Tr. E
<i>Tetrarchiplagia abietinoides</i>	Dumitrica, 1982c: 413	M. Tr. N
<i>Tetrarchiplagia arborescens</i> (T)	Dumitrica, 1982c: 412	M. Tr. N
<i>Tetrarchiplagia centroconcha</i>	Dumitrica, 2004: 207	M. Tr. N
<i>Tetrarchiplagia compacta</i>	Sashida & Kamata <i>in</i> Sashida <i>et al.</i> , 1999a: 777	M. Tr. N
<i>Tetrarchiplagia quadrispina</i>	Dumitrica, 1982c: 412	M. Tr. N
<i>Tetrarchiplagia ramosa</i>	Dumitrica & Zügel, 2003: 16	L. Jur. N
<i>Tetrarchiplagia simplex</i>	Sugiyama, 1992: 1191	E. Tr. N
<i>Tetrarchiplagia tithoniana</i>	Dumitrica & Zügel, 2003: 18	L. Jur. N
<i>Tetrarchiplagia verticillata</i> (T)	Dumitrica, 1982c: 413	M. Tr. N
<i>Tetrarectangulum poratum</i>	Steiger, 1992: 52	E. Cret. S
<i>Tetrarectangulum spinosum</i> (T)	Steiger, 1992: 52	L. Jur. S
<i>Tetrarhopalus itoigawai</i> (Ts)	Sugiyama, 1992: 1207	E. Tr. E
<i>Tetrarhopalus ? sabayoensis</i>	Sashida <i>in</i> Sashida <i>et al.</i> , 2000b: 91	E. Tr. E
<i>Tetraspinocyrtis anisica</i>	Kozur & Mostler, 1994: 130	M. Tr. N
<i>Tetraspinocyrtis annuloporata</i>	Kozur & Mostler, 1994: 130	M. Tr. N
<i>Tetraspinocyrtis fassanica</i>	Kozur & Mostler, 1994: 131	M. Tr. N
<i>Tetraspinocyrtis laevis</i> (T)	Kozur & Mostler, 1994: 129	M. Tr. N
<i>Tetraspongodiscus longispinosus</i> (T)	Kozur & Mostler, 1979a: 81	L. Tr. S
<i>Tetraspongodiscus quadratus</i>	Lahm, 1984: 59	M. Tr. S
<i>Tetratholura italica</i> (T)	Dumitrica, 1989: 230	M. Tr. S
<i>Tetratrabs bulbosa</i>	Baumgartner, 1980: 295	L. Jur. S
<i>Tetratrabs gratiosa</i> (T)	Baumgartner, 1980: 295	L. Jur. S
<i>Tetratrabs imlayi</i>	Yeh, 1987a: 31	E. Jur. S
<i>Tetratrabs izeensis</i>	Yeh, 1987a: 31	E. Jur. S
<i>Tetratrabs ? noricus</i>	Carter, 1993: 50	L. Tr. S
<i>Tetratrabs radix</i>	Jud, 1994: 112	E. Cret. S
<i>Tetriastrum tenue</i> (T)	Yang, 1993: 53	L. Jur. S
<i>Thaisphaera minuta</i> (T)	Sashida & Igo, 1992: 1306	E. Tr. S
<i>Thanarla carboneroensis</i>	O'Dogherty, 1994: 85	E. Cret. N
<i>Thanarla cucurbita</i>	O'Dogherty, 1994: 95	L. Cret. N
<i>Thanarla gutta</i>	Jud, 1994: 113	E. Cret. N
<i>Thanarla karpoffae</i>	Schaaf, 1981: 439	E. Cret. N
<i>Thanarla pacifica</i>	Nakaseko & Nishimura, 1981: 163	E. Cret. N
<i>Thanarla praeveneta</i>	Pessagno, 1977b: 46	L. Cret. N
<i>Thanarla spolettoensis</i>	O'Dogherty, 1994: 95	E. Cret. N
<i>Thecacapsula armenica</i> (Td)	Tikhomirova, 1983a: 64	E. Cret. N
<i>Thecosphaera ? aculeata</i>	Vinassa de Regny, 1900: 330	L. Jur. S
<i>Thecosphaera conosphaerica</i>	Zhamoida, 1968: 162	E. Jur. S
<i>Thecosphaera decemradiata</i>	Rüst, 1888: 192	E. Cret. S
<i>Thecosphaera gracilis</i>	Zhamoida, 1972: 102	L. Cret. S



<i>Thecosphaera minima</i>	Richter, 1925: 551	L. Cret. S
<i>Thecosphaera novemradiata</i>	Parona, 1890: 149	L. Jur. S
<i>Thecosphaera pappii</i>	Hojnos, 1916: 346	E. Cret. S
<i>Thecosphaera reperta</i>	Rüst, 1898: 6	E. Jur. S
<i>Thecosphaera septemradiata</i>	Rüst, 1888: 191	E. Cret. S
<i>Thecosphaera spinosa</i>	Richter, 1925: 550	L. Cret. S
<i>Thecosphaera spongjarum</i>	Perner, 1891: 261	L. Cret. S
<i>Thecosphaera unica</i> (Td)	Rüst, 1885: 292	L. Jur. S
<i>Thecosphaera zinckenii</i>	Rüst, 1888: 192	E. Cret. S
<i>Theocalyptra eurystoma</i>	Rüst, 1898: 51	L. Jur. N
<i>Theocalyptra limbata</i>	Kozlova in Kozlova & Gorbovetz, 1966: 108	L. Cret. N
<i>Theocampe (Theocampana) latipunctata</i>	Campbell & Clark, 1944: 34	L. Cret. N
<i>Theocampe (Theocampana) vanderhoofi</i>	Campbell & Clark, 1944: 34	L. Cret. N
<i>Theocampe abdominalis</i>	Rüst, 1898: 52	E. Jur. N
<i>Theocampe animula</i>	Gorbovetz in Kozlova & Gorbovetz, 1966: 112	L. Cret. N
<i>Theocampe apicata</i>	Foreman, 1971: 1679	L. Cret. N
<i>Theocampe argyris</i>	Foreman, 1968: 52	L. Cret. N
<i>Theocampe ascalia</i>	Foreman, 1971: 1678	L. Cret. N
<i>Theocampe bassilis</i>	Foreman, 1968: 50	L. Cret. N
<i>Theocampe comprimierta</i>	Empson-Morin, 1981: 262	L. Cret. N
<i>Theocampe costata</i>	Musavu & Danelian, 2006: 153	L. Cret. N
<i>Theocampe cylindrica</i>	Smirnova & Aliev in Aliev & Smirnova, 1969: 68	E. Cret. N
<i>Theocampe ? cypraea</i>	Bragina in Bragina & Bragin, 1996: 251	L. Cret. N
<i>Theocampe dactylica</i>	Foreman, 1968: 53	L. Cret. N
<i>Theocampe daseia</i>	Foreman, 1968: 48	L. Cret. N
<i>Theocampe demeraraense</i>	Musavu & Danelian, 2006: 153	L. Cret. N
<i>Theocampe guttaeformis</i>	Bragina, 1991a: 135	L. Cret. N
<i>Theocampe ixys</i>	Riedel & Sanfillippo, 1974: 781	L. Cret. N
<i>Theocampe lispa</i>	Foreman, 1968: 49	L. Cret. N
<i>Theocampe regularis</i>	Vinassa de Regny, 1899: 234	L. Jur. N
<i>Theocampe ruckena</i>	Empson-Morin, 1981: 263	L. Cret. N
<i>Theocampe salillum</i>	Foreman, 1971: 1678	L. Cret. N
<i>Theocampe sibirica</i>	Lipman, 1962: without description	L. Cret. N
<i>Theocampe simplex</i>	Smirnova & Aliev in Aliev & Smirnova, 1969: 69	E. Cret. N
<i>Theocampe sphaerocephala</i>	Rüst, 1892a: 106	L. Cret. N
<i>Theocampe stathmepora</i>	Foreman, 1968: 54	L. Cret. N
<i>Theocampe subtilis</i>	Squinabol, 1903: 135	L. Cret. N
<i>Theocampe tumida</i>	Hinde, 1908: 711	Tr. N
<i>Theocampe vielecka</i>	Empson-Morin, 1981: 263	L. Cret. N
<i>Theocampe vollendeta</i>	Empson-Morin, 1981: 263	L. Cret. N
<i>Theocampe yaoi</i>	Taketani, 1982: 53	L. Cret. N
<i>Theocapsa (Theocapsomma) amphora</i>	Campbell & Clark, 1944: 35	L. Cret. N
<i>Theocapsa acuta</i>	Hojnos, 1916: 353	E. Cret. N
<i>Theocapsa attenuata</i>	Rüst, 1898: 53	L. Jur. N
<i>Theocapsa bubo</i>	Rüst, 1898: 54	E. Jur. N
<i>Theocapsa costata</i>	Squinabol, 1904: 223	L. Cret. N
<i>Theocapsa crassitestata</i>	Rüst, 1898: 54	L. Jur. N
<i>Theocapsa curata</i> typ.	Tan, 1927: 46	E. Cret. N
<i>Theocapsa curata</i> var. $\alpha$	Tan, 1927: 47	E. Cret. N
<i>Theocapsa elata</i>	Tan, 1927: 47	E. Cret. N
<i>Theocapsa emiliae</i>	Rüst, 1885: 310	L. Jur. N
<i>Theocapsa glanduliformis</i>	Rüst, 1898: 53	L. Jur. N
<i>Theocapsa gratiosa</i> (Td)	Rüst, 1885: 309	L. Jur. N
<i>Theocapsa kochii</i>	Hojnos, 1916: 353	E. Cret. N
<i>Theocapsa laevis</i>	Tan, 1927: 46	E. Cret. N
<i>Theocapsa lata</i>	Rüst, 1898: 53	L. Jur. N
<i>Theocapsa mediooblonga</i>	Rüst, 1885: 310	L. Jur. N
<i>Theocapsa medioreducta</i>	Rüst, 1885: 310	L. Jur. N
<i>Theocapsa minima</i>	Squinabol, 1904: 224	L. Cret. N
<i>Theocapsa naticoides</i>	Squinabol, 1904: 224	L. Cret. N
<i>Theocapsa obesa</i>	Rüst, 1885: 310	L. Jur. N
<i>Theocapsa orthoceras</i>	Rüst, 1898: 54	E. Jur. N
<i>Theocapsa parva</i>	Ichikawa, 1950: 306	Tr.? N
<i>Theocapsa pentagona</i>	Aita, 1987: 75	M. Jur. N
<i>Theocapsa quadrata</i>	Rüst, 1885: 310	L. Jur. N
<i>Theocapsa regularis</i>	Squinabol, 1904: 223	L. Cret. N
<i>Theocapsa sacculus</i>	Parona, 1890: 169	L. Jur. N
<i>Theocapsa salva</i>	Rüst, 1888: 210	E. Cret. N

<i>Theocapsa simplex</i>	Tan, 1927: 46	E. Cret. N
<i>Theocapsa tricornis</i>	Vinassa de Regny, 1901: 507	L. Cret. N
<i>Theocapsa urniformis</i>	Tan, 1927: 45	E. Cret. N
<i>Theocapsa uterculius</i>	Parona, 1890: 168	L. Jur. N
<i>Theocapsa variabilis</i> typ.	Tan, 1927: 47	E. Cret. N
<i>Theocapsa variabilis</i> var. $\alpha$	Tan, 1927: 47	E. Cret. N
<i>Theocapsa zacherlii</i>	Rüst, 1898: 53	L. Jur. N
<i>Theocapsomma aequabilis</i>	Garg & Jain, 1978: 153	L. Cret. N
<i>Theocapsomma aequalis</i>	Garg & Jain, 1978: 153	L. Cret. N
<i>Theocapsomma ancus</i>	Foreman, 1968: 32	L. Cret. N
<i>Theocapsomma bicornis</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 572	M. Jur. N
<i>Theocapsomma comys</i>	Foreman, 1968: 29	L. Cret. N
<i>Theocapsomma constricta</i>	Aita, 1987: 76	M. Jur. N
<i>Theocapsomma cordis</i> (T)	Kocher, 1981: 100	M. Jur. N
<i>Theocapsomma costata</i>	Chiari, Marcucci & Prela, 2002: 82	M. Jur. N
<i>Theocapsomma cucurbitiformis</i>	Baumgartner in Baumgartner <i>et al.</i> , 1995: 674	M. Jur. N
<i>Theocapsomma medvednicensis</i>	Goričan in Halamic <i>et al.</i> , 1999: 37	M. Jur. N
<i>Theocapsomma teren</i>	Foreman, 1968: 32	L. Cret. N
<i>Theoconus bandesii</i>	Rüst, 1898: 51	L. Jur. N
<i>Theoconus coronatus</i> (Ts)	Squinabol, 1904: 220	L. Cret. N
<i>Theoconus cretaceus</i>	Squinabol, 1903: 134	L. Cret. N
<i>Theoconus macroporus</i>	Squinabol, 1904: 220	L. Cret. N
<i>Theoconus simplex</i>	Squinabol, 1904: 221	L. Cret. N
<i>Theocoronium ornatum</i>	Bragina, 1991a: 135	L. Cret. N
<i>Theocoronium puncticulatum</i>	Sarkisova, 2007: 504	L. Cret. N
<i>Theocoronium subtriquetrum</i>	Bragina in Bragina & Bragin, 1996: 251	L. Cret. N
<i>Theocorys antiqua</i>	Squinabol, 1903: 135	L. Cret. N
<i>Theocorys coronata</i>	Rüst, 1888: 209	E. Cret. N
<i>Theocorys euganea</i>	Squinabol, 1903: 135	L. Cret. N
<i>Theocorys fossilis</i>	Squinabol, 1903: 135	L. Cret. N
<i>Theocorys mitakensis</i>	Ichikawa, 1950: 305	Tr.? N
<i>Theocorys morchellula</i> (Td)	Rüst, 1885: 308	L. Jur. N
<i>Theocorys pachyderma</i>	Rüst, 1898: 52	L. Jur. N
<i>Theocorys pumila</i>	Rüst, 1888: 209	E. Cret. N
<i>Theocorys renzae</i>	Schaaf, 1981: 440	E. Cret. N
<i>Theocorys spinosa</i>	Squinabol, 1904: 222	L. Cret. N
<i>Theocorys trifenestra</i>	Rüst, 1898: 52	E. Jur. N
<i>Theocyrtis</i> ( <i>Theocorusca</i> ) <i>blanchae</i>	Campbell & Clark, 1944: 32	L. Cret. N
<i>Theocyrtis parvula</i>	Squinabol, 1904: 221	L. Cret. N
<i>Theocyrtis praemugaicus</i>	Amon, 2000: 66	L. Cret. N
<i>Theocyrtis sitnikovae</i>	Amon, 2000: 67	L. Cret. N
<i>Theodiscus cretaceus</i>	Squinabol, 1914: 271	E. Cret. S
<i>Theodiscus exaspina</i>	Squinabol, 1914: 272	E. Cret. S
<i>Theodiscus horridus</i>	Squinabol, 1903: 119	L. Cret. S
<i>Theodiscus minimus</i>	Squinabol, 1903: 119	L. Cret. S
<i>Theodiscus novalensis</i>	Squinabol, 1914: 270	E. Cret. S
<i>Theodiscus paronai</i>	Squinabol, 1903: 119	L. Cret. S
<i>Theodiscus parvus</i>	Squinabol, 1903: 119	L. Cret. S
<i>Theodiscus sacerdotalis</i>	Vinassa de Regny, 1899: 230	L. Jur. S
<i>Theodiscus sculptus</i>	Squinabol, 1904: 200	L. Cret. S
<i>Theodiscus superbus</i> (T)	Squinabol, 1914: 271	E. Cret. S
<i>Theodiscus triangularis</i>	Squinabol, 1904: 200	L. Cret. S
<i>Theodiscus tumlus</i>	Aliev, 1976: 121	E. Cret. S
<i>Theophormis radiata</i>	Rüst, 1898: 50	L. Jur. N
<i>Theopodium microporus</i> (Td)	Rüst, 1885: 309	L. Jur. N
<i>Theopodium nymphaea</i>	Rüst, 1898: 48	L. Jur. N
<i>Theosyringium acanthophorum</i> var. <i>hexacanthus</i>	Fischli, 1916: 46	E. Cret. N
<i>Theosyringium acanthophorum</i> var. <i>polyacanthus</i>	Fischli, 1916: 46	E. Cret. N
<i>Theosyringium acanthophorum</i> var. <i>tetracanthus</i>	Fischli, 1916: 46	E. Cret. N
<i>Theosyringium acanthophorum</i> var. <i>triacanthus</i>	Fischli, 1916: 46	E. Cret. N
<i>Theosyringium apenninicum</i>	Neviani, 1900: 661	L. Jur. N
<i>Theosyringium badauense</i>	Hinde, 1900: 31	Jur. N
<i>Theosyringium capitatum</i>	Rüst, 1888: 209	E. Cret. N
<i>Theosyringium curtum</i>	Rüst, 1885: 308	L. Jur. N
<i>Theosyringium expansum</i>	Rüst, 1885: 308	L. Jur. N
<i>Theosyringium helveticum</i>	Rüst, 1885: 309	L. Jur. N
<i>Theosyringium italicum</i>	Neviani, 1900: 661	L. Jur. N
<i>Theosyringium jugosum</i>	Campbell & Clark, 1944: 32	L. Cret. N

<i>Theosyringium larva</i>	Parona, 1890: 168	L. Jur.	N
<i>Theosyringium lombardicum</i>	Parona, 1890: 168	L. Jur.	N
<i>Theosyringium primaevus</i>	Hojnos, 1916: 350	E. Cret.	N
<i>Theosyringium proboscideum</i>	Rüst, 1885: 309	L. Jur.	N
<i>Theosyringium pulchrum</i>	Squinabol, 1904: 222	L. Cret.	N
<i>Theosyringium robustum</i> (Td)	Vinassa de Regny, 1900: 343	L. Jur.	N
<i>Theosyringium sauvense</i>	Hinde, 1908: 710	Tr.	N
<i>Theosyringium tripartitum</i>	Rüst, 1885: 308	L. Jur.	N
<i>Theosyringium vicetinum</i>	Squinabol, 1914: 281	E. Cret.	N
<i>Thetis ? bernoullii</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 576	M. Jur.	N
<i>Thetis oblonga</i> (T)	De Wever, 1982: 195	E. Jur.	N
<i>Thetis stolata</i>	De Wever, 1982: 195	E. Jur.	N
<i>Thetis undulata</i>	De Wever, 1982: 196	E. Jur.	N
<i>Tholusus conoideus</i>	Tikhomirova, 1989: 32	E. Jur.	N
<i>Tholusus tumidus</i> (Td)	Tikhomirova, 1989: 32	E. Jur.	N
<i>Thurstonia gibsoni</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 42	E. Jur.	S
<i>Thurstonia magnaglobus</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 42	E. Jur.	S
<i>Thurstonia minutaglobus</i> (Th)	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 43	E. Jur.	S
<i>Thurstonia timberensis</i>	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 43	E. Jur.	S
<i>Tiborella agria</i>	Sugiyama, 1992: 1220	E. Tr.	E
<i>Tiborella anisica</i>	Kozur & Mostler, 1994: 52	M. Tr.	E
<i>Tiborella florida austriaca</i>	Kozur, Krainer & Mostler, 1996b: 219	M. Tr.	E
<i>Tiborella florida tortilis</i>	Kozur & Mostler, 1994: 52	M. Tr.	E
<i>Tiborella longobardica</i>	Kozur & Mostler, 1981: 79	M. Tr.	E
<i>Tiborella magnidentata</i> (T)	Dumitrica, Kozur & Mostler, 1980: 18	M. Tr.	E
<i>Tipperella kennecottensis</i> (T)	Carter <i>in</i> Longridge <i>et al.</i> , 2007: 163	E. Jur.	S
<i>Tirodella goestingensis</i> (T)	Kozur & Mostler, 1981: 113	L. Tr.	N
<i>Tjerkium deweveri</i> (Ts)	Dumitrica & Hungerbühler, 2007: 228	L. Tr.	S
<i>Tjerkium omanense</i>	Dumitrica & Hungerbühler, 2007: 229	L. Tr.	S
<i>Tjerkium pizzomondelloense</i>	Dumitrica & Hungerbühler, 2007: 230	L. Tr.	S
<i>Tlecerina ? apsonae</i>	Sashida <i>in</i> Sashida <i>et al.</i> , 2000a: 801	M. Tr.	E
<i>Torculum bastetani</i>	O'Dogherty, 1994: 133	E. Cret.	N
<i>Toritenum corpulentum</i>	Dumitrica & Zügel, 2003: 50	L. Jur.	N
<i>Toritenum hirsutum</i> (T)	Dumitrica & Zügel, 2003: 52	L. Jur.	N
<i>Torosaturnalis orientalis</i> (Ts)	Bragin, 1991a: 61	L. Tr.	N
<i>Tozerium nascens</i> (T)	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 44	E. Jur.	E
<i>Transhsuum crassum</i>	Chiari, Marcucci & Prela, 2002: 82	M. Jur.	N
<i>Transhsuum medium</i> (T)	Takemura, 1986: 51	M. Jur.	N
<i>Transylvanaria devaensis</i> (T)	Dumitrica & Carter, 1999: 423	L. Cret.	E
<i>Transylvanaria hattorii</i>	Dumitrica & Carter, 1999: 424	M. Jur.	E
<i>Trekljama ampla</i>	Tikhomirova, 1989: 33	E. Jur.	N
<i>Trekljama guttiformis</i> (Td)	Tikhomirova, 1989: 34	E. Jur.	N
<i>Trekljana soluta</i>	Tikhomirova, 1989: 34	E. Jur.	N
<i>Trekljana ? tholiformis</i>	Tikhomirova, 1989: 35	E. Jur.	N
<i>Trematodiscus soritoides</i>	Pantanelli, 1880: 48	L. Jur.	S
<i>Trexus dodgensis</i> (T)	Whalen & Carter <i>in</i> Carter <i>et al.</i> , 1998: 62	E. Jur.	N
<i>Trexus ? sphaericus</i>	Bertinelli & Marcucci, 2006: 146	E. Jur.	N
<i>Triacanthocircus muelleri</i> (Ts)	Kozur & Mostler, 1990: 213	E. Jur.	S
<i>Triacanthocircus squinaboli</i>	Kozur & Mostler, 1990: 213	E. Jur.	S
<i>Triactinosphaera zitteli</i> (Td)	Dunikowski, 1882: 192	E. Jur.	S
<i>Triactis curvispina</i>	Parona, 1890: 155	L. Jur.	S
<i>Triactis rüsti</i> (Ts)	Parona, 1890: 155	L. Jur.	S
<i>Triactis tribula</i>	Sheng, 1976: 130	Tr.?	S
<i>Triactiscus curvispinus</i>	Rüst, 1898: 20	L. Jur.	S
<i>Triactiscus morum</i>	Rüst, 1898: 20	L. Jur.	S
<i>Triactiscus triacuminatus</i>	Lipman, 1952: 31	L. Cret.	S
<i>Triactoma cellulosa</i>	Foreman, 1973: 259	E. Cret.	S
<i>Triactoma cornuta</i> (Ts)	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1980: 63	L. Jur.	S
<i>Triactoma dimitricai</i>	Lahm, 1984: 73	M. Tr.	S
<i>Triactoma echiodes</i>	Foreman, 1973: 260	E. Cret.	S
<i>Triactoma enzoii</i>	Beccaro, 2004b: 17	M. Jur.	S
<i>Triactoma foremane</i>	Muzavor, 1977: 55	L. Jur.	S
<i>Triactoma fragilis</i>	Bragina <i>in</i> Bragina & Bragin, 1996: 248	L. Cret.	S
<i>Triactoma hexeris</i>	O'Dogherty, 1994: 303	L. Cret.	S
<i>Triactoma hidalgoensis</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 206	L. Jur.	S
<i>Triactoma hybum</i>	Foreman, 1975: 609	E. Cret.	S
<i>Triactoma llsedense</i>	Rüst, 1885: 289	L. Jur.	S
<i>Triactoma jakobsae</i>	Carter <i>in</i> Baumgartner <i>et al.</i> , 1995: 588	M. Jur.	S

<i>Triactoma kellumi</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 208	L. Jur.	S
<i>Triactoma longispinosum</i> (T)	Kozur & Mostler, 1979a: 59	L. Tr.	E
<i>Triactoma ? longoriai</i>	Hull, 1997: 70	L. Jur.	S
<i>Triactoma luciae</i>	Jud, 1994: 115	E. Cret.	S
<i>Triactoma mexicana</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 210	L. Jur.	S
<i>Triactoma micropora</i>	Bragina, 2004: S403	L. Cret.	S
<i>Triactoma ? novimexicana</i>	Yang & Wang, 1990: 205	L. Jur.	S
<i>Triactoma pachyacantha</i>	Rüst, 1885: 289	L. Jur.	S
<i>Triactoma parablakei</i>	Yang & Wang, 1990: 206	L. Jur.	S
<i>Triactoma paramexicana</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 210	L. Jur.	S
<i>Triactoma ? prolongata</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 210	L. Jur.	S
<i>Triactoma robusta</i>	Yang, 1993: 65	L. Jur.	S
<i>Triactoma tenuispinea</i>	Yang, 1993: 66	L. Jur.	S
<i>Triactoma tithoniumum</i> (T)	Rüst, 1885: 289	L. Jur.	S
<i>Triactoma zlabachense</i>	Kozur & Mostler, 1981: 69	L. Tr.	S
<i>Triadiscus lozyniaki</i>	Amon, 1990: 62	L. Cret.	S
<i>Triadiscus samboricus</i>	Lozyniak, 1975: 51	L. Cret.	S
<i>Triadiscus terschovenis</i>	Lozyniak, 1975: 50	L. Cret.	S
<i>Triadiscus vialovi</i>	Lozyniak, 1975: 49	L. Cret.	S
<i>Trialatus longicornutus</i>	Yeh, 1990: 27	L. Tr.	N
<i>Trialatus megacornutus</i> (T)	Yeh, 1990: 28	L. Tr.	N
<i>Trialatus praerobustus</i>	Sugiyama, 1997: 170	L. Tr.	N
<i>Trialatus pristinus</i>	Sugiyama, 1997: 170	L. Tr.	N
<i>Trialatus procerus</i>	Tekin, 1999: 184	L. Tr.	N
<i>Trialatus robustus levantinensis</i>	Bragin, 2007: 1006	L. Tr.	N
<i>Triarcella arcuata</i>	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 27	L. Tr.	S
<i>Triarcella sullovensis</i> (T)	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 26	L. Tr.	S
<i>Triarcopoulpus norica</i>	Kozur, Moix & Ozsvárt, 2007c: 205	L. Tr.	N
<i>Triassistephanidium anisicum</i>	Kozur, Krainer & Mostler, 1996b: 209	M. Tr.	E
<i>Triassistephanidium laticornis</i> (T)	Dumitrica, 1978a: 32	M. Tr.	E
<i>Triassistephanidium magniporatum</i>	Kozur & Mostler, 2006: 44	M. Tr.	E
<i>Triassostrum transitum</i> (T)	Kozur & Mostler, 1978: 154	L. Tr.	S
<i>Triassobipedis ? aetoides</i>	Sugiyama, 1992: 1203	E. Tr.	N
<i>Triassobipedis balatonica</i> (T)	Kozur, 1984: 69	M. Tr.	N
<i>Triassobullasphaera hemisphaerica</i> (T)	Kozur & Mostler, 2006: 42	M. Tr.	S
<i>Triassocampe bella</i>	Zhang, 1990: 183	L. Tr.	N
<i>Triassocampe ? bulbiformis</i>	Tikhomirova, 1986: 28	L. Tr.	N
<i>Triassocampe coronata</i>	Bragin, 1991c: 99	M. Tr.	N
<i>Triassocampe coronata inflata</i>	Feng <i>et al.</i> , 2001: 180	M. Tr.	N
<i>Triassocampe cylindrica</i>	Kozur & Mostler, 1994: 140	M. Tr.	N
<i>Triassocampe ? daheensis</i>	Feng <i>in</i> Feng <i>et al.</i> , 1996: 385	M. Tr.	N
<i>Triassocampe deweveri pauciconstricta</i>	Kozur & Mostler, 1994: 141	M. Tr.	N
<i>Triassocampe deweveri velata</i>	Kozur & Mostler, 1994: 142	M. Tr.	N
<i>Triassocampe diordinis</i>	Bragin, 1991c: 99	M. Tr.	N
<i>Triassocampe dumitricai</i>	Feng <i>et al.</i> , 2001: 179	M. Tr.	N
<i>Triassocampe eruca</i>	Sugiyama, 1997: 172	M. Tr.	N
<i>Triassocampe exilis</i>	Yeh, 1989: 75	L. Tr.	N
<i>Triassocampe fusiformis</i>	Bragin, 1986: 74	L. Tr.	N
<i>Triassocampe goricanii</i>	Feng <i>et al.</i> , 2001: 179	M. Tr.	N
<i>Triassocampe hunanensis</i>	Xia & Zhang, 2000: 80	M. Tr.	N
<i>Triassocampe illyrica</i>	Kozur & Mostler, 1981: 98	M. Tr.	N
<i>Triassocampe imitata</i>	Bragin, 1991c: 100	M. Tr.	N
<i>Triassocampe immaturum</i>	Blome, 1984a: 58	L. Tr.	N
<i>Triassocampe kahleri</i>	Kozur & Mostler, 1994: 142	M. Tr.	N
<i>Triassocampe levigata</i>	Bragin, 1986: 72	M. Tr.	N
<i>Triassocampe longicephalis</i>	Kozur & Mostler, 1994: 143	M. Tr.	N
<i>Triassocampe myterocorys</i>	Sugiyama, 1992: 1198	M. Tr.	N
<i>Triassocampe nishimurai</i>	Kozur & Mostler, 1994: 144	M. Tr.	N
<i>Triassocampe nova</i> (T)	Yao, 1982: 59	L. Tr.	N
<i>Triassocampe plurilocularis</i>	Zhang, 1990: 183	L. Tr.	N
<i>Triassocampe porosa</i>	Zhang, 1990: 183	L. Tr.	N
<i>Triassocampe postdeweveri</i>	Kozur & Mostler, 1994: 144	M. Tr.	N
<i>Triassocampe proprium</i>	Blome, 1984a: 59	L. Tr.	N
<i>Triassocampe ? pulchra</i>	Kozur & Mostler, 1981: 98	M. Tr.	N
<i>Triassocampe reiflingensis</i>	Kozur & Mostler, 1981: 99	L. Tr.	N
<i>Triassocampe relicca</i>	Feng <i>et al.</i> , 2001: 182	M. Tr.	N
<i>Triassocampe scalaris</i> (T)	Dumitrica, Kozur & Mostler, 1980: 26	M. Tr.	N
<i>Triassocampe scalaris baloghi</i>	Kozur & Mostler, 1994: 145	M. Tr.	N

<i>Triassocampe soror</i>	Feng & Liu, 1993: 548	M. Tr.	N
<i>Triassocampe striata</i>	Kozur & Mostler, 1994: 146	M. Tr.	N
<i>Triassocampe sulcata</i>	Tikhomirova, 1986: 27	L. Tr.	N
<i>Triassocampe sulovensis</i>	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 99	L. Tr.	N
<i>Triassocampe transitia</i>	Kozur & Mostler, 1994: 147	M. Tr.	N
<i>Triassocampe yini</i>	Feng, 1992: without description	E. Tr.	N
<i>Triassocingula carpathica</i> (T)	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 88	L. Tr.	N
<i>Triassocyrtium hamatum</i> (T)	Kozur & Mostler, 1979a: 102	L. Tr.	N
<i>Triassocyrtium longum</i>	Tekin & Mostler, 2005b: 19	M. Tr.	N
<i>Triassomitra litangensis</i>	Feng <i>in</i> Feng <i>et al.</i> , 1994: 792	E. Tr.	N
<i>Triassomitra zhangii</i> (Ts)	Feng <i>in</i> Feng <i>et al.</i> , 1994: 791	E. Tr.	N
<i>Triassospongocyrtilis conica</i>	Kamata, 2007: 208	E. Tr.	N
<i>Triassospongocyrtilis cylindrica</i>	Kozur & Mostler, 1994: 127	M. Tr.	N
<i>Triassospongocyrtilis gracilis</i>	Kamata, 2007: 209	E. Tr.	N
<i>Triassospongocyrtilis longispinosa</i> (T)	Kozur & Mostler, 1994: 127	M. Tr.	N
<i>Triassospongocyrtilis ruesti</i>	Kozur & Mostler, 1994: 128	M. Tr.	N
<i>Triassospongocyrtilis yaoui</i>	Kozur & Mostler, 1994: 128	M. Tr.	N
<i>Triassospongospaera erici</i>	Feng <i>in</i> Feng <i>et al.</i> , 2005: 242	L. Tr.	S
<i>Triassospongospaera ? robusta</i>	Kozur & Mostler, 1981: 67	M. Tr.	S
<i>Tricapsula costata</i> (T)	Wu, 1986: 359	L. Cret.	N
<i>Tricolacyrtilis ligustica</i> (Td)	Hojnos, 1916: 351	E. Cret.	N
<i>Tricolocampe (Tricolocampium) ? minuta</i>	Campbell & Clark, 1944: 33	L. Cret.	N
<i>Tricolocampe (Tricolocamptra) altamontensis</i>	Campbell & Clark, 1944: 33	L. Cret.	N
<i>Tricolocampe clepsydra</i>	Kozur, 1991: without description	M. Jur.	N
<i>Tricolocampe clepsydra</i> (Td)	Rüst, 1885: 307	L. Jur.	N
<i>Tricolocampe costata</i>	Heitzer, 1930: 396	M. Jur.	N
<i>Tricolocampe fukudomii</i>	Suzuki, 1997: 364	E. Jur.	N
<i>Tricolocampe inexplata</i>	Vinassa de Regny, 1899: 234	L. Jur.	N
<i>Tricolocampe Isseli</i>	Neviani, 1900: 661	L. Jur.	N
<i>Tricolocampe ligustica</i>	Vinassa de Regny, 1899: 234	L. Jur.	N
<i>Tricolocampe obtusicephala</i>	Squinabol, 1904: 222	L. Cret.	N
<i>Tricolocampe pumila</i>	Hinde, 1908: 711	Tr.	N
<i>Tricolocampe pyramidea</i>	Rüst, 1885: 307	L. Jur.	N
<i>Tricolocampe stoehrii</i>	Rüst, 1885: 308	L. Jur.	N
<i>Tricolocapsa (Tricolocapsium) elegans</i>	Ichikawa, 1950: 307	Tr.?	N
<i>Tricolocapsa (Tricolocapsium) grantii</i> (T)	Campbell & Clark, 1944: 35	L. Cret.	N
<i>Tricolocapsa (Tricolocapsium) pseudopilula</i>	Ichikawa, 1950: 306	Tr.?	N
<i>Tricolocapsa (Tricolocapsium) rotundata</i>	Ichikawa, 1950: 306	Tr.?	N
<i>Tricolocapsa (Tricolocapsula) decrescens</i>	Ichikawa, 1950: 307	Tr.?	N
<i>Tricolocapsa aculeata</i>	Rüst, 1898: 54	L. Jur.	N
<i>Tricolocapsa angularis</i>	Hinde, 1900: 32	Jur.	N
<i>Tricolocapsa arrecta</i>	Hinde, 1908: 713	Tr.	N
<i>Tricolocapsa brevis</i>	Hinde, 1900: 32	Jur.	N
<i>Tricolocapsa campana</i>	Kiessling, 1995: 338	E. Cret.	N
<i>Tricolocapsa celata</i>	Hinde, 1908: 711	Tr.	N
<i>Tricolocapsa clivosa</i>	Aliev, 1967: 23	E. Cret.	N
<i>Tricolocapsa conexa</i>	Matsuoka, 1983: 20	M. Jur.	N
<i>Tricolocapsa cuvierii</i>	Rüst, 1898: 55	L. Jur.	N
<i>Tricolocapsa deformis</i>	Wisniowski, 1888: 689	L. Jur.	N
<i>Tricolocapsa dispar</i>	Tan, 1927: 48	E. Cret.	N
<i>Tricolocapsa dowlingi</i>	Rüst, 1892a: 108	L. Cret.	N
<i>Tricolocapsa echitonica</i>	Aliev, 1967: 25	E. Cret.	N
<i>Tricolocapsa echitonica varians</i>	Aliev, 1967: 26	E. Cret.	N
<i>Tricolocapsa ? fera</i>	Matsuoka, 1991: 726	E. Jur.	N
<i>Tricolocapsa formosa</i>	Chiari, Marcucci & Prella, 2002: 83	M. Jur.	N
<i>Tricolocapsa frequens</i>	Tan, 1927: 49	E. Cret.	N
<i>Tricolocapsa ? fusiformis</i> (T)	Yao, 1979: 33	M. Jur.	N
<i>Tricolocapsa globosa</i>	Vinassa de Regny, 1899: 235	L. Jur.	N
<i>Tricolocapsa humilis</i>	Hinde, 1908: 712	Tr.	N
<i>Tricolocapsa inflata</i>	Squinabol, 1903: 136	L. Cret.	N
<i>Tricolocapsa kelevudacika</i>	Aliev, 1965: 36	E. Cret.	N
<i>Tricolocapsa ? lacrima</i>	Sugiyama, 1997: 172	L. Tr.	N
<i>Tricolocapsa latusicostata</i>	Aita, 1987: 76	M. Jur.	N
<i>Tricolocapsa matsuoikai</i> (T)	Sashida <i>in</i> Sashida <i>et al.</i> , 1999b: 566	M. Jur.	N
<i>Tricolocapsa ? megaglobosa</i>	Matsuoka, 1991: 724	E. Jur.	N
<i>Tricolocapsa minima</i>	Squinabol, 1904: 226	L. Cret.	N
<i>Tricolocapsa minoensis</i>	Matsuoka, 1991: 723	E. Jur.	N
<i>Tricolocapsa ? mudensis</i>	Cordey, 1998: 129	M. Jur.	N



<i>Tricolocapsa multipora</i>	Khudyaev, 1931: 40	E. Cret. N
<i>Tricolocapsa multipora</i>	Heitzer, 1930: 397	M. Jur. N
<i>Tricolocapsa multispinosa</i>	Sashida in Sashida <i>et al.</i> , 1999b: 566	M. Jur. N
<i>Tricolocapsa nodosa</i>	Tan, 1927: 49	E. Cret. N
<i>Tricolocapsa oblonga</i>	Squinabol, 1904: 226	L. Cret. N
<i>Tricolocapsa ornata</i>	Zhamoida, 1972: 117	M. Jur. N
<i>Tricolocapsa ovata</i>	Squinabol, 1904: 225	L. Cret. N
<i>Tricolocapsa pachyderma</i>	Tan, 1927: 48	E. Cret. N
<i>Tricolocapsa parva</i>	Tan, 1927: 47	E. Cret. N
<i>Tricolocapsa parvipora</i> typ.	Tan, 1927: 48	E. Cret. N
<i>Tricolocapsa parvipora</i> var. $\alpha$	Tan, 1927: 49	E. Cret. N
<i>Tricolocapsa pauperata</i>	Hinde, 1900: 33	Jur. N
<i>Tricolocapsa pilula</i>	Hinde, 1900: 33	Jur. N
<i>Tricolocapsa pinguis</i>	Hinde, 1900: 32	Jur. N
<i>Tricolocapsa piriformis</i>	Lozyniak, 1969: 36	E. Cret. N
<i>Tricolocapsa plicarum</i> (T)	Yao, 1979: 32	M. Jur. N
<i>Tricolocapsa pyriformis</i>	Hinde, 1900: 34	Jur. N
<i>Tricolocapsa rüsti</i>	Tan, 1927: 50	E. Cret. N
<i>Tricolocapsa rüsti</i> var. $\alpha$	Tan, 1927: 50	E. Cret. N
<i>Tricolocapsa schenkii</i>	Rüst, 1898: 55	L. Jur. N
<i>Tricolocapsa selwyni</i>	Rüst, 1892a: 108	L. Cret. N
<i>Tricolocapsa simplex</i>	Tan, 1927: 48	E. Cret. N
<i>Tricolocapsa sphaeroides</i>	Neviani, 1900: 662	L. Jur. N
<i>Tricolocapsa spinosa</i>	Tan, 1927: 49	E. Cret. N
<i>Tricolocapsa tetragona</i>	Matsuoka, 1983: 22	M. Jur. N
<i>Tricolocapsa thoracica</i>	Rüst, 1892a: 107	L. Cret. N
<i>Tricolocapsa triangulosa</i>	Tan, 1927: 49	E. Cret. N
<i>Tricolocapsa ? tschediae</i>	Goltman, 1984b: 25	L. Cret. N
<i>Tricolocapsa tschediaea</i>	Goltman, 1983: 158	L. Cret. N
<i>Tricolocapsa veneta</i>	Squinabol, 1904: 226	L. Cret. N
<i>Tricolocapsa voitestii</i>	Iacob & Nicorici, 1957: 12	L. Jur. N
<i>Tricolocapsa yaoi</i>	Matsuoka, 1986: 106	M. Jur. N
<i>Tricornicyrtium dikmetasensis</i> (T)	Tekin, 1999: 145	L. Tr. N
<i>Tridentocyrtis groissi</i> (T)	Steiger & Steiger, 1994: 460	L. Jur. N
<i>Trigonactura armata</i>	Holmes, 1900: 699	L. Cret. S
<i>Trigonactura crassa</i>	Vinassa de Regny, 1900: 335	L. Jur. S
<i>Trigonactura oligopora</i>	Vinassa de Regny, 1900: 335	L. Jur. S
<i>Trigonactura tripes</i>	Neviani, 1900: 653	L. Jur. S
<i>Trigonactura weismannii</i> (Td)	Rüst, 1885: 294	L. Jur. S
<i>Trigonodiscus grizzanensis</i> (Td)	Neviani, 1900: 651	L. Jur. S
<i>Trillus elkhornensis</i>	Pessagno & Blome, 1980: 249	E. Jur. S
<i>Trillus equalis</i>	Wu, 1993: 121	L. Jur. S
<i>Trillus seidersi</i> (T)	Pessagno & Blome, 1980: 249	M. Jur. S
<i>Trilonche japonica</i>	Nakaseko & Nishimura, 1979: 72	L. Tr. E
<i>Trilonche ? ordinaria</i> (T)	Pessagno, 1977a: 79	L. Jur. E
<i>Trilonche pulchra</i>	Kocher, 1981: 104	L. Jur. S
<i>Trimiduca hexabrachia</i> (T)	Kozur & Mostler, 1979b: 180	L. Tr. S
<i>Trimulus parmatus</i>	O'Dogherty, 1994: 159	E. Cret. N
<i>Tripedocassis kozuri</i>	Dumitrica, 1991: 272	M. Tr. N
<i>Tripedocassis kozuri</i>	Kamata, 2007: 207	E. Tr. N
<i>Tripedocassis oruatenauensis</i>	Kamata, 2007: 208	E. Tr. N
<i>Tripedocassis pessagnoj</i> (T)	Dumitrica, 1991: 272	M. Tr. N
<i>Tripedocassis takemurai</i>	Dumitrica, 1991: 270	M. Tr. N
<i>Tripedocassis ? whalenae</i>	Dumitrica, 1991: 274	M. Tr. N
<i>Tripedocorbis blomei</i>	Dumitrica, 1991: 275	M. Tr. N
<i>Tripedocorbis ? graciosus</i>	Dumitrica, 1991: 275	M. Tr. N
<i>Tripedocorbis ramulispinus</i> (T)	Dumitrica, 1991: 275	M. Tr. N
<i>Tripedocorbis tardus</i>	Dumitrica & Zügel, 2003: 36	L. Jur. N
<i>Tripedurnula cingulata</i> (T)	Dumitrica, 1991: 276	M. Tr. N
<i>Tripedurnula cylindrica</i>	Dumitrica, 1991: 276	M. Tr. N
<i>Tripedurnula infundibulum</i>	Dumitrica, 1991: 277	M. Tr. N
<i>Tripilidium armatum</i>	Rüst, 1885: 303	L. Jur. N
<i>Tripilidium bononiense</i>	Neviani, 1900: 657	L. Jur. N
<i>Tripilidium debile</i>	Rüst, 1885: 303	L. Jur. N
<i>Tripilidium dendroacanthos</i>	Squinabol, 1903: 126	L. Cret. N
<i>Tripilidium nanum</i> (Td)	Rüst, 1885: 303	L. Jur. N
<i>Tripilidium obliquum</i>	Hinde, 1900: 26	Jur. N
<i>Tripilidium rotundum</i>	Nakaseko & Nishimura, 1979: 81	L. Tr. N

<i>Tripilidium triangulum</i>	Vinassa de Regny, 1899: 232	L. Jur.	N
<i>Tripocalpis ellyae</i>	Tan, 1927: 38	E. Cret.	N
<i>Tripocyclia acythus</i>	De Wever in De Wever <i>et al.</i> , 1979: 86	L. Tr.	S
<i>Tripocyclia amajacensis</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 214	L. Jur.	S
<i>Tripocyclia blakei</i>	Pessagno, 1977a: 80	L. Jur.	S
<i>Tripocyclia brooksi</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 216	M. Jur.	S
<i>Tripocyclia crassa</i>	Kiessling, 1999: 40	L. Jur.	S
<i>Tripocyclia elegantissima</i>	Hojnos, 1916: 348	E. Cret.	S
<i>Tripocyclia foremanae</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 218	L. Jur.	S
<i>Tripocyclia frenchflatensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 133	L. Jur.	S
<i>Tripocyclia frequens</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 220	L. Jur.	S
<i>Tripocyclia ? hadrecaena</i>	De Wever in De Wever <i>et al.</i> , 1979: 87	L. Tr.	S
<i>Tripocyclia highdomensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 133	L. Jur.	S
<i>Tripocyclia japonica</i>	Nakaseko & Nishimura, 1979: 73	L. Tr.	S
<i>Tripocyclia jonesi</i>	Pessagno, 1977a: 80	L. Jur.	S
<i>Tripocyclia mascula</i>	Yang, 1993: 67	L. Jur.	S
<i>Tripocyclia notabilis</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 223	L. Jur.	S
<i>Tripocyclia rosespitense</i>	Carter in Carter <i>et al.</i> , 1988: 27	E. Jur.	S
<i>Tripocyclia saleebyi</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 223	L. Jur.	S
<i>Tripocyclia samarkensis</i>	Tikhomirova, 1986: 21	L. Tr.	S
<i>Tripocyclia smithi</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 223	M. Jur.	S
<i>Tripocyclia southforkensis</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 224	M. Jur.	S
<i>Tripocyclia spinosa</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 226	L. Jur.	S
<i>Tripocyclia superba</i>	Yang, 1993: 71	L. Jur.	S
<i>Tripocyclia ? tortuosa</i>	Dumitrica, Goričan & Whalen in Goričan <i>et al.</i> , 2006: 390	E. Jur.	S
<i>Tripocyclia trigonum</i> (Td)	Rüst, 1885: 293	L. Jur.	S
<i>Tripocyclia wickiupensis</i>	Pessagno & Yang in Pessagno <i>et al.</i> , 1989: 228	M. Jur.	S
<i>Tripocyclia yaoi</i>	Yeh & Cheng, 1996a: 102	E. Jur.	S
<i>Tripodictya elegantissima</i>	Vinassa de Regny, 1899: 231	L. Jur.	S
<i>Tripodictya hellenica</i>	Vinassa de Regny, 1901: 504	L. Cret.	S
<i>Tripodictya sphaeroidea</i> (Td)	Rüst, 1898: 23	L. Jur.	S
<i>Tripodictya triacuminata</i>	Lipman, 1952: 33	L. Cret.	S
<i>Tripodiscinus corona</i>	Sarkisova, 2007: 502	L. Cret.	N
<i>Tripodiscium irregulare</i>	Neviani, 1900: 657	L. Jur.	N
<i>Tripodiscium laeve</i>	Rüst, 1898: 39	L. Jur.	N
<i>Tripodiscium sphaerocephalum</i>	Rüst, 1898: 39	L. Jur.	N
<i>Tripodiscus disseminatus</i>	Rüst, 1885: 303	L. Jur.	N
<i>Tripodiscus modestus</i> (Td)	Rüst, 1885: 303	L. Jur.	N
<i>Tripodocorys fischeri</i> (Td)	Rüst, 1885: 304	L. Jur.	N
<i>Tripodocorys ? megalocarena</i>	Foreman, 1968: 17	L. Cret.	N
<i>Tripodocorys ? cordevolica</i>	Kozur & Mostler, 1981: 14	L. Tr.	S
<i>Tripodocorys ? montisrigi</i> (Td)	Rüst, 1885: 303	L. Jur.	N
<i>Trisphaera aculeata</i>	Vinassa de Regny, 1900: 332	L. Jur.	S
<i>Trisphaera bicornispinosa</i>	Zhamoida, 1968: 163	L. Jur.	S
<i>Trisphaera elegans</i> (Td)	Vinassa de Regny, 1900: 332	L. Jur.	S
<i>Trisphaera superba</i>	Squinabol, 1904: 190	L. Cret.	S
<i>Trisphaera valida</i>	Vinassa de Regny, 1900: 333	L. Jur.	S
<i>Trisphaera fistulistylus</i>	Zhamoida, 1972: 106	L. Jur.	S
<i>Trisyringium capellinii</i> (T)	Vinassa de Regny, 1901: 507	L. Cret.	N
<i>Tritortis acutangulata</i>	Kozur & Mostler, 1996a: 93	M. Tr.	E
<i>Tritortis balatonica</i>	Kozur, 1988b: 99	M. Tr.	E
<i>Tritortis inaequispina</i>	Kozur & Mostler, 1996a: 93	M. Tr.	E
<i>Tritortis kretaensis subcylindrica</i>	Kozur, 1988b: 98	M. Tr.	E
<i>Tritortis latispina</i>	Kozur & Mostler, 1996a: 92	M. Tr.	E
<i>Tritrabs ewingi minima</i>	Steiger, 1992: 39	L. Jur.	S
<i>Tritrabs ? imperfecta</i>	Hull, 1997: 49	L. Jur.	S
<i>Tritrabs mexicana</i>	Hull, 1997: 50	L. Jur.	S
<i>Tritrabs rhododactylus</i>	Baumgartner, 1980: 294	L. Jur.	S
<i>Tritrabs risongensis</i>	Yang & Wang, 1990: 200	L. Jur.	S
<i>Tritrabs simplex</i>	Kito & De Wever, 1992: 131	M. Jur.	S
<i>Tritrabs suavis</i>	Hull, 1997: 50	L. Jur.	S
<i>Triversus fastigatus</i>	Hull, 1997: 170	L. Jur.	N
<i>Triversus japonicus</i> (Th)	Takemura, 1986: 62	M. Jur.	N
<i>Triversus kasinzovi</i>	Vishnevskaya, 1991a: 65	M. Jur.	N
<i>Triversus preconicus</i>	Vishnevskaya, 1991a: 65	M. Jur.	N
<i>Triversus schardti</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 434	M. Jur.	N
<i>Triversus spinifer</i>	Takemura, 1986: 63	M. Jur.	N
<i>Triversus strobilatus</i>	Vishnevskaya, 1991a: 66	M. Jur.	N

<i>Triversus triquetrum</i>	Vishnevskaya, 1991a: 66	M. Jur.	N
<i>Trochodiscus helios</i>	Squinabol, 1912: 282	L. Jur.	S
<i>Trochodiscus macracanthus</i>	Rüst, 1898: 19	L. Jur.	S
<i>Trochodiscus maximus</i>	Squinabol, 1903: 120	L. Cret.	S
<i>Trochodiscus spasiensis</i>	Lozyniak, 1975: 51	L. Cret.	S
<i>Trochodiscus spiniger</i>	Lipman, 1952: 31	L. Cret.	S
<i>Trochodiscus spinosus</i>	Rüst, 1888: 197	E. Cret.	S
<i>Trochospaera longispina</i> (Td)	Hojnos, 1916: 345	E. Cret.	S
<i>Trokama amgunensis</i>	Tikhomirova in Tikhomirova & Kazintsova, 1990: 90	E. Jur.	N
<i>Trokama tugurensis</i> (Td)	Tikhomirova in Tikhomirova & Kazintsova, 1990: 91	E. Jur.	N
<i>Tubilustrium iracundum</i>	O'Dogherty, 1994: 136	E. Cret.	N
<i>Tubilustrium transmontanum</i> (T)	O'Dogherty, 1994: 137	E. Cret.	N
<i>Tubospongopallium gracile</i>	Tekin & Mostler, 2005a: 32	M. Tr.	S
<i>Tubospongopallium kozuri</i>	Tekin & Mostler, 2005a: 32	M. Tr.	S
<i>Tubospongopallium tornatum</i>	Tekin & Mostler, 2005a: 34	M. Tr.	S
<i>Tubotriassocyrtyis angustituba</i> (T)	Kozur & Mostler, 1994: 90	M. Tr.	N
<i>Tubotriassocyrtyis annulata</i>	Kozur & Mostler, 1994: 90	M. Tr.	N
<i>Tubotriassocyrtyis costata</i>	Kozur & Mostler, 2006: 59	M. Tr.	N
<i>Tubotriassocyrtyis fusa</i>	Kozur & Mostler, 2006: 58	M. Tr.	N
<i>Tubotriassocyrtyis latotuba</i>	Kozur & Mostler, 1994: 91	M. Tr.	N
<i>Tubotriassocyrtyis longa</i>	Kozur & Mostler, 2006: 59	M. Tr.	N
<i>Turanta ancoriformis</i>	Takemura, 1986: 65	M. Jur.	N
<i>Turanta barbara</i>	Pessagno & Blome, 1982: 297	M. Jur.	N
<i>Turanta capsensis</i> (T)	Pessagno & Blome, 1982: 297	M. Jur.	N
<i>Turanta chetcoensis</i>	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 160	L. Jur.	N
<i>Turanta crassa</i>	Takemura, 1986: 65	M. Jur.	N
<i>Turanta fida</i>	Yeh, 1987a: 101	E. Jur.	N
<i>Turanta flexa</i>	Pessagno & Blome, 1982: 299	L. Jur.	N
<i>Turanta luminosa</i>	Hull, 1997: 112	L. Jur.	N
<i>Turanta lupheri</i>	Pessagno & Blome, 1982: 300	M. Jur.	N
<i>Turanta morinae</i>	Pessagno & Blome, 1982: 300	M. Jur.	N
<i>Turanta nodosa</i>	Pessagno & Blome, 1982: 301	M. Jur.	N
<i>Turanta officerensis</i>	Pessagno & Blome, 1982: 301	M. Jur.	N
<i>Turanta okamurai</i>	Takemura, 1986: 65	M. Jur.	N
<i>Turanta silviesensis</i>	Pessagno & Blome, 1982: 301	M. Jur.	N
<i>Turanta ? unica</i>	Blome, 1984b: 380	M. Jur.	N
<i>Turbocapsula fugitiva</i>	O'Dogherty, 1994: 222	E. Cret.	N
<i>Turbocapsula giennensis</i>	O'Dogherty, 1994: 224	E. Cret.	N
<i>Turbocapsula jurassica</i>	Bragin & Tekin in Bragin <i>et al.</i> , 2002: 622	L. Jur.	N
<i>Turospungus trispinosus</i> (T)	Kozur & Mostler, 1994: 70	M. Tr.	S
<i>Turriseiffelus invalidissimus</i>	Dumitrica & Zügel, 2003: 19	L. Jur.	N
<i>Turriseiffelus invalidus</i> (T)	Dumitrica & Zügel, 2003: 20	L. Jur.	N
<i>Turriseiffelus yaoi</i>	Dumitrica & Zügel, 2003: 20	M. Jur.	N
<i>Tympaneides charlottensis</i> (T)	Carter in Carter <i>et al.</i> , 1988: 37	E. Jur.	S
<i>Tympanidium annulare</i>	Rüst, 1888: 204	E. Cret.	S
<i>Tympanidium minus</i>	Rüst, 1888: 204	E. Cret.	S
<i>Udalia dennisoni</i> (T)	Whalen & Carter in Carter <i>et al.</i> , 1998: 60	E. Jur.	S
<i>Udalia parvacapsa</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 60	E. Jur.	S
<i>Udalia plana</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 60	E. Jur.	S
<i>Udalia primaeva</i>	Whalen & Carter in Carter <i>et al.</i> , 1998: 60	E. Jur.	S
<i>Ultranapora aculeata</i>	Blome, 1984b: 368	M. Jur.	N
<i>Ultranapora dumitricai</i>	Pessagno, 1977b: 38	E. Cret.	N
<i>Ultranapora durhami</i> (Ts)	Pessagno, 1977b: 39	E. Cret.	N
<i>Ultranapora milleri</i>	Blome, 1984b: 368	M. Jur.	N
<i>Ultranapora praespinifera</i>	Pessagno, 1977b: 39	E. Cret.	N
<i>Ultranapora pualensis</i>	Blome, 1984b: 370	M. Jur.	N
<i>Ultranapora spinifera</i>	Pessagno, 1977b: 39	E. Cret.	N
<i>Ultranapora urkutae</i>	Bragina, 2004: S355	L. Cret.	N
<i>Unuma (Spinuma) echinatus</i> (Ts)	Ichikawa & Yao, 1976: 112	M. Jur.	N
<i>Unuma (Unuma) typicus</i> (T)	Ichikawa & Yao, 1976: 112	M. Jur.	N
<i>Unuma darnoensis</i>	Kozur, 1991: without description	M. Jur.	N
<i>Unuma gorda</i>	Hull, 1997: 172	L. Jur.	N
<i>Unuma michelei</i>	Chiari, Marcucci & Prela, 2002: 83	M. Jur.	N
<i>Urocyrtis amaliae</i> (Td)	Pantaneli, 1880: 53	L. Jur.	N
<i>Urocyrtis destefani</i>	Pantaneli, 1880: 54	L. Jur.	N
<i>Urocyrtis emmae</i>	Pantaneli, 1880: 53	L. Jur.	N
<i>Urocyrtis perechinensis</i>	Tikhomirova, 1984: 25	L. Jur.	N
<i>Vallupus hopsoni</i> (T)	Pessagno & Blome in Pessagno <i>et al.</i> , 1984: 23	L. Jur.	S

<i>Vallupus japonicus</i>	Kawabata, 1988: 5	L. Jur.	S
<i>Vallupus laxus</i>	Yang & Pessagno, 1989: 132	L. Jur.	S
<i>Vallupus limbos</i>	Cheng, 1992: 26	L. Jur.	S
<i>Vallupus nodosus</i>	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 31	L. Jur.	S
<i>Vallupus patagoniensis</i>	Pujana, 1991: 401	L. Jur.	S
<i>Vallupus zeissi</i>	Pessagno & MacLeod in Pessagno <i>et al.</i> , 1987: 31	L. Jur.	S
<i>Vasiella perrara</i> (Td)	Tikhomirova, 1989: 42	E. Jur.	N
<i>Vasiella protracta</i>	Tikhomirova, 1989: 42	E. Jur.	N
<i>Veghia goestlingensis</i>	Kozur & Mostler, 1981: 86	L. Tr.	N
<i>Veghia sulovens</i> (T)	Kozur & Mock in Kozur & Mostler, 1981: 87	L. Tr.	N
<i>Veghicyclia austriaca</i>	Kozur & Mostler, 1972: 12	L. Tr.	S
<i>Veghicyclia cruciforma</i>	Tekin & Mostler, 2005a: 35	M. Tr.	S
<i>Veghicyclia globosa</i>	Kozur & Mostler, 1972: 12	L. Tr.	S
<i>Veghicyclia goestlingensis</i>	Kozur & Mostler, 1972: 13	L. Tr.	S
<i>Veghicyclia haeckeli</i>	Kozur & Mostler, 1972: 13	L. Tr.	S
<i>Veghicyclia krystyni</i>	Tekin & Mostler, 2005a: 35	M. Tr.	S
<i>Veghicyclia multispinosa</i>	Kozur & Mostler, 1972: 13	L. Tr.	S
<i>Veghicyclia pauciperforata</i>	Kozur & Mostler, 1972: 14	L. Tr.	S
<i>Veghicyclia pulchra</i> (T)	Kozur & Mostler, 1972: 11	L. Tr.	S
<i>Veghicyclia reiflingensis</i>	Kozur & Mostler, 1972: 14	L. Tr.	S
<i>Veghicyclia robusta</i>	Kozur & Mostler, 1972: 15	L. Tr.	S
<i>Veghicyclia sanfilippoae</i>	Tekin, 2002b: 427	L. Tr.	S
<i>Veghicyclia tenuis</i>	Kozur & Mostler, 1972: 15	L. Tr.	S
<i>Veles vulgaris</i> (Th)	Sugiyama, 1997: 173	L. Tr.	N
<i>Veloruesticyrtium palfyi</i> (Ts)	Kozur, Moix & Ozsvárt, 2007a: 159	L. Tr.	N
<i>Verticiplagia balatonica</i>	Dumitrica, 2004: 208	M. Tr.	N
<i>Verticiplagia deflandrei</i>	Dumitrica, 2004: 211	M. Tr.	N
<i>Verticiplagia filiforma</i>	Dumitrica, 2004: 211	M. Tr.	N
<i>Verticiplagia oregonensis</i>	Dumitrica, 2004: 211	E. Jur.	N
<i>Verticiplagia rhinoceros</i>	Dumitrica, 2004: 211	M. Tr.	N
<i>Verticiplagia turcica</i>	Dumitrica, 2004: 213	E. Jur.	N
<i>Verticiplagia yehae</i>	Dumitrica, 2004: 213	E. Jur.	N
<i>Vesiculla bulgarica</i> (Td)	Tikhomirova, 1989: 43	E. Jur.	N
<i>Vinassaspongia discoidalis</i>	Kozur & Mostler, 1979a: 66	L. Tr.	S
<i>Vinassaspongia erendili</i>	Tekin, 1999: 67	L. Tr.	S
<i>Vinassaspongia subsphaericus</i> (T)	Kozur & Mostler, 1979a: 66	L. Tr.	S
<i>Vinassaspongia transitus</i>	Kozur & Mock in Kozur & Mostler, 1981: 69	L. Tr.	S
<i>Vinassospongia ruttneri</i>	Donofrio, 1991: 208	L. Tr.	S
<i>Vistularia magna</i> (Ts)	Gorka, 1989: 347	L. Cret.	N
<i>Vitorfus campbelli</i>	Pessagno, 1977b: 35	E. Cret.	S
<i>Vitorfus morini</i>	Empson-Morin, 1981: 261	L. Cret.	S
<i>Welirella fragilis</i>	Bragin, 1991c: 87	M. Tr.	E
<i>Welirella mesotriassica</i>	Kozur, Krainer & Mostler, 1996b: 225	M. Tr.	E
<i>Welirella weveri</i> (T)	Dumitrica, Kozur & Mostler, 1980: 19	M. Tr.	E
<i>Weverella tetrabrachiata</i> (T)	Kozur & Mostler, 1979a: 76	L. Tr.	S
<i>Weverella tetrabrachiata aspinosa</i>	Kozur & Mostler, 1981: 77	L. Tr.	S
<i>Weverisphaera anisica</i>	Kozur, Krainer & Mostler, 1996b: 220	M. Tr.	E
<i>Weverisphaera fassanensis</i> (Ts)	Kozur & Mostler, 1981: 34	M. Tr.	E
<i>Whalenella robusta</i>	Bragin in Bragin & Krylov, 1999: 565	L. Tr.	N
<i>Williriedellum carpathicum</i>	Dumitrica, 1970: 70	L. Jur.	N
<i>Williriedellum crystallinum</i> (T)	Dumitrica, 1970: 69	L. Jur.	N
<i>Williriedellum dierschei</i>	Suzuki & Gawlick in Gawlick <i>et al.</i> , 2004: 311	M. Jur.	N
<i>Williriedellum ? gilkeyi</i>	Dumitrica, 1972: 841	E. Cret.	N
<i>Williriedellum ? marcuccii</i>	Cortese, 1993: 180	M. Jur.	N
<i>Williriedellum nodosum</i>	Chiari, Marcucci & Prella, 2002: 84	M. Jur.	N
<i>Williriedellum peterschmittae</i>	Schaaf, 1981: 440	E. Cret.	N
<i>Williriedellum sujkowskii</i>	Widz & De Wever, 1993: 88	L. Jur.	N
<i>Williriedellum ? venustum</i>	Wu & Li, 1982: 66	E. Cret.	N
<i>Williriedellum salymicum</i>	Kozlova, 1983: 54	E. Cret.	N
<i>Wilvemina whiskeyensis</i> (T)	Pessagno, Blome & Hull in Pessagno <i>et al.</i> , 1993: 121	M. Jur.	S
<i>Windalia ? tethyensis</i>	Dumitrica in Dumitrica <i>et al.</i> , 1997a: 68	E. Cret.	N
<i>Wrangellium ? columnarium</i>	Jud, 1994: 116	E. Cret.	N
<i>Wrangellium izeense</i>	Yeh, 1987b: 68	E. Jur.	N
<i>Wrangellium ? medium</i>	Wu, 1986: 358	L. Cret.	N
<i>Wrangellium oregonense</i>	Yeh, 1987b: 69	E. Jur.	N
<i>Wrangellium thurstonense</i> (T)	Pessagno & Whalen, 1982: 126	E. Jur.	N
<i>Wrangellium versum</i>	Wu, 1986: 358	L. Cret.	N
<i>Wuranella carnica</i> (T)	Kozur & Mostler, 1981: 97	L. Tr.	N

<i>Xastrum Bombicii</i> (Td)	Neviani, 1900: 656	L. Jur.	S
<i>Xastrum Nevianii</i>	Squinabol, 1914: 279	E. Cret.	S
<i>Xastrum novalense</i>	Squinabol, 1914: 278	E. Cret.	S
<i>Xenorum flexum</i>	Blome, 1984a: 45	L. Tr.	E
<i>Xenorum jinluense</i>	Wang & Yang <i>in</i> Wang <i>et al.</i> , 2002: 218	L. Tr.	E
<i>Xenorum jurassicum</i>	Kozur & Mostler, 1990: 219	E. Jur.	E
<i>Xenorum largum</i> (T)	Blome, 1984a: 46	L. Tr.	E
<i>Xipha nodosa</i>	Sugiyama, 1997: 173	L. Tr.	N
<i>Xipha striata</i>	Blome, 1984a: 60	L. Tr.	N
<i>Xiphocapsa tetraporata</i> (Td)	Hojnos, 1916: 355	E. Cret.	N
<i>Xiphodictya acuta</i>	Rüst, 1885: 295	L. Jur.	S
<i>Xiphodictya affinis</i>	Parona, 1890: 156	L. Jur.	S
<i>Xiphodictya bombiccii</i>	Vinassa de Regny, 1900: 336	L. Jur.	S
<i>Xiphodictya irregularis</i>	Wang & Sheng, 1982: 88	L. Jur.	S
<i>Xiphodictya knopi</i>	Rüst, 1885: 296	L. Jur.	S
<i>Xiphodictya ovalis</i> (Td)	Rüst, 1898: 23	E. Jur.	S
<i>Xiphodictya pales</i>	Rüst, 1885: 296	L. Jur.	S
<i>Xiphodictya teretispinosa</i> (Td)	Rüst, 1885: 295	L. Jur.	S
<i>Xiphosphaera aculeata</i>	Parona, 1890: 149	L. Jur.	S
<i>Xiphosphaera adunca</i>	Parona, 1890: 149	L. Jur.	S
<i>Xiphosphaera antiqua</i>	Squinabol, 1904: 189	L. Cret.	S
<i>Xiphosphaera chabakovi</i>	Aliev, 1965: 21	E. Cret.	S
<i>Xiphosphaera euganea</i>	Squinabol, 1903: 110	L. Cret.	S
<i>Xiphosphaera fistulata</i>	Carter, 1991: 200	L. Tr.	S
<i>Xiphosphaera fossilis</i>	Squinabol, 1903: 110	L. Cret.	S
<i>Xiphosphaera globosa</i>	Rüst, 1885: 288	L. Jur.	S
<i>Xiphosphaera huzimotoi</i>	Ichikawa, 1950: 294	Tr.?	S
<i>Xiphosphaera irregularis</i>	Lipman, 1952: 27	L. Cret.	S
<i>Xiphosphaera longispina</i>	Squinabol, 1903: 110	L. Cret.	S
<i>Xiphosphaera macroxiphus</i>	Rüst, 1898: 7	L. Jur.	S
<i>Xiphosphaera manzonii</i>	Pantanelli <i>in</i> Neviani, 1900: 648	L. Jur.	S
<i>Xiphosphaera rara</i>	Squinabol, 1904: 189	L. Cret.	S
<i>Xiphosphaera rüsti</i>	Vinassa de Regny, 1899: 224	L. Jur.	S
<i>Xiphosphaera spinosissima</i>	Squinabol, 1904: 188	L. Cret.	S
<i>Xiphosphaera tenuispina</i>	Neviani, 1900: 649	L. Jur.	S
<i>Xiphosphaera tredecimporata</i> (Td)	Rüst, 1885: 288	L. Jur.	S
<i>Xiphosphaera tuberosa</i>	Tan, 1927: 35	E. Cret.	S
<i>Xiphosphaera umbilicata</i> (T)	Rüst, 1898: 7	L. Jur.	S
<i>Xiphostaurus tithonicus</i> (Td)	Vinassa de Regny, 1899: 226	L. Jur.	S
<i>Xiphostylus acutus</i>	Vinassa de Regny, 1899: 224	L. Jur.	S
<i>Xiphostylus amissus</i>	Squinabol, 1903: 111	L. Cret.	S
<i>Xiphostylus attenuatus</i> (T)	Rüst, 1885: 288	L. Jur.	S
<i>Xiphostylus barbeyi</i>	Vinassa de Regny, 1901: 501	L. Cret.	S
<i>Xiphostylus ciconia</i>	Rüst, 1898: 8	L. Jur.	S
<i>Xiphostylus communis</i>	Squinabol, 1903: 111	L. Cret.	S
<i>Xiphostylus destefanii</i>	Vinassa de Regny, 1901: 501	L. Cret.	S
<i>Xiphostylus duvalensis</i>	Carter <i>in</i> Goričan <i>et al.</i> , 2006: 406	E. Jur.	S
<i>Xiphostylus felsinae</i>	Neviani, 1900: 649	L. Jur.	S
<i>Xiphostylus fragilis</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 234	M. Jur.	S
<i>Xiphostylus gasquetensis</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 236	L. Jur.	S
<i>Xiphostylus halli</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 238	M. Jur.	S
<i>Xiphostylus humboldtensis</i>	Pessagno, Blome & Hull <i>in</i> Pessagno <i>et al.</i> , 1993: 134	L. Jur.	S
<i>Xiphostylus irregularis</i>	Wang & Sheng, 1982: 85	L. Jur.	S
<i>Xiphostylus logdellensis</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 238	M. Jur.	S
<i>Xiphostylus major</i>	Vinassa de Regny, 1899: 224	L. Jur.	S
<i>Xiphostylus moriformis</i>	Rüst, 1898: 7	L. Jur.	S
<i>Xiphostylus paronai</i>	Vinassa de Regny, 1899: 224	L. Jur.	S
<i>Xiphostylus perneri</i>	Squinabol, 1904: 190	L. Cret.	S
<i>Xiphostylus simplicis</i>	Yeh, 1987a: 52	E. Jur.	S
<i>Xiphostylus sinuosus</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 239	M. Jur.	S
<i>Xiphostylus superbus</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 239	M. Jur.	S
<i>Xiphostylus vallieri</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 239	M. Jur.	S
<i>Xiphostylus whalenaе</i>	Pessagno & Yang <i>in</i> Pessagno <i>et al.</i> , 1989: 240	M. Jur.	S
<i>Xiphotheca clavata</i>	Tikhomirova, 1987b: 39	L. Jur.	N
<i>Xiphotheca ? dimidiata</i>	Bragin, 1991c: 108	M. Tr.	N
<i>Xiphotheca irregularis</i>	Tekin, 1999: 173	L. Tr.	N
<i>Xiphotheca karpenissionensis</i> (T)	De Wever <i>in</i> De Wever <i>et al.</i> , 1979: 93	L. Tr.	N
<i>Xiphotheca longa</i>	Kozur & Mock <i>in</i> Kozur & Mostler, 1981: 113	L. Tr.	N



<i>Xiphotheca monile</i>	Tikhomirova, 1987b: 38	L. Jur.	N
<i>Xiphotheca munda</i>	Tekin <i>in</i> Tekin & Bedi, 2007a: 163	L. Tr.	N
<i>Xiphotheca pseudolonga</i>	Tekin, 1999: 174	L. Tr.	N
<i>Xiphotheca rugosa</i>	Bragin, 1991c: 107	L. Tr.	N
<i>Xiphotheca ? spinellifera</i>	Bragin <i>in</i> Bragin & Krylov, 1999: 567	L. Tr.	N
<i>Xiphotheca ? transitus</i>	Tekin, 1999: 175	L. Tr.	N
<i>Xiphothecaella brevicaudata</i>	Kozur, Moix & Ozsvárt, 2007a: 161	L. Tr.	N
<i>Xiphothecaella elegans</i>	Kozur, Moix & Ozsvárt, 2007a: 162	L. Tr.	N
<i>Xiphothecaella longicaudata</i>	Kozur, Moix & Ozsvárt, 2007a: 162	L. Tr.	N
<i>Xiphothecaella orchardi</i>	Kozur, Moix & Ozsvárt, 2007a: 163	L. Tr.	N
<i>Xiphothecaella procera</i>	Kozur, Moix & Ozsvárt, 2007a: 164	L. Tr.	N
<i>Xiphothecaella strigosa</i>	Kozur, Moix & Ozsvárt, 2007a: 164	L. Tr.	N
<i>Xitus antelopensis</i>	Pessagno, 1977b: 55	E. Cret.	N
<i>Xitus antiquus</i>	Hull, 1997: 136	L. Jur.	N
<i>Xitus bogdanovi</i>	Vishnevskaya <i>in</i> Basov & Vishnevskaya, 1991: 168	E. Cret.	N
<i>Xitus ? bonarelli</i>	Marcucci & Salvini <i>in</i> Marcucci <i>et al.</i> , 1994: 30	L. Cret.	N
<i>Xitus ? channelli</i>	Jud, 1994: 117	E. Cret.	N
<i>Xitus decorus</i>	Wu, 1986: 358	L. Cret.	N
<i>Xitus gifuensis</i>	Mizutani, 1981: 180	L. Jur.	N
<i>Xitus horridus</i>	Jud, 1994: 118	E. Cret.	N
<i>Xitus magnus</i>	Baumgartner <i>in</i> Baumgartner <i>et al.</i> , 1995: 642	L. Jur.	N
<i>Xitus mosquensis</i>	Vishnevskaya <i>in</i> Vishnevskaya & De Wever, 1998: 258	L. Cret.	N
<i>Xitus naxiaensis</i>	Wu, 1986: 359	L. Cret.	N
<i>Xitus picens</i>	Salvini & Marcucci, 1998: 800	L. Cret.	N
<i>Xitus plenus</i> (T)	Pessagno, 1977b: 55	E. Cret.	N
<i>Xitus ? primitivus</i>	Vishnevskaya <i>in</i> Vishnevskaya <i>et al.</i> , 1999: 36	M. Jur.	N
<i>Xitus pulcher</i>	Pessagno, 1977b: 55	E. Cret.	N
<i>Xitus reticulatus</i>	Hori, 1999: 76	L. Jur.	N
<i>Xitus robustus</i>	Wu, 1993: 127	E. Cret.	N
<i>Xitus sandovali</i>	Jud, 1994: 118	E. Cret.	N
<i>Xitus singularis</i>	Hull, 1997: 138	L. Jur.	N
<i>Xitus spineus</i>	Pessagno, 1977b: 56	E. Cret.	N
<i>Xitus subitus</i>	Vishnevskaya, 1991b: 93	E. Cret.	N
<i>Xitus subitus</i>	Vishnevskaya, 1992: 37	E. Cret.	N
<i>Xitus takayanagii</i>	Taketani, 1982: 62	L. Cret.	N
<i>Xitus transversus</i>	Wu & Li, 1982: 69	E. Cret.	N
<i>Xitus triangularis</i>	Wu, 1986: 359	L. Cret.	N
<i>Xitus urkutus</i>	Bragina, 2004: S362	L. Cret.	N
<i>Yamatoum atlanticum</i>	O'Dogherty, Goričan & Dumitrica <i>in</i> O'Dogherty <i>et al.</i> , 2006: 437	M. Jur.	N
<i>Yamatoum caudatum</i>	Takemura, 1986: 57	M. Jur.	N
<i>Yamatoum connicinum</i>	Takemura, 1986: 57	M. Jur.	N
<i>Yamatoum elegans</i> (T)	Takemura, 1986: 55	M. Jur.	N
<i>Yamatoum komamiensis</i>	Takemura, 1986: 56	M. Jur.	N
<i>Yamatoum spinosum</i>	Takemura, 1986: 56	M. Jur.	N
<i>Yangia chinensis</i> (Ts)	Feng, 1992: without description	E. Tr.	S
<i>Yaocapsa macroporata</i>	Kozur, 1984: 57	M. Jur.	N
<i>Yeharaia annulata</i>	Nakaseko & Nishimura, 1979: 82	L. Tr.	N
<i>Yeharaia bulbosa</i>	Bragin, 1991c: 104	M. Tr.	N
<i>Yeharaia compsa</i>	Sugiyama, 1997: 174	M. Tr.	N
<i>Yeharaia conica</i>	Bragin, 1991c: 105	M. Tr.	N
<i>Yeharaia cornigera</i>	Sugiyama, 1997: 174	M. Tr.	N
<i>Yeharaia elegans</i> (T)	Nakaseko & Nishimura, 1979: 82	L. Tr.	N
<i>Yeharaia japonica</i>	Nakaseko & Nishimura, 1979: 83	L. Tr.	N
<i>Yeharaia lata</i>	Kozur & Mostler, 1994: 148	M. Tr.	N
<i>Yeharaia mascula</i>	Sugiyama, 1997: 174	M. Tr.	N
<i>Yeharaia transita</i> (Ts)	Kozur & Mostler, 1994: 148	M. Tr.	N
<i>Yichunella sinensis</i> (Ti)	Feng, 1992: without description	E. Tr.	S
<i>Zagortchevella declivis</i>	Tikhomirova, 1989: 36	E. Jur.	N
<i>Zagortchevella vallaris</i> (Td)	Tikhomirova, 1989: 36	E. Jur.	N
<i>Zaldacria cornucaprae</i> (T)	Dumitrica, 1982c: 411	M. Tr.	N
<i>Zaldacria marmoladensis</i>	Dumitrica, 2004: 200	M. Tr.	N
<i>Zamolxis corona</i> (T)	Dumitrica, 1982c: 407	M. Tr.	N
<i>Zamolxis dumitricai</i>	Sugiyama, 1992: 1191	E. Tr.	N
<i>Zamolxis tardus</i> (T)	Dumitrica, 1982c: 407	M. Tr.	N
<i>Zartus dickinsoni</i>	Pessagno & Blome, 1980: 250	M. Jur.	S
<i>Zartus imlayi</i>	Pessagno & Blome, 1980: 250	M. Jur.	S
<i>Zartus jonesi</i> (T)	Pessagno & Blome, 1980: 251	M. Jur.	S
<i>Zartus jurassicus</i>	Pessagno & Blome, 1980: 251	M. Jur.	S

<i>Zartus mostleri</i>	Pessagno & Blome, 1980: 252	E. Jur.	S
<i>Zartus praejonesi</i>	Pessagno & Blome, 1980: 252	M. Jur.	S
<i>Zartus stellatus</i>	Goričan & Matsuoka in Goričan <i>et al.</i> , 2006: 410	E. Jur.	S
<i>Zartus thayeri</i>	Pessagno & Blome, 1980: 254	M. Jur.	S
<i>Zevius perarmatus</i>	Sugiyama, 1992: 1204	E. Tr.	N
<i>Zevius yaoi</i> (Ts)	Sugiyama, 1992: 1204	E. Tr.	N
<i>Zhamoidaicyrtium rudnense</i> (Td)	Tikhomirova, 1986: 27	L. Tr.	N
<i>Zhamoidellum argandi</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 444	M. Jur.	N
<i>Zhamoidellum ? bellireticulum</i>	Wu & Li, 1982: 67	E. Cret.	N
<i>Zhamoidellum boehmi</i>	Kiessling, 1999: 78	L. Jur.	N
<i>Zhamoidellum calamin</i>	O'Dogherty, Goričan & Dumitrica in O'Dogherty <i>et al.</i> , 2006: 445	M. Jur.	N
<i>Zhamoidellum ? demissicum</i>	Goltman, 1984b: 23	L. Cret.	N
<i>Zhamoidellum ? demissicum</i>	Goltman, 1983: 167	L. Cret.	N
<i>Zhamoidellum ? exquisita</i>	Hull, 1997: 132	L. Jur.	N
<i>Zhamoidellum mikamense</i>	Aita, 1987: 74	L. Jur.	N
<i>Zhamoidellum ovum</i>	Dumitrica, 1970: 79	L. Jur.	N
<i>Zhamoidellum testatum</i>	Jud, 1994: 119	E. Cret.	N
<i>Zhamoidellum ventricosum</i> (T)	Dumitrica, 1970: 79	L. Jur.	N
<i>Zhamoidellum yehae</i>	Dumitrica in Goričan <i>et al.</i> , 2006: 412	E. Jur.	N
<i>Zhamojdasphaera transita</i>	Kozur & Mostler, 2006: 38	M. Tr.	S
<i>Zhamojdasphaera aspinosa</i>	Kozur & Mostler, 2006: 36	M. Tr.	S
<i>Zhamojdasphaera asymmetrica</i>	Kozur & Mostler, 2006: 36	M. Tr.	S
<i>Zhamojdasphaera elegans</i>	Kozur & Mostler, 2006: 37	M. Tr.	S
<i>Zhamojdasphaera latifolia</i>	Kozur & Mostler, 2006: 37	M. Tr.	S
<i>Zhamojdasphaera latispinosa</i> (T)	Kozur & Mostler, 1979a: 67	L. Tr.	S
<i>Zhamojdasphaera latispinosa mersinensis</i>	Kozur, Moix & Mostler in Moix <i>et al.</i> , 2007: 297	L. Tr.	S
<i>Zhamojdasphaera longispinosa</i>	Kozur & Mostler, 2006: 37	M. Tr.	S
<i>Zhamojdasphaera procerispinosa</i>	Lahm, 1984: 75	L. Tr.	S
<i>Zhamojdasphaera rigoi</i>	Kozur, Moix & Mostler in Moix <i>et al.</i> , 2007: 297	L. Tr.	S
<i>Zhamojdasphaera rigoi brevispinosa</i>	Kozur, Moix & Mostler in Moix <i>et al.</i> , 2007: 297	L. Tr.	S
<i>Zhamojdasphaera subovalis</i>	Kozur & Mostler, 2006: 37	M. Tr.	S
<i>Zifondium lassenensis</i> (Ts)	Pessagno, 1977b: 47	E. Cret.	N
<i>Zifondium ? mirabundum</i>	Wu, 1986: 357	L. Cret.	N
<i>Zifondium obesum</i>	Wu, 1986: 357	L. Cret.	N
<i>Zifondium plenum</i>	Wu, 1986: 357	L. Cret.	N
<i>Zifondium ? xigazeense</i>	Wu, 1993: 123	E. Cret.	N
<i>Zygocircus budapestini</i>	Hojnos, 1916: 345	E. Cret.	S
<i>Zygocircus ? latus</i>	Vinassa de Regny, 1899: 232	L. Jur.	S
<i>Zygostephanus aculeatus</i>	Rüst, 1898: 37	L. Jur.	S
<i>Zygostephanus ? hexagonus</i>	Zhamoida, 1972: 114	L. Jur.	S
<i>Zygostephanus ? ovalis</i>	Zhamoida, 1972: 115	L. Jur.	S

## Acknowledgements

Very special thanks to William R. Riedel, now retired, who spent many years preparing “An annotated and indexed bibliography of polycystine Radiolaria”, the most complete set of radiolarian literature known up to 1980. This mammoth contribution opened the way for modern research in radiolarians. Several years ago, this set of publications was copied on microfiches, and was supplemented with translations of old Russian and Latin publications. The entire community of radiolarian paleontologists is indebted to him for his bibliographic and technical efforts in making these important resources available. The present publication would be a daunting challenge without his invaluable work.

I am also greatly indebted to many colleagues who have contributed significantly by sending their

publications throughout these years, without their assistance the compilation of this list would not otherwise be possible.

## REFERENCES

- AITA Y. 1987. — Middle Jurassic to Lower Cretaceous radiolarian biostratigraphy of Shikoku with reference to selected sections in Lombardy Basin and Sicily. *Science Reports of the Tohoku University, Series 2: Geology* 58 (1): 1-91.
- AITA Y. & BRAGIN N. Y. 1999. — Non-Tethyan Triassic Radiolaria from New Zealand and northeastern Siberia, in DE WEVER P. & CAULET J.-P. (eds), InterRad VIII. Paris/Bierville 8-13 septembre 1997. *Geodiversitas* 21 (4): 503-526.
- AITA Y. & OKADA H. 1986. — Radiolarians and calcareous nannofossils from the uppermost Jurassic

- and lower Cretaceous strata of Japan and Tethyan regions. *Micropaleontology* 32 (2): 97-128.
- ALIEV K. S. 1961a. — Novye vidy Radiolyarii nizhnemelovykh otlozhenii Servero-Vostochnozo Azerbaidzhana. *Izvestiya Akademii nauk Azerbaidzhanskoi SSR, Seriya geologo-geograficheskikh nauk i nefii* 1: 51-65 (in Russian).
- ALIEV K. S. 1961b. — Novye vidy Radiolyarii nizhnego mela severo-vostochnogo Azerbaidzhana. *Izvestiya Akademii nauk Azerbaidzhanskoi SSR, Seriya geologo-geograficheskikh nauk i nefii* 5: 63-72 (in Russian).
- ALIEV K. S. 1961c. — Novye vidy Radiolyarii. *Izvestiya Akademii nauk Azerbaidzhanskoi SSR, Seriya geologo-geograficheskikh nauk i nefii* 2: 25-38 (in Russian).
- ALIEV K. S. 1961d. — Novye vidy semejstva Porodiscidea iz otlozhenii valanzhina severo-vostochnogo Azerbaidzhana. *IUchenie Zapiski Azerbaidzhanskogo Gosudarstvennogo Universiteta imeni S.M.Kirova Ministerstva Vysshogo Srednego Obrazovaniya Azerbaidzhanskoy SSR, Baku, Seriya Geologo-Geograficheskikh Nayk* 17 (7): 601-605 (in Russian).
- ALIEV K. S. 1965. — Radiolyarii nizhnemelovykh otlozhenii severo-vostochnogo Azerbaidzhana i ikh stratigraficheskoe znachenie. Izdatel'stvo Akademii Nauk, Azerbaidzhanskoi SSR, Baku, 124 p. (in Russian).
- ALIEV K. S. 1967. — Novye vidy radiolyarii valanzhinskogo i albskogo yarsov severo-vostochnogo Azerbaidzhana, in ALIEV M. M. (ed.), *Melovye Otlozheniya Vostochnogo Kavkaza i Prilegayushchikh Oblastei*. Nauka, Moscow: 23-30 (in Russian).
- ALIEV K. S. 1968. — Novye vidy podsemeistva Lithocampinae iz albskikh i senomanskikh otlozhenii severo-vostochnogo Azerbaidzhana. *Izvestiya Akademii Nauk Azerbaidzhanskoi SSR, Seriya Nauk o Zemle* 2: 26-32 (in Russian).
- ALIEV K. S. 1976. — Novye vidy radiolyarii iz nizhnego mela Prikaspiiskogo raiona Azerbaidzhana. *Akademiya Nauk Azerbaidzhanskoi SSR, Institut Geologii, Voprosy Paleontologii i Stratigrafii Azerbaidzhana* 1: 114-122 (in Russian).
- ALIEV K. S. & SMIRNOVA R. F. 1969. — Novye vidy radiolyarii iz otlozhenii albskogo yarusa tsentralnyakh raionov Russkoi platformy, in VYALOV O. S. (ed.), *Iskopaemye i Sovremennyye Radiolyarii: Materialy vtorogo vsesoyuznogo seminara po radiolyariyam*. Izdatel'stvo Lvovskogo Universiteta. Lvov, USSR: 62-72.
- AMON E. O. 1990. — [On the characteristics of the Cenomanian complex of radiolarians from the deposits of the Uvat fold of the Transuralian structural-facies zone], in CHUVASHOV B. I., ZHAMOIDA A. I. & AMON E. O. (eds), [*Radiolaria in Biostratigraphy: Collected Proceedings*]. Ural'skoe otdelenie AN SSSR, Sverdlovsk: 59-69 (in Russian).
- AMON E. O. 2000. — *Verkhnemelovyye radiolyarii Urala*, 5. Rossiyskaya Akademiya Nauk, Ural'skoye Otdeleniye, Institut Geologii i Geokhimii. Yekaterinburg, 209 p. (in Russian).
- AUBRECHT R. & OZVOLDOVÁ L. 1994. — Middle Jurassic-Lower Cretaceous development of the Pruské Units in the western part of the Pieniny Klippen Belt. *Geologica carpathica* 45 (4): 211-223.
- BAK M. 1999. — Uppermost Maastrichtian Radiolaria from the Magura Nappe deposits, Czech Outer Carpathians. *Annales Societatis Geologorum Poloniae* 69 (3-4): 137-159.
- BASOV V. A. & VISHNEVSKAYA V. S. 1991. — *Upper Mesozoic Stratigraphy of the Pacific Ocean, Circum-Pacific Council for Energy and Mineral Resources*. Nauka, Moscow: 200.
- BAUMGARTNER P. O. 1980. — Late Jurassic Hagiastriidae and Patulibracchiidae (Radiolaria) from the Argolis Peninsula (Peloponnesus, Greece). *Micropaleontology* 26 (3): 274-322.
- BAUMGARTNER P. O. 1984. — A Middle Jurassic-Early Cretaceous low latitude radiolarian zonation based on unitary associations and age of Tethyan radiolarites. *Eclogae Geologicae Helveticae* 77 (3): 729-841.
- BAUMGARTNER P. O., DE WEVER P. & KOCHER R. 1980. — Correlation of Tethyan Late Jurassic-Early Cretaceous radiolarian events. *Cahiers de Micropaléontologie* part. 2: 23-86.
- BAUMGARTNER P. O., O'DOGHERTY L., GORIČAN S., DUMITRICA-JUD R., DUMITRICA P., PILLEUIT A., URQUHART E., MATSUOKA A., DANIELIAN T., BARTOLINI A., CARTER E. S., DE WEVER P., KITO N., MARCUCCI M. & STEIGER T. 1995. — Radiolarian catalogue and systematics of Middle Jurassic to Early Cretaceous Tethyan genera and species, in BAUMGARTNER P. O., O'DOGHERTY L., GORIČAN S., URQUHART E., PILLEUIT A. & DE WEVER P. (eds), *Middle Jurassic to Lower Cretaceous Radiolaria of Tethys: occurrences, systematics, biochronology. Mémoires de Géologie (Lausanne)* 23: 37-685.
- BECCARO P. 2004a. — *Monotriabs goricanae* n. sp.: a new species of Jurassic Tritrabidae (spumellarian Radiolaria). *Micropaleontology* 50 (1): 81-87.
- BECCARO P. 2004b. — New Middle and Upper Jurassic Radiolaria from western Sicily and southern Alps (Italy). *Razprave IV, Razreda SAZU* 45 (3).
- BERTINELLI A. & MARCUCCI M. 2006. — Lower Jurassic radiolarians from the Mt. Camicia – Gran Sasso (Central Apennines, Italy). *Volumina Jurassica* 4: 146-147.
- BLOME C. 1983. — Upper Triassic Capnuchosphaeridae and Capnodocinae (Radiolaria) from east-central Oregon. *Micropaleontology* 29 (1): 11-49.
- BLOME C. 1984a. — Upper Triassic Radiolaria and radiolarian zonation from western North America. *Bulletins of American Paleontology* 85 (318): 1-88.
- BLOME C. 1984b. — Middle Jurassic (Callovian) radiolarians from carbonate concretions, Alaska and Oregon. *Micropaleontology* 30 (4): 343-389.
- BOGDANOV N. A., VISHNEVSKAYA V. S., KEPEZHINSKAS P. K., SUKHOV A. N. & FEDORCHUK A. V. 1987. — *Ge-*

- ologiya yuga Koryakskogo nagor'ya*. Nauka, Moscow, 168 p. (in Russian).
- BRAGIN N. Y. 1986. — Biostratigrafiya triasovikh otlozhenii yuzhnogo Sahalina. *Izvestiya Akademii Nauk SSSR, seriya geologicheskaja* 56 (11): 61-75 (in Russian).
- BRAGIN N. Y. 1991a. — [Late Triassic Radiolaria Saturnulidae Deflandre situated in the right bank of the Amur River], in TOCHILINA S. V. (ed.), [*Paleontological and Stratigraphic Investigation of Phanerozoic in the Far Eastern Region (by the Results of Radiolarian Analysis for mapping)*]. Collected proceedings. Tikhookeanskii okeanologicheskii institut, Vladivostok: 54-62, 147, 155-156, 185-188 (in Russian).
- BRAGIN N. Y. 1991b. — [Carnian radiolarian complex of volcanogenic siliceous formations of the Ekonay zone in the Koryak Upland]. *Izvestiya Akademii Nauk SSSR, seriya geologicheskaja* 6: 79-86 (in Russian).
- BRAGIN N. Y. 1991c. — [*Radiolaria and lower Mesozoic units of the USSR East regions*]. Trudy-Geologicheskii Institut (Moskva), Nauka 469: 1-126 (in Russian).
- BRAGIN N. Y. 1997. — Radiolarian from the phosphorite basal horizons of the Volgian stage in the Moscow region (Russia). *Revue de Micropaléontologie* 40 (4): 283-296.
- BRAGIN N. Y. 2007. — Late Triassic radiolarians of southern Cyprus. *Paleontological Journal* 41 (10): 951-1029.
- BRAGIN N. Y. & KRYLOV K. A. 1999. — Early Norian Radiolaria from Cyprus, in DE WEVER P. & CAULET J.-P. (eds), InterRad VIII. Paris/Bierville 8-13 septembre 1997. *Geodiversitas* 21 (4): 539-569.
- BRAGIN N. Y., TEKIN U. K. & ÖZÇELİK Y. 2002. — Middle Jurassic radiolarians from the Akgöl Formation, central Pontids, northern Turkey. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 10: 609-628.
- BRAGINA L. G. 1991a. — Radiolarians from the Bystrinsk sequence Santonian-Campanian of northwest Kamchatka. *Izvestiya Akademii Nauk SSSR, seriya geologicheskaja* 7: 129-136.
- BRAGINA L. G. 1991b. — Pozdnekampansko-Maastrihtskie radiolyarii ostrova shikotan. in *Paleontologo-stratigraficheskie issledovaniya fanerozoia Dal'nego Vostoka*. Vladivostok: DVGI DVO AN SSSR: 100-103 (in Russian).
- BRAGINA L. G. 1999a. — *Cuboctostylus* n. gen., a new Late Cretaceous spicule-bearing spumellarian Radiolaria from Sakhalin (Russia), in DE WEVER P. & CAULET J.-P. (eds), InterRad VIII. Paris/Bierville 8-13 septembre 1997. *Geodiversitas* 21 (4): 571-580.
- BRAGINA L. G. 1999b. — New locality of the Campanian radiolarians in southwestern Sakhalin. *Stratigraphy and Geological Correlation* 7 (4): 356-363.
- BRAGINA L. G. 2003a. — New radiolarian species from the Upper Cretaceous Naiba reference section (southern Sakhalin). *Paleontological Journal* 37 (3): 244-251.
- BRAGINA L. G. 2003b. — Late Cretaceous representatives of the superorder Phaeodaria (Radiolaria). *Paleontological Journal* 37 (1): 8-10.
- BRAGINA L. G. 2004. — Cenomanian-Turonian radiolarians of northern Turkey and the Crimean Mountains. *Paleontological Journal* 38 (4): 325-456.
- BRAGINA L. 2008. — Radiolarians of the family neosciadiocapsidae from the Turonian-Santonian of the Perapedhi Formation, southern Cyprus. *Paleontological Journal* 42 (2): 127-138.
- BRAGINA L. G. & BRAGIN N. Y. 1995. — Radiolarians and stratigraphy of the Campanian-Maestrichtian deposits in Southwestern Cyprus. *Stratigraphy and Geological Correlation* 3 (2): 147-155.
- BRAGINA L. G. & BRAGIN N. Y. 1996. — Stratigraphy and radiolarians from the type section of Perapedhi Formation (Upper Cretaceous of Cyprus). *Stratigraphy and Geological Correlation* 4 (3): 246-253.
- BRAGINA L. & VISHNEVSKAYA V. 2007. — New species of cretaceous radiolarians of the genus *Multastrum* Vishnevskaya and their paleobiogeographical distribution. *Paleontological Journal* 41 (6): 589-595.
- CAMPBELL A. S. & CLARK B. L. 1944. — Radiolaria from Upper Cretaceous of Middle California. *Geological Society of America, special papers* 57: 1-61.
- CARTER E. S. 1991. — Late Triassic radiolarian biostratigraphy of the Kunga Group, Queen Charlotte Islands, British Columbia, Evolution and Hydrocarbon Potential of the Queen Charlotte Basin, British Columbia. *Geological Survey of Canada, Paper* 90-10: 195-201.
- CARTER E. S. 1993. — Biochronology and paleontology of uppermost Triassic (Rhaetian) radiolarians, Queen Charlotte Islands, British Columbia, Canada. *Mémoires de Géologie (Lausanne)* 11: 1-175.
- CARTER E. S. & HORI R. S. 2005. — Global correlation of the radiolarian faunal change across the Triassic-Jurassic boundary. *Canadian Journal of Earth Sciences* 42: 777-790.
- CARTER E. S., CAMERON B. E. B. & SMITH P. L. 1988. — Lower and Middle Jurassic radiolarian biostratigraphy and systematic paleontology, Queen Charlotte Islands, British Columbia. *Geological Survey of Canada, Bulletin* 386: 1-109.
- CARTER E. S., WHALEN P. A. & GUEX J. 1998. — Biochronology and paleontology of Lower Jurassic (Hettangian and Sinemurian) radiolarians, Queen Charlotte Islands, British Columbia. *Geological Survey of Canada, Bulletin* 496: 1-162.
- CAYEUX L. 1897. — Contribution à l'étude micrographique des terrains sédimentaires. 1. Étude de quelques dépôts siliceux secondaires et tertiaires du Bassin de Paris et de la Belgique. 2. Craie du Bassin de Paris. *Mémoires de la Société géologique du Nord, Lille* 4 (2): 1-591.
- CHENG Y. N. 1992. — Upper Jurassic Pantanelliidae (Pantanelliinae Pessagno, 1977 and Vallupinae Pessagno & MacLeod, 1987) from the Busuanga Islands,



- Philippines. *Bulletin of the National Museum of Natural Science*, Taiwan 3: 1-49.
- CHIARI M. 1994. — Radiolarian assemblage from ophiolite sequence of Northern Apennines: 2-Sasso di Castro Sections. *Ofoliti* 19 (2b): 377-395.
- CHIARI M., CORTESE G., MARCUCCI M. & NOZZOLI N. 1997. — Radiolarian biostratigraphy in the sedimentary cover of the ophiolites of South-Western Tuscany, Central Italy. *Eclogae Geologicae Helvetiae* 90 (1): 55-77.
- CHIARI M., MARCUCCI M. & PRELA M. 2002. — New species of Jurassic radiolarians in the sedimentary cover of ophiolites in the Mirdita area, Albania, in CARTER E., WHALEN P. & MEKIK F. (eds), *Micro-paleontology of radiolarians: Proceedings of Internat IX. Micropaleontology* 48: 61-87.
- CIARAPICA G. & ZANINETTI L. 1982. — Faune à Radiolaires dans la séquence triasique/liasique de Grotta Arpaia, Portovenere (la Spezia), Apennin septentrional. *Revue de Paléobiologie* 1 (2): 165-179.
- CONTI M. & MARCUCCI M. 1991. — Radiolarian assemblage in the Monte Alpe cherts at Ponte di Lagoscuro, Val Graveglia (eastern Liguria, Italy). *Eclogae Geologicae Helvetiae* 84 (3): 791-817.
- CORDEY F. 1998. — Radiolaires des complexes d'accrétion de la Cordillère canadienne (Colombie-Britannique). *Geological Survey of Canada, Bulletin* 509: 1-209.
- CORDEY F. & CARTER E. S. 1996. — New Nassellaria (Radiolaria) from the Lower Jurassic of the Canadian Cordillera. *Canadian Journal of Earth Sciences* 33 (3): 444-451.
- CORDEY F., DE WEVER P., DUMITRICA P., DANELIAN T., KITO N. & VRIELYNCK B. 1988. — Description of some new Middle Triassic Radiolarians from the Camp Cove Formation, southern British Columbia, Canada. *Revue de Micropaléontologie* 31 (1): 30-37.
- CORTESE G. 1993. — Radiolarian biostratigraphy of the Tuscan Cherts (Tuscan Succession) from Val di Lima, Tuscany, Northern Apennines). *Paleopelagos* 3: 165-185.
- DANELIAN T. 2008. — Diversity and biotic changes of Archaeodictyomitrid Radiolaria from the Aptian/Albian transition (OAE1b) of southern Albania. *Micropaleontology* 54 (1): 3-13.
- DAVIS A. G. 1950. — The Radiolaria of the Hawasina Series of Oman. *Proceedings of the Geologists' Association* 61 (3): 206-217.
- DE WEVER P. 1981a. — Une nouvelle sous-famille, les Poulpinae, et quatre nouvelles espèces de *Saitoum* radiolaires mésozoïques tethysiens. *Geobios* 14 (1): 5-15.
- DE WEVER P. 1981b. — Hagiastriidae, Patulibracchiidae et Spongodiscidae (Radiolaires polycystines) du Lias de Turquie. *Revue de Micropaléontologie* 24 (1): 27-50.
- DE WEVER P. 1981c. — Parasaturnalidae, Pantanellidae et Sponguridae (Radiolaires polycystines) du Lias de Turquie. *Revue de Micropaléontologie* 24 (3): 138-156.
- DE WEVER P. 1982. — Nassellaria (Radiolaires Polycystines) du Lias de Turquie. *Revue de Micropaléontologie* 24 (4): 189-232.
- DE WEVER P., SANFILIPPO A., RIEDEL W. R. & GRUBER B. 1979. — Triassic radiolarians from Greece, Sicily and Turkey. *Micropaleontology* 25 (1): 75-110.
- DE WEVER P., BOURDILLON-DE GRISSAC C. & BEURRIER M. 1988. — Radiolaires sénoniens de la nappe de Samail (Oman). *Revue de Micropaléontologie* 31 (3): 166-179.
- DONOFRIO D. A. 1991. — Radiolaria and Porifera (Spicula) from the Upper Triassic of Aghdarband (NE-Iran), in RUTTNER A. W. (ed.), *The Triassic of Aghdarband (AqDarband), NE-Iran, and its Pre-Triassic Frame. Abhandlungen der Geologischen Bundesanstalt* 38: 205-222.
- DONOFRIO D. A. & MOSTLER H. 1978. — Zur Verbreitung der Saturnalidae (Radiolaria) im Mesozoikum der Nördlichen Kalkalpen und Südalpen. *Geologisch Paläontologische Mitteilungen Innsbruck* 7 (5): 1-55.
- DOSZTÁLY L. 1989. — Triassic radiolarians from Dallapusza (Mount Darno, N. Hungary). *A Magyar Allami Földtani Intézet évi jelentése*: 193-201.
- DOSZTÁLY L. 1991. — Triassic radiolarians from the Balaton upland. *A Magyar Allami Földtani Intézet évi jelentése*: 333-355.
- DUMITRICA P. 1970. — Cryptocephalic and cryptothoracic Nassellaria in some Mesozoic deposits of Romania. *Revue roumaine de Géologie, Géophysique et Géographie, série Géologie*, 14 (1): 45-124.
- DUMITRICA P. 1972. — Cretaceous and Quaternary Radiolaria in deep sea sediments from the northeast Atlantic Ocean and Mediterranean Sea, in RYAN W. B. F., HSÜ K. J., CITA M. B., DUMITRICA P., LORT J. M., MAYNE W., NESTEROFF W. D., PAUTOT G., STRADNER H. & WEZEL F. C. (eds), *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 13: 829-901.
- DUMITRICA P. 1978a. — Family Eptingiidae n. fam., extinct Nassellaria (Radiolaria) with sagittal ring. *Dari de Seama ale Sedintelor, Institutul de Geologie si Geofizica, Bucuresti* 64: 27-38.
- DUMITRICA P. 1978b. — Triassic Palaeosceniidae and Entactiniidae from the Vicentinian Alps (Italy) and eastern Carpathians (Romania). *Dari de Seama ale Sedintelor, Institutul de Geologie si Geofizica, Bucuresti* 64: 39-54.
- DUMITRICA P. 1982a. — Triassic Oertlisponginae (Radiolaria) from Eastern Carpathians and Southern Alps. *Dari de Seama ale Sedintelor, Institutul de Geologie si Geofizica, Bucuresti* 67: 57-74.
- DUMITRICA P. 1982b. — Foremanellinidae, a new family of Triassic Radiolaria. *Dari de Seama ale Sedintelor, Institutul*



- de Geologie si Geofizica, Bucuresti* 67: 75-82.
- DUMITRICA P. 1982c. — Middle Triassic spicular Radiolaria. *Revista Española de Micropaleontología* 14 (1-3): 401-428.
- DUMITRICA P. 1983. — Evolution of Mesozoic and Cenozoic Centrocubidae (Radiolaria). *Revue de Micropaléontologie* 25 (4): 221-230.
- DUMITRICA P. 1988. — New families and subfamilies of Pyloniacea (Radiolaria). *Revue de Micropaléontologie* 31 (3): 178-195.
- DUMITRICA P. 1989. — Internal skeletal structures of the superfamily Pyloniacea (Radiolaria), a basis of a new systematics. *Revista Española de Micropaleontología* 21 (2): 207-264.
- DUMITRICA P. 1991. — Middle Triassic Tripedunculidae, n. fam. (Radiolaria) from the eastern Carpathians (Romania) and Vicentinian Alps (Italy). *Revue de Micropaléontologie* 34 (4): 261-278.
- DUMITRICA P. 1994. — *Pylcostylus* n. gen., a Cretaceous Spumellarian radiolarian genus with initial spicule. *Revue de Micropaléontologie* 37 (4): 235-244.
- DUMITRICA P. 1997. — On the status of the Lower Cretaceous Radiolarian species *Alievium helenae* Schaaf and of other related species. *Revue de Micropaléontologie* 40 (3): 211-223.
- DUMITRICA P. 1999a. — The Oertlispongidae (Radiolaria) from the Middle Triassic of Masirah Island (Oman). *Revue de Micropaléontologie* 42 (1): 33-42.
- DUMITRICA P. 1999b. — On the presence of central capsular membranes of Radiolaria in fossil state. *Revista española de Micropaleontología* 31 (2): 155-183.
- DUMITRICA P. 2004. — New Mesozoic and early Cenozoic spicular Nassellaria and Nassellaria-like Radiolaria. *Revue de Micropaléontologie* 47 (4): 193-224.
- DUMITRICA P. & CARTER E. S. 1999. — Family Kungalaridae, n. fam., new Mesozoic entactinarian Radiolaria with a nassellarian-type initial spicule. *Micropaleontology* 45 (4): 418-428.
- DUMITRICA P. & DUMITRICA-JUD R. 1995. — *Aurisaturnalis carinatus* (Foreman), an example of phyletic gradualism among Saturnalid-type radiolarians. *Revue de Micropaléontologie* 38 (3): 195-216.
- DUMITRICA P. & DUMITRICA-JUD R. 2005. — *Hexasaturnalis nakasekoi* nov. sp., a Jurassic saturnalid radiolarian species frequently confounded with *Hexasaturnalis suboblongus* (Yao). *Revue de Micropaléontologie* 48 (3): 159-168.
- DUMITRICA P. & HOLLIS C. J. 2004. — Maastrichtian Challengeriidae (phaeodarian radiolaria) from deep sea sediments of SW Pacific. *Revue de Micropaléontologie* 47 (3): 127-134.
- DUMITRICA P. & HUNGERBÜHLER A. 2007. — *Blebschmidtia* n. gen. et *Tjerkium* n. gen., un cas de gradualisme phylétique des Radiolaires Saturnalides du Trias. *Bulletin de la Société vaudoise des Sciences naturelles* 90 (3): 217-243.
- DUMITRICA P. & MELLO J. 1982. — On the age of the Meliata Group and the Silica Nappe radiolarites (localities Držkovce and Bohunovo, Slovak Karst, CSSR). *Geologické práce, Zpravy* 77: 17-28.
- DUMITRICA P. & ZÜGEL P. 1998. — *Hexapylocapsa anachoreta* n. gen., n. sp., type of a new monocyrtid nassellarian family (Radiolaria) with double-shelled cephalis. *Paläontologische Zeitschrift* 72 (3/4): 249-256.
- DUMITRICA P. & ZÜGEL P. 2002. — *Mendacastrum* n. gen. and *Domuzdagia* n. gen., two Jurassic spherical Spumellaria (Radiolaria) with hagiastrid medullary shell, in CARTER E., WHALEN P. & MEKIK F. (eds), *Micropaleontology of radiolarians: Proceedings of Internat IX. Micropaleontology* 48: 23-34.
- DUMITRICA P. & ZÜGEL P. 2003. — Lower Tithonian mono- and dicyrtid Nassellaria (Radiolaria) from the Solnhofen area (southern Germany). *Geodiversitas* 25 (1): 5-72.
- DUMITRICA P. & ZÜGEL P. 2008. — Early Tithonian Saturnalidae (Radiolaria) from the Solnhofen area (Southern Franconian Alb, southern Germany). *Paläontologische Zeitschrift* 82 (1): 55-84.
- DUMITRICA P., KOZUR H. & MOSTLER H. 1980. — Contribution to the radiolarian fauna of the Middle Triassic of the Southern Alps. *Geologisch Paläontologische Mitteilungen Innsbruck* 10 (1): 1-46.
- DUMITRICA P., IMMENHAUSER A. & DUMITRICA-JUD R. 1997a. — Mesozoic Radiolarian Biostratigraphy from Masirah Ophiolite, Sultanate of Oman Part I: Middle Triassic, Uppermost Jurassic and Lower Cretaceous Spumellarians and Multisegmented Nassellarians. *Bulletin of the National Museum of Natural Science, Taiwan* 9: 1-106.
- DUMITRICA P., BAUMGARTNER P. O. & GORIČAN Š. 1997b. — *Pterotrabs* n. gen., a new genus of Jurassic Hagiastriidae (Radiolaria). *Revue de Micropaléontologie* 40 (2): 167-179.
- DUNDO O. P. & ZHAMOIDA A. I. 1963. — Fiya mezozoiskikh otlozhenii basseina r. Velikoi i kharakternyi kompleks valanzhinskikh radiolyarii, in EGIAZAROVA B. K. (ed.), *Geology of the Koryaksk Highland*. Gosudarstvennoe Nauchno-Tekhnicheskoe Izdatel'stvo Literatury po Gornomu Delu, Moscow: 64-86 (in Russian).
- DUNIKOWSKI E. 1882. — Die Spongien, Radiolarien und Foraminiferen der unterliassischen Schichten vom Schafberg bei Salzburg. *Denkschriften der Akademie der Wissenschaften. Wien, Mathematisch-Naturwissenschaftliche Classe* 45: 163-194.
- EBLI O. 1997. — Sedimentation und Biofazies an passiven Kontinentalrändern: Lias und Dogger des Mittelabschnitts der Nordlichen Kalkalpen und des frühen Atlantik (DSDP site 547B, offshore Marokko). *Muenchner Geowissenschaftliche Abhandlungen Reihe A Geologie und Palaentologie* 32: 1-255.
- EICHER D. L. 1960. — Stratigraphy and micropaleontology

- of the Thermopolis shale. *Yale University Bulletin* 15: 76.
- EL KADIRI K. 1992. — Description de nouvelles espèces de radiolaires jurassiques de la Dorsale calcaire externe (Rif, Maroc). *Revista española de Paleontología* Núm. Extra.: 37-48.
- ELLIS G. 1993. — Late Aptian-early Albian Radiolaria of the Windalia Radiolarite (type section), Carnarvon Basin, Western Australia. *Eclogae Geologicae Helvetiae* 86 (3): 943-995.
- EMPSON-MORIN K. 1982. — Reexamination of the late Cretaceous radiolarian genus *Amphipyndax* Foreman. *Journal of Paleontology* 56 (2): 507-519.
- FENG Q. 1992. — Permian and Triassic radiolarian biostratigraphy in south and southwest China. *Journal of China University of Geosciences* 3 (1): 51-62.
- FENG Q. & LIANG B. 2003. — Ladinian radiolarian fauna from West Sichuan, China. *Revue de Micropaléontologie* 46 (4): 217-227.
- FENG Q. & LIU B. 1993. — [Radiolarian from late Permian and early-middle Triassic in Southwest Yunnan]. *Earth Science, Journal of China University of Geosciences* 18 (5): 552-563 (in Chinese).
- FENG Q., DU Y., ZHANG Z. & ZENG X. 1994. — [Early Triassic radiolarian fauna of Tongbai region in Henan and its geologic significance]. *Earth Science, Journal of China University of Geosciences* 19 (6): 787-794 (in Chinese).
- FENG Q., YE M. & ZHANG Z. 1996. — Triassic radiolarian fauna from southwest China. *Scientia Geologica Sinica* 5 (3): 381-394.
- FENG Q., ZHANG Z. & YE M. 2001. — Middle Triassic radiolarian fauna from southwest Yunnan, China. *Micropaleontology* 47 (3): 173-204.
- FENG Q., MALILA K., WONGANAN N., CHONGLAKMANI C., HELMCKE D., INGAVAT-HELMCKE R. & CARIDROIT M. 2005. — Permian and Triassic Radiolaria from Northwest Thailand: paleogeographical implications. *Revue de Micropaléontologie* 48 (4): 237-255.
- FENG Q., YANG Z., CRASQUIN S., ZHAO L. & LI X. 2007. — Permian and Triassic radiolarians from northern Tibet: correlation between radiolarian and conodont biozones. *Bulletin de la Société géologique de France* 178 (6): 485-495.
- FISCHLI H. 1916. — Beitrag zur Kenntnis der fossilen Radiolarien in der Riginagelfluh. *Mitteilungen der Naturwissenschaftlichen Gesellschaft in Winterthur*, Jahrgang 1915-1916, 11: 44-47.
- FOREMAN H. P. 1966. — Two Cretaceous radiolarian genera. *Micropaleontology* 12 (3): 355-359.
- FOREMAN H. P. 1968. — Upper Maestrichtian Radiolaria of California. *Special Papers in Palaeontology* 3: 1-82.
- FOREMAN H. P. 1971. — Cretaceous Radiolaria, Leg 7, DSDP, in WINTERER E. L., RIEDEL W. R., BRÖNNIMANN P., GEALY E. L., HEATH G. R., KROENKE L., MARTINI E., MOBERLY JR. R., RESIG J. & WORSLEY T. (eds). *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 7: 1673-1693.
- FOREMAN H. P. 1973. — Radiolaria from DSDP Leg 20, in HEEZEN B. C., MACGREGOR J. D., FOREMAN H. P., FORRISTALL G., HEKEL H., HESSE R., HOSKINS R. H., JONES E. J. W., KANEPS A. G., KRASHENINNIKOV V. A., OKADA H. & RUEF M. H. (eds). *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 20: 249-305.
- FOREMAN H. P. 1975. — Radiolaria from the North Pacific, Deep Sea Drilling Project, Leg 32, in LARSON R. L., MOBERLY R., BUKRY D., FOREMAN H. P., GARDNER J. V., KEENE J. B., LANCELOT Y., LUTERBACHER H., MARSHALL M. C. & MATTER A. (eds). *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 32: 579-676.
- FOREMAN H. P. 1978a. — Cretaceous Radiolaria in the eastern South Atlantic, Deep Sea Drilling Project, Leg 40, in BOLLI H. M., RYAN W. B. F., MCKNIGHT B. K., KAGAMI H., MELGUEN M., SIESSER W. G., NATLAND J. H., LONGORIA J. F., PROTO DECIMA F., FORESMAN J. B. & HOTTMAN W. E. (eds). *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 40: 839-843.
- FOREMAN H. P. 1978b. — Mesozoic Radiolaria in the Atlantic Ocean off the northwest coast of Africa, Deep Sea Drilling Project, Leg 41, in LANCELOT Y., SEIBOLD E., DEAN W. E., JANS L. F., EREMEEV V., GARDNER J., CEPEK P., KRASHENINNIKOV V. A., PFLAUMANN U., JOHNSON D., RANKIN J. G. & TRABANT P. (eds). *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 41: 739-761.
- GARG R. & JAIN K. P. 1978. — Polycystine radiolaria from phosphatic nodules of the Uttatur Formation, south India. (Part-1): Nassellaria. *Biological Memoirs* 3 (2): 131-175.
- GAWLICK H.-J., SCHLANGINWEIT F., EBELI O. & SUZUKI H. 2004. — Die Plassen-Formation (Kimmeridgium) des Krahstein (Steirisches Salzkamergut, Österreich) und ihre Unterkagerung: neue Daten zur Fazies, Biostratigraphie und Sedimentologie. *Zentralblatt für Geologie und Paläontologie*, Teil 1 2003 (3/4): 295-334.
- GLAZUNOVA A. E., BALAKHMATOVA V. T., LIPMAN R. K., ROMANOVA V. I. & KHOKHLOVA I. A. 1960. — Stratigrafiya i fauna melovykh otlozhenii zapadnoi-sibirskoi nizmennosti. *Transactions of the All Union Institute of Geology (VSEGEI)*, new series 29: 1-304 (in Russian).
- GOLTMAN E. V. 1983. — [Zoogeographic zonation of Cretaceous basins of south-east Central Asia. Zonation of Senonian basins of radiolarians], in DZHALILOV M. R. (ed.), [Biogeographical zonation of south Tadzhikistan (Mesozoic and Caenozoic)]. *Danish*, Dushanbe: 154-177 (in Russian).

- GOLTMAN E. V. 1984a. — Novyi vid Spongodiscoidea iz evolutsiya Radiolyarii, in PETRUSHEVSKAYA M. G. & STEPANJANTS S. D. (eds), Morfologiya, ekologiya i evolutsiya Radiolyarii. Materialy IV simpoziuma evropeiskikh radiolyaristov EURORAD IV. *Akademiya Nauk SSSR, Zoological Institute*, Leningrad: 194-195.
- GOLTMAN E. V. 1984b. — [New species of Senonian Radiolaria from the Tadjik Depression], in DZHALILOV M. R. (ed.), [New species of fossil fauna and flora of Tadjikistan]. Donish, Dushanbe: 14-27 (in Russian).
- GORIČAN Š. & BUSER S. 1990. — Middle Triassic radiolarians from Slovenia (Yugoslavia). *Geologija* 31-32: 133-197.
- GORIČAN Š., SMUC A. & BAUMGARTNER P. O. 2003. — Toarcian Radiolaria from Mt. Mangart (Slovenian-Italian border) and their paleoecological implications. *Marine Micropaleontology* 49 (3): 275-301.
- GORIČAN Š., CARTER E. S., DUMITRICA P., WHALEN P. A., HORI R. S., DE WEVER P., O'DOGHERTY L., MATSUOKA A. & GUEX J. 2006. — *Catalogue and Systematics of Pliensbachian, Toarcian and Aalenian Radiolarian Genera and Species*. ZRC Publishing, Scientific Research Centre of the Slovenian Academy of Sciences and Arts, Ljubljana, 446 p.
- GÓRKA H. 1989. — Les Radiolaires du Campanien inférieur de Cracovie (Pologne). *Acta Palaeontologica Polonica* 34 (4): 327-354.
- GRIGORYEVA A. I. 1975. — Radiolyarii verkhnego mela i paleogena vostochnogo sklona Urala i Zaural'ya, in MALAKHOVA N. P. & CHUVASHOV B. I. (eds), Novyye miospory, foraminifery, ostrakody i konodonty paleozoya i mezozoya Urala. *Akademiya Nauk SSSR, Ural'skiy Nauchnyy Tsentr, Instituta Geologii i Geokhimii*, Sverdlovsk 119: 102-109 (in Russian).
- GRILL J. & KOZUR H. 1986. — The first evidence of the Unuma echinatus radiolarian zone in the Rudabanya Mts. (northern Hungary). *Geologisch Paläontologische Mitteilungen Innsbruck* 13 (11): 239-275.
- GRIMES G. E. 1895. — Two occurrences of radiolarians in English Cretaceous rocks. *Geological Magazine* 2 (8): 345-347.
- HALAMIC J., GORIČAN Š., SLOVENEK D. & KOLAR-JURKOVSEK T. 1999. — A Middle Jurassic Radiolarite-Clastic Succession from the Medvednica Mt. (NW Croatia). *Geologia Croatica* 52 (1): 29-57.
- HEITZER I. 1930. — Die Radiolarienfauna der mitteljurassischen Kieselmergel im Sonnwendgebirge. *Jahrbuch der geologischen Bundesanstalt*, Wien 80 (3-4): 381-406.
- HINDE G. J. 1893. — Note on a radiolarian rock from Fanny Bay, Port Darwin, Australia. *Quarterly Journal of the Geological Society of London* 49 (194): 221-226.
- HINDE G. J. 1900. — Description of fossil Radiolaria from the rocks of Central Borneo, in MOLENGRAAFF G. A. F. (ed.), *Borneo-Expeditie: Geologische verkenningstochten in Centraal Borneo (1893-94)*. Brill E. J. & Gerlings, D., Leiden; Amsterdam: 1-56.
- HINDE G. J. 1908. — Radiolaria from the Triassic and other rocks of the Dutch East Indian Archipelago, in VERBEEK R. D. M. (ed.), *Molukken-verslagen Geologische verkenningstochten in hetoostelijke gedeelte van den Nederlandsch Oost-Indischen Archipelago, Jaarboek van het mijnwezen in Nederlandsch Oost-Indie*. 37: 694-736.
- HOJNOS R. 1916. — Beiträge zur Kenntnis der ungarischen fossilen Radiolarien. *Földtany Közlöny* 46: 340-364.
- HOLLIS C. J. 1997. — Cretaceous-Paleocene Radiolaria from eastern Marlborough, New Zealand. *Institute of Geological and Nuclear Sciences, Monograph* 17: 1-152.
- HOLMES W. M. 1900. — On Radiolaria from the Upper Chalk at Coulsdon (Surrey). *Quarterly Journal of the Geological Society of London* 56: 694-704.
- HORI N. 1999. — Latest Jurassic radiolarians from the northeastern part of the Torinoko Block, Yamizo Mountains, central Japan. *Science Reports of the Institute of Geoscience, University of Tsukuba*, Section B: Geological Sciences 20: 47-114.
- HORI R. 1988. — Some characteristic radiolarians from Lower Jurassic bedded cherts of the Inuyama area, Southwest Japan. *Transactions and Proceedings of the palaeontological Society of Japan*, new series 151: 543-563.
- HORI R. & OTSUKA T. 1989. — Early Jurassic radiolarians from the Mt. Norikuradake area, Mino Terrane, central Japan. *Journal of Geosciences, Osaka City University* 32: 175-198.
- HORI R. & YAO A. 1988. — *Parahsuum* (Radiolaria) from the Lower Jurassic of the Inuyama area, central Japan. *Journal of Geosciences, Osaka City University* 31: 47-61.
- HORI R. S., CAMPBELL J. D. & GRANT-MACKIE J. A. 2003. — Triassic Radiolaria from Kaka Point Structural Belt, Otago, New Zealand. *Journal of the Royal Society of New Zealand* 33 (1): 39-56.
- HULL D. M. 1995. — Morphologic diversity and paleogeographic significance of the family Parvicingulidae (Radiolaria). *Micropaleontology* 41 (1): 1-48.
- HULL D. M. 1997. — Upper Jurassic tethyan and southern boreal radiolarians from western North America. *Micropaleontology* 43 (supplement 2): 1-202.
- IACOB D. & NICORICI E. 1957. — Citeva forme de radiolari din jaspurile de la Tamasesti (Reg. Hunedoara). *Academia Republicii Populare Romine, Filiala Cluj, Studii si Cercetari de Geologie-Geographie* 8 (1-2): 7-19.
- ICHIKAWA K. 1950. — A study on the radiolarian fauna of Mt. Mitake in the southeastern part of the Kwanto Mountainland, Japan. *Journal of the Faculty of Science University of Tokyo*, Section 2: Geology, Mineralogy, Geography, Geophysics 7: 281-315.



- ISOZAKI Y. & MATSUDA T. 1985. — Early Jurassic radiolarians from bedded chert in Kamiasso, Mino Belt, central Japan. *Earth Science, Journal of the Association for the geological Collaboration in Japan* 39 (6): 429-442.
- JUD R. 1994. — Biochronology and systematics of Early Cretaceous Radiolarian of the Western Tethys. *Mémoires de Géologie (Lausanne)* 19: 1-147.
- KAMATA Y. 1999. — Lower Triassic (Spathian) radiolarians from the Kuzu area (Tochigi Prefecture, central Japan), in DE WEVER P. & CAULET J.-P. (eds), InterRad VIII. Paris/Bierville 8-13 septembre 1997. *Geodiversitas* 21 (4): 657-673.
- KAMATA Y. 2007. — Systematic description of primitive Triassic nassellarians from Dienerian chert of the Oruatemanu Formation, Arrow Rocks, Northland, New Zealand, in SPÖRLI K. B., TAKEMURA A. & HORI. R. S. (eds), *The Oceanic Permian/Triassic Boundary Sequence at Arrow Rocks (Oruatemanu), Northland, New Zealand*. GNS Science Monograph. GNS Science, Lower Hutt, New Zealand, 24: 207-211.
- KARRER F. 1867. — Über das Auftreten von Foraminiferen in dem älteren Schichten des Wiener Sandsteine. *Sitzungsberichte der mathematisch-naturwissenschaftlichen Classe der königlich Akademie der Wissenschaften in Wien* 55 (1): 364-368.
- KAWABATA K. 1988. — New species of Latest Jurassic and Earliest Cretaceous radiolarians from the Sorachi Group in Hokkaido, Japan. *Bulletin of the Osaka Museum of natural History* 43: 1-13.
- KAZINTSOVA L. I. 1979. — Kamlanskiye radiolyarii Zapadno-Sakhalinskikh gor, in LIPMAN R. K. (ed.), *Iskopaemye i sovremennyye radiolyarii; sbornik nauchnykh rabot. Izdatelstvo Akademiyi Nauk SSSR, Zoologicheskii Institut: 93-100* (in Russian).
- KAZINTSOVA L. I. 1981. — Senonanskiye radiolyarii zapodno Sakhalinskikh gor, in PEJVE A. V., KRASHENINNIKOV U. A., GERBONA V. G. & TIMOFEEV P. P. (eds), *Sistematika evolutsiya i stratigraficheskoe znachenie radiolyarii*. Nauka, Moscow: 88-91 (in Russian).
- KAZINTSOVA L. I. 1984. — Pozdnemelovyye radiolyarii iz kremnistykh porod Irana. *Izvestiya Akademiyi Nauk Armyanskoy SSR, Nauki o Zemle* 37 (4): 28-38 (in Russian).
- KAZINTSOVA L. I. 1985. — Novyye pozdnemelovyye nassellyarii (radiolyarii) Malogo Kavkaza. *Paleontologicheskij Sbornik Lvovskogo geologicheskogo Obschestva* 22: 5-11 (in Russian).
- KAZINTSOVA L. I. & TIKHOMIROVA L. B. 1975. — Novyye predstaviteli semeistva Conosphaeridae, in Drevnie Radiolyarii Srednei Azii. *Sbornik Nauchnykh Trudov. Kafedra Geologii i Paleontologii, Tazhikskii Gosudarstvennyi Universitet, Dushanbe*, 4: 30-46 (in Russian).
- KELLCI I. & DE WEVER P. 1995. — Radiolaires Triasiques du Massif de la Marmolada, Italie du Nord. *Revue de Micropaléontologie* 38 (2): 139-167.
- KEMKIN I. V. & RUDENKO V. S. 1993. — Novyye predstaviteli roda Cinguloturris (Radiolyarii) v mezozoiskikh otlozheniyakh Sikhote-Alinya. *Tikhookeanskaya Geologiya: 110-121* (in Russian).
- KEMKIN I. V. & RUDENKO V. S. 1994. — New species of the *Cinguloturris* (Radiolarians) genus in the Sikhote Alin Mesozoic deposits. *Geology of the Pacific Ocean* 10 (6): 1115-1128.
- KEMKIN I. V. & TAKETANI Y. 2004. — New Radiolarian species from Late Jurassic chert-terrigenous deposits of the Taukha Terrane, Southern Sikhote-Alin. *Paleontological Research* 8 (4): 325-336.
- KHABAKOV A. V. 1937. — Fauna radiolyarii iz nizhnemelovyykh i verkhneyurskikh fosforitovbasseina verknei Vyatki i Kami. *Ezhegodnik Vserossiiskogo Paleontologicheskogo Obschestva* 11: 90-117 (in Russian).
- KHUDYAEV I. E. 1931. — O radiolyariyakh v fosforitakh Sysolskogo raiona. *Trudy Glavnogo Gelogo-Razvedochmogo Upravleniya VSNKh, SSSR* 46: 1-48 (in Russian).
- KIESSLING W. 1995. — New radiolarians from the earliest Cretaceous of the Sultanate of Oman (Wahrah Formation, Jebel Buwaydah). *Paläontologische Zeitschrift* 69 (3-4): 321-342.
- KIESSLING W. 1999. — Late Jurassic Radiolarians from the Antarctic Peninsula. *Micropaleontology special issues* 45 (1): 1-96.
- KIESSLING W. & ZEISS A. 1992. — New palaeontological data from the Hochstegen Marble (Tauern window, eastern Alps). *Geologisch Paläontologische Mitteilungen Innsbruck* 18: 187-202.
- KISHIDA Y. & HISADA K. 1985. — Late Triassic to Early Jurassic radiolarian assemblages from the Ueno-mura area, Kanto Mountains, central Japan. *Memoirs of the Osaka Kyoiku University, Series 3*, 34 (2): 103-129.
- KITO N. & DE WEVER P. 1992. — Nouvelles espèces d'Hagiastriidae (radiolaires) du Jurassique Moyen de Sicile (Italie). *Revue de Micropaléontologie* 35 (2): 127-141.
- KITO N. & DE WEVER P. 1994. — New species of Middle Jurassic Actinommidae (Radiolaria) from Sicily (Italy). *Revue de Micropaléontologie* 37 (2): 123-134.
- KITO N., DE WEVER P., DANELIAN T. & CORDEY F. 1990. — Middle to Late Jurassic radiolarians from Sicily (Italy). *Marine Micropaleontology* 15 (3-4): 329-349.
- KOCHER R. N. 1981. — Biochronostratigraphische Untersuchungen oberjurassischer radiolarien führender Gesteine, insbesondere der Südalpen. *Mitteilungen aus dem geologischen Institut der Eidgenössischen Technischen Hochschule und der Universität Zurich, Neue Folge* 234: 1-184.
- KOLAR-JURKOVSEK T. 1989. — New Radiolaria from the Ladinian substage (Middle Triassic) of Slovenia (NW Yugoslavia). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 3: 155-165.
- KOZLOVA G. E. 1973. — Subclass Radiolaria, in MYATLYAK

- Y. V., SIMAKOVA M. A. & STEPANOV D. L. (eds), *New Species of Ancient Plants and Invertebrates in the USSR*. Nedra, Leningrad 318: 57-62.
- KOZLOVA G. E. 1980. — Noveye pozdnemelovye Karpokaniidy zapadnoi Sibiri [(New Late Cretaceous Carpokaniidae from Western Siberia)], *Noveye rody i vidy drevnykh rastenii i bespozvonochnykh SSSR* (Newgenera and species of fossil flora and invertebrates from the USSR). *Vsesoyuznyi ordena lenina nauchno-issledovatel'skii geolgoicheskii institut* (VSEGEI), Leningrad: 126-127 (in Russian).
- KOZLOVA G. E. 1983. — Rasprostraneniye radiolyariy v bazhenovskoy svite Zapadnoy Sibiri, in ZAKHAROV, V. A. (ed.), *Paleobiogeografiya i biostratigrafiya yury i mela Sibiri*. Trudy Instituta Geologii i Geofiziki (Novosibirsk). Akademiya Nauk SSSR, Sibirskoye Otdeleniye Instituta Geologii i Geofiziki, Novosibirsk: 47-55 (in Russian).
- KOZLOVA G. E. 1994. — [Mesozoic radiolarian assemblage of the Timan-Pechora oil field]. *Proceedings of Sant-Petersburg International conference*: 60-75 (unpublished, in Russian).
- KOZLOVA G. E. & GORBOVETZ A. N. 1966. — Radiolyarii verkhnemelovykh i verkhneetsenovykh otlozhenii Zapadno-Sibirskoi nizmennosti. *Trudy vsesoyuznogo neftyanogo nauchno-issledovatel'skogo geologorazvedochnoy instituta (VNIGRI)* 248: 1-159 (in Russian).
- KOZUR H. 1985. — The radiolarian genus *Eoxitus* n. gen. from the Unuma echinatus Zone (Bajocian) of northern Hungary. *Proceedings of the koninklijke nederlandse Akademie van Wetenschappen*, Series B: Palaeontology, Geology, Physics, Chemistry, Anthropology 88 (2): 211-220.
- KOZUR H. 1988a. — Muelleritortiidae n. fam., eine charakteristische longobardische (oberladinische) Radiolarienfamilie, Teil I. *Freiberger Forschungshefte. C, geowissenschaften Geologie* 419 (7): 51-61.
- KOZUR H. 1988b. — Muelleritortiidae n. fam., eine charakteristische longobardische (oberladinische) Radiolarienfamilie, Teil II. *Freiberger Forschungshefte. C, geowissenschaften Geologie* 427 (8): 95-100.
- KOZUR H. 1991. — The evolution of the Meliata-Hallstatt ocean and its significance for the early evolution of the Eastern Alps and Western Carpathians. *Palaeogeography, Palaeoclimatology, Palaeoecology* 87 (1-4): 109-135.
- KOZUR H. W. 1996. — The systematic position of *Pseudoertlispongia* Lahm (Radiolaria) and description of some new Middle Triassic and Liassic radiolarian taxa. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 4*: 287-299.
- KOZUR H. & KRAHL J. 1984. — Erster Nachweis triassischer Radiolaria in der Phyllit-Gruppe auf der Insel Kreta. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 7: 400-404.
- KOZUR H. & MOSTLER H. 1972. — Beiträge zur Erforschung der mesozoischen Radiolarien. Teil I: Revision der Oberfamilie Coccodiscacea Haeckel, 1862 emend. und Beschreibung ihrer triassischen Vertreter. *Geologisch Paläontologische Mitteilungen Innsbruck* 2: 1-60.
- KOZUR H. & MOSTLER H. 1978. — Beiträge zur Erforschung der mesozoischen Radiolarien Teil II: Oberfamilie Trematodiscacea Haeckel, 1862 emend. und Beschreibung ihrer triassischen Vertreter. *Geologisch Paläontologische Mitteilungen Innsbruck* 8: 123-182.
- KOZUR H. & MOSTLER H. 1979a. — Beiträge zur Erforschung der mesozoischen Radiolarien. Teil III: Die Oberfamilien Actinommacea Haeckel, 1862 emend., Artiscacea Haeckel, 1882, Multiarcusellacea nov. der Spumellaria und triassische Nassellaria. *Geologisch Paläontologische Mitteilungen Innsbruck* 9 (1/2): 1-132.
- KOZUR H. & MOSTLER H. 1979b. — Eine neue Radiolariengattung aus dem höheren Cordevol (Unterkarn) von Göstling (Österreich). *Geologisch Paläontologische Mitteilungen Innsbruck* 9 (4): 179-181.
- KOZUR H. & MOSTLER H. 1981. — Beiträge zur Erforschung der mesozoischen Radiolarien. Teil IV: Thalassosphaeracea Haeckel, 1862, Hexastylacea Haeckel, 1862 emend. Petrushevskaja, 1979, Sponguracea Haeckel, 1862 emend. und weitere triassische Lithocycliacea, Trematodiscacea, Actinommacea und Nassellaria. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 1*: 1-208.
- KOZUR H. & MOSTLER H. 1983. — The polyphyletic origin and the classification of the Mesozoic saturnalids (Radiolaria). *Geologisch Paläontologische Mitteilungen Innsbruck* 13 (1): 1-47.
- KOZUR H. & MOSTLER H. 1990. — Saturnaliacea Defflandre und some other stratigraphically important radiolaria from the Hettangian of Lenggries/Isar (Bavaria, Northern Calcareous Alps). *Geologisch Paläontologische Mitteilungen Innsbruck* 17: 179-248.
- KOZUR H. & MOSTLER H. 1992. — Erster paläontologischer nachweis von meliaticum und süd-rudabányaicum in den nördlichen kalkalpen (Österreich) und ihre beziehungen zu den abfolgen in den westkarpaten. *Geologisch Paläontologische Mitteilungen Innsbruck* 18: 87-129.
- KOZUR H. & MOSTLER H. 1994. — Anisian to middle Carnian radiolarian zonation and description of some stratigraphically important radiolarians. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 3*: 39-255.
- KOZUR H. W. & MOSTLER H. 1996a. — Longobardian (Late Ladinian) Muelleritortiidae (Radiolaria) from the Republic of Bosnia-Herzegowina. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 4*: 83-103.
- KOZUR H. W. & MOSTLER H. 1996b. — Longobardian (Late Ladinian) Oertlispongiidae (Radiolaria) from the Republic of Bosnia-Herzegowina and the stratigraphic value of advanced Oertlispongiidae. *Geologisch Paläontologische Mitteilungen Innsbruck,*



- Sonderband 4*: 105-193.
- KOZUR H. W. & MOSTLER H. 2006. — Radiolarien aus dem Longobard der Dinariden. *Hallesches Jahrbuch für Geowissenschaften* 28: 23-91.
- KOZUR H., MOCK R. & OZVOLDOVÁ L. 1995. — The age of red radiolarites from Meliaticum of Bohúnovo (Slovakia) and remarks to the Anisian-Ladinian boundary. *Mineralia Slovaca* 27 (3): 153-168.
- KOZUR H. W., KAYA O. & MOSTLER H. 1996a. — First evidence of Lower to Middle Scythian (Dienerian-Lower Olenekian) radiolarians from The Karakaya Zone of Northwestern Turkey. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 4*: 271-285.
- KOZUR H. W., KRAINER K. & MOSTLER H. 1996b. — Radiolarians and Facies of the Middle Triassic Loibl Formation, South Alpine Karawanken Mountains (Carinthia, Austria). *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 4*: 195-269.
- KOZUR H. W., MOIX P. & OZSVÁRT P. 2007a. — Characteristic Nassellaria of the lower Tuvallian (Upper Triassic) Spongortilispinus moixi Zone of the Huǧlu Unit in the Mersin Mélange, southeastern Turkey. *Bulletin de la Société vaudoise des Sciences naturelles* 90 (3): 151-173.
- KOZUR H. W., MOIX P. & OZSVÁRT P. 2007b. — Stratigraphically important Spumellaria and Entactinaria from the lower Tuvallian (Upper Triassic) of the Huǧlu Unit in the Mersin Mélange, southeastern Turkey. *Bulletin de la Société vaudoise des Sciences naturelles* 90 (3): 175-195.
- KOZUR H. W., MOIX P. & OZSVÁRT P. 2007c. — Further new Nassellaria of the lower Tuvallian (Upper Triassic) Spongortilispinus moixi Zone of the Huǧlu Unit in the Mersin Mélange. *Bulletin de la Société vaudoise des Sciences naturelles* 90 (4): 197-215.
- KRISTAN-TOLLMANN E. 1972. — Eine neue triadische Foraminiferen-Gattung der Saccamminidae. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 9: 527-537.
- LAHM B. 1984. — Spumellarienfaunen (Radiolaria) aus den mitteltriassischen Buchensteiner-Schichten von Recoaro (Norditalien) und den obertriassischen Reiflingeralkalen von Grosreifling (Österreich). Systematik, Stratigraphie. *Münchener geowissenschaftliche Abhandlungen. Reihe A, Geologie und Paläontologie* 1: 1-161.
- LI H. S. 1986. — Upper Jurassic (early Tithonian) radiolarians from southern Bangong Lake, Xizang. *Acta Micropalaeontologica Sinica* 3 (3): 297-316.
- LI H. S. 1988. — Early Jurassic (late Pliensbachian) Radiolaria from the Denggen area, Xizang (Tibet). *Acta Micropalaeontologica Sinica* 5 (3): 323-330.
- LI H. S. & WU H. R. 1985. — Radiolaria from the Cretaceous Congdu Formation in southern Xizang (Tibet). *Acta Micropalaeontologica Sinica* 2 (1): 61-76.
- LIPMAN R. K. 1952. — Materialy k monograficheskomu izucheniyu radiolyarii verkhnemelovykh otlozhenii Russkoi Platformy. *Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI) Paleontologiya i Stratigrafiya*: 24-51 (in Russian).
- LIPMAN R. K. 1962. — Pozdnemelovye radiolyarii Zapadno-Sibirskoi nizmennosti i Turgaiskogo progiba. *Materialy po Stratigrafi Mezo-Kainozoya Turgaiskogo Progiba, Severnogo Priaralya i Zapadno-Sibirskoi Nizmennosti, Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI)* 77: 271-323 (in Russian).
- LIPMAN R. K. 1967. — Novye vidy radiolyarii severnoi Kamchatka. *Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI)* 129 (3): 89-85 (in Russian).
- LIPMAN R. K. 1968. — Pereimenovaniye dvukh pozdnemelovykh vidov radiolyarii. *Paleontologicheskii Zhurnal, Akademia Nauk SSSR* 3: 102 (in Russian).
- LONGRIDGE L. M., CARTER E. S., SMITH P. L. & TIPPER H. W. 2007. — Early Hettangian ammonites and radiolarians from the Queen Charlotte Islands, British Columbia and their bearing on the definition of the Triassic-Jurassic boundary. *Palaeogeography, Palaeoclimatology, Palaeoecology* 244 (1-4): 142-169.
- LOZYNIAK P. Y. 1969. — Radiolyarii nizhnemelovykh otlozhenii Ukrainskikh Karpat, in VYALOV O. S. (ed.), *Iskopaemye i Sovremennyye Radiolyarii: Materialy vtorogo vsesoyuznogo seminara po radiolyariyam (Lvov University)*, Lvov, USSR: 29-41 (in Russian).
- LOZYNIAK P. Y. 1975. — Nekotorye radiolyarii melovykh otlozhenii Skibovoi zony Ukrainskikh Karpat. *Paleontologicheskij Sbornik Lvovskogo geologicheskogo Obschestva* 12: 48-53 (in Russian).
- LOZYNIAK, P. Y. 1981. — Radiolyarii yurskikh otlozhenii marmaroshskogo massiva Ukrainskikh Karpat, in KRASHENINNIKOV V. A. (ed.), *Sistematika evolutsiya i stratigraficheskoe znachenie radiolyarii*. Nauka, Moscow: 60-72 (in Russian).
- MACLEOD N. 1988. — Lower and middle Jurassic *Perispyridium* (Radiolaria) from the Snowshoe Formation, east-central Oregon. *Micropaleontology* 34 (4): 289-315.
- MARCUCCI-PASSERINI M. & GARDIN S. 1992. — The Fosso Cupo Formation (northern Latium, Italy): redefinition and new age data from radiolarian and calcareous nannofossil biostratigraphy. *Cretaceous Research* 13: 549-563.
- MARCUCCI M., CABELLA R. & PASSERINI P. 1994. — Early late Cretaceous radiolarian deposits in the Northern Apennines; biostratigraphy and mineralogical data from the "Scisti Policromi" in the Tuscan succession near Monsummano, Tuscany. *Palaeopelagos Journal* 4: 23-34.
- MATSUOKA A. 1982. — Jurassic two-segmented Nassellarians (Radiolaria) from Shikoku, Japan. *Journal of Geosciences, Osaka City University* 25: 71-86.
- MATSUOKA A. 1983. — Middle and Late Jurassic radiolarian biostratigraphy in the Sakawa and adjacent areas,

- Shikoku, Southwest Japan. *Journal of Geosciences, Osaka City University* 26 (1): 1-48.
- MATSUOKA A. 1984. — Late Jurassic four-segmented nassellarians (Radiolaria) from Shikoku, Japan. *Journal of Geosciences, Osaka City University* 27: 143-153.
- MATSUOKA A. 1986. — *Trilocapsa yaoi* Assemblage (Late Jurassic radiolarians) from the Togano Group in Shikoku, Southwest Japan. *Journal of Geosciences, Osaka City University* 29: 101-115.
- MATSUOKA A. 1991. — Early Jurassic radiolarians from the Nanjo Massif in the Mino Terrane, central Japan. Part 1. *Trilocapsa, Stichocapsa* and *Minocapsa*, n. gen. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 161: 720-738.
- MATSUOKA A. & YAO A. 1985. — Latest Jurassic radiolarians from the Torinosu Group in Southeast Japan. *Journal of Geosciences, Osaka City University* 28: 125-145.
- MEKİK F. 2000. — Early Cretaceous Pantanelliidae (Radiolaria) from northwest Turkey. *Micropaleontology* 46 (1): 1-30.
- MITTERMAIER K. 1896. — *Beitrag zur Kenntnis der Mikrofauna der oberen Kreideschichten von Transkaukasien*, Inaugural dissertation for Ph.D., Friedrich-Alexanders-Universität, Erlangen, Germany, 30 p.
- MIZUTANI S. 1981. — A Jurassic formation in the Hida-Kanayama Area, Central Japan. *Bulletin of the Mizunami Fossil Museum* 8: 147-190.
- MOIX P., KOZUR H. W., STAMPFLI G. M. & MOSTLER H. 2007. — New paleontological, biostratigraphic and paleogeographic results from the Triassic of the Mersin Melange, SE Turkey, in LUCAS S. G. & SPIELMANN J. A. (eds), *The Global Triassic*. *Bulletin of the New Mexico Museum of Natural History and Science* 41: 282-305.
- MOSTLER H. & KRÄINER K. 1994. — Saturnalidae radiolarien aus dem Langobard der süd-alpinen Karawanken (Kärnten, Österreich). *Geologisch Paläontologische Mitteilungen Innsbruck* 19: 93-131.
- MUZAVOR S. N. X. 1977. — *Die oberjurassische Radiolarienfauna von Oberaudorf am Inn*. Dissertation Thesis, Ludwig Maximilians Universität, München, Germany, 163 p. (unpublished).
- MUZAVOR S. X. 1980. — Radiolarios das formacoes mezozoicas da Baviera (R.F.A.). *Arquipelago: Serie Ciencias da Natureza* 1: 113-125.
- NAGAI H. & MIZUTANI S. 1990. — Jurassic *Eucyrtidulum* (Radiolaria) in the Mino Terrane. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 159: 587-602.
- NAKASEKO K. & NISHIMURA A. 1979. — Upper Triassic Radiolaria from southwest Japan. *Science Reports, College of General Education Osaka University* 28 (2): 61-109.
- NAKASEKO K. & NISHIMURA A. 1981. — Upper Jurassic and Cretaceous Radiolaria from the Shimanto Group in Southwest Japan. *Science Reports, College of General Education Osaka University* 30 (2): 133-203.
- NAKASEKO K., NISHIMURA A. & SUGANO K. 1979. — Cretaceous Radiolaria in the Shimanto Belt, Japan. *News of Osaka Micropaleontologists*, special volume 2: 1-49.
- NEVIANI A. 1900. — Supplemento alla fauna a Radiolari delle rocce mesozoiche del Bolognese. *Bollettino della Società Geologica Italiana* 19: 645-671.
- O'DOHERTY L. 1994. — Biochronology and Paleontology of Mid-Cretaceous Radiolarians from Northern Apennines (Italy) and Betic Cordillera (Spain). *Mémoires de Géologie (Lausanne)* 21: 1-415.
- O'DOHERTY L. & GAWLICK H.-J. 2008. — Pliensbachian radiolarians in Teltshengraben (Northern Calcareous Alps, Austria): a keystone in reconstructing the Early Jurassic evolution of the Tethys. *Stratigraphy* 5 (1): 63-81.
- O'DOHERTY L. & GORIČAN Š. 2002. — *Protunuma quadriperforatus* n. sp., a new species of Jurassic Radiolaria, in CARTER E., WHALEN P. & MEKİK F. (eds), *Micropaleontology of radiolarians: Proceedings of Interrad IX*. *Micropaleontology* 48: 35-41.
- O'DOHERTY L., BILL M., GORIČAN Š., DUMITRICA P. & MASSON H. 2006. — Bathonian radiolarians from an ophiolite melange of the Alpine Tethys (Gets Nappe, Swiss-French Alps). *Micropaleontology* 51 (6): 425-485.
- OHMERT W. 2006. — Radiolarien-Faunen und Obergrenze der Amden-Formation (Coniacium-Santonium) im Tölzer Helvetikum (Oberbayern). *Zitteliana* A46: 3-40.
- OKAMOTO S., KOJIMA S., SUPARKA S. & SUPRIYANTO J. 1994. — Campanian (Upper Cretaceous) radiolarian from a shale clast in the Paleogene of central Java, Indonesia. *Journal of Southeast Asian Earth Sciences* 9 (1-2): 45-50.
- OZVOLDOVÁ L. 1975. — Upper Jurassic radiolarians from the Kisuca Series in the Klippen Belt. *Západné karpáty, Série Paleontológia* 1: 73-86.
- OZVOLDOVÁ L. 1979a. — Radiolarians from Rudina beds of the Kysuca series in the Klippen belt from locality Brodno. *Annotationes Zoologicae et Botanicae* 128: 1-15.
- OZVOLDOVÁ L. 1979b. — Radiolarian assemblage of radiolarian cherts of Podbiel locality (Slovakia). *Casopis pro mineralogii a geologii* 24 (3): 249-261.
- OZVOLDOVÁ L. 1988. — Radiolarian associations from radiolarites of the Kysuca succession of the Klippen Belt in the Vicinity of Myjava-Turá Lúka (West Carpathians). *Geologický Sborník (Bratislava)* 39 (3): 369-392.
- OZVOLDOVÁ L. 1990. — Radiolarian microfauna from radiolarites of the Varin part of the west Carpathian Klippen Belt. *Geologický Sborník (Bratislava)* 41 (3): 295-310.
- OZVOLDOVÁ L. & PETERČÁKOVÁ M. 1992. — Hauterivian

- radiolarian association from the Luckovska Formation, Manin Unit (Mt. Butkov, western Carpathians). *Geologica Carpathica* 43 (5): 313-324.
- OZVOLDOVÁ L. & SYKORA M. 1984. — The radiolarian assemblage from Cachticke Karpaty Mts. limestones (the locality Sipkovsky Haj). *Geologický Sborník (Bratislava)* 35 (2): 259-290.
- OZVOLDOVÁ L., JABLONSKÝ J. & FRANTOVÁ L. 2000. — Upper Jurassic radiolarites of the Czertezic succession and comparison with the Kysuca succession in the East-Slovak part of the Pieniny Klippen Belt (Western Carpathians, Slovakia). *Geologica Carpathica* 51 (2): 109-119.
- PANTANELLI D. 1880. — I diaspri della Toscana e i loro fossili. *Atti della reale Accademia nazionale dei Lincei, Memorie della Classe di Scienze Fisiche, Matematiche e Naturali* 8: 35-66.
- PARONA C. F. 1890. — Radiolarie nei noduli selciosi del calcare giurese di Cittiglio presso Laveno. *Bollettino della Società Geologica Italiana* 9: 132-175.
- PERNER J. 1891. — O radioláriich z ceskeho utvaru kridoveho. Rozpravy tridy mathematicko-prirodovedecke. *Vestník Kralovske ceske spolcnosti nauk*: 255-269 (in Russian).
- PESSAGNO E. A. 1963. — Upper Cretaceous Radiolaria from Puerto Rico. *Micropaleontology* 9 (2): 197-214.
- PESSAGNO E. A. 1969. — The Neosciadiocapsidae, a new family of Upper Cretaceous Radiolaria. *Bulletins of American Paleontology* 56 (253): 377-439.
- PESSAGNO E. A. 1970. — The Rotaformidae, a new family of Upper Cretaceous Nassellariina (Radiolaria) from the Great Valley Sequence, California Coast Ranges. *Bulletins of American Paleontology* 58 (257): 1-33.
- PESSAGNO E. A. 1971a. — Jurassic and Cretaceous Hagiastriidae from the Blake-Bahama Basin (Site 5A, JOIDES Leg 1) and the Great Valley Sequence, California Coast Ranges. *Bulletins of American Paleontology* 60 (264): 5-83.
- PESSAGNO E. A. 1971b. — A new radiolarian from the Upper Cretaceous of the California Coast Ranges. *Micropaleontology* 17 (3): 361-364.
- PESSAGNO E. A. 1972. — Cretaceous Radiolaria. Part I: The Phaseliformidae, new family, and other Spongodiscacea from the Upper Cretaceous portion of the Great Valley Sequence, part II; Pseudoaulophacidae Riedel from the Cretaceous of California and the Blake-Bahama Basin (JOIDES leg 1). *Bulletins of American Paleontology* 61 (270): 269-328.
- PESSAGNO E. A. 1973. — Upper Cretaceous Spumellariina from the Great Valley Sequence, California Coast Ranges. *Bulletins of American Paleontology* 63 (276): 49-102.
- PESSAGNO E. A. 1975. — Upper Cretaceous Radiolaria from DSDP Site 275, in KENNETT J., HOUTZ R., ANDREWS P. B., EDWARDS A. R., GOSTIN V. A., HAJÓS M., HAMPTON M. A., JENKINS D. G., MARGOLIS S. V., OVENSHEINE A. T. & PERCH-NIELSEN K. (eds), *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 29: 1011-1029.
- PESSAGNO E. A. 1976. — Radiolarian zonation and stratigraphy of the Upper Cretaceous portion of the Great Valley Sequence, California Coast Ranges. *Micropaleontology Special Publication* 2: 1-95.
- PESSAGNO E. A. 1977a. — Upper Jurassic Radiolaria and radiolarian biostratigraphy of the California Coast Ranges. *Micropaleontology* 23 (1): 56-113.
- PESSAGNO E. A. 1977b. — Lower Cretaceous radiolarian biostratigraphy of the Great Valley Sequence and Franciscan Complex, California Coast Ranges. *Cushman Foundation for Foraminiferal Research, Special Publication* 15: 1-87.
- PESSAGNO E. A. & BLOME C. 1980. — Upper Triassic and Jurassic Pantanelliinae from California, Oregon and British Columbia. *Micropaleontology* 26 (3): 225-273.
- PESSAGNO E. A. & BLOME C. 1982. — Bizarre Nassellariina (Radiolaria) from the Middle and Upper Jurassic of North America. *Micropaleontology* 28 (3): 289-318.
- PESSAGNO E. A., BLOME C. & LONGORIA J. 1984. — A revised radiolarian zonation from Upper Jurassic of western North America. *Bulletins of American Paleontology* 87 (320): 1-51.
- PESSAGNO E. A. J. & HULL D. M. 2002. — Upper Jurassic (Oxfordian) Radiolaria from the Sula Islands (East Indies): Their taxonomic, biostratigraphic, chronostratigraphic, and paleobiogeographic significance. *Micropaleontology* 48 (3): 229-256.
- PESSAGNO E. A. & POISSON A. 1981. — Lower Jurassic Radiolaria from the Gümüşlü Allochthon of southwest Turkey (Taurides Occidentales). *Bulletin of the Mineral Research and Exploration Institute of Turkey* 92: 47-69.
- PESSAGNO E. A. & WHALEN P. 1982. — Lower and Middle Jurassic Radiolaria (multicyrtid Nassellariina) from California, east-central Oregon and the Queen Charlotte Islands, B. C. *Micropaleontology* 28 (2): 111-169.
- PESSAGNO E. A., FINCH W. & ABBOTT P. L. 1979. — Upper Triassic Radiolaria from the San Hipolito Formation, Baja California. *Micropaleontology* 25 (2): 160-197.
- PESSAGNO E. A., WHALEN P. & YEH K. Y. 1986. — Jurassic Nassellariina (Radiolaria) from North American geologic terranes. *Bulletins of American Paleontology* 9 (326): 1-75.
- PESSAGNO E. A., LONGORIA J., MACLEOD N. & SIX W. 1987. — Studies of North American Jurassic Radiolaria; Part I, Upper Jurassic (Kimmeridgian-upper Tithonian) Pantanelliidae from the Taman Formation, east-central Mexico; tectonostratigraphic, chronostratigraphic, and phylogenetic implications. *Cushman Foundation for Foraminiferal Research, Special Publication* 23: 1-51.
- PESSAGNO E. A., SIX W. M. & YANG Q. 1989. — The Xiphostylidae Haeckel and Parvivaccidae, n. fam.,



- (Radiolaria) from the North American Jurassic. *Micropaleontology* 35 (3): 193-255.
- PESSAGNO E. A., BLOME C. D., HULL D. M. & SIX W. M. 1993. — Jurassic Radiolaria from the Josephine ophiolite and overlying strata, Smith River subterranean (Klamath Mountains), northwestern California and southwestern Oregon. *Micropaleontology* 39 (2): 93-166.
- PETRUSHEVSKAYA M. G. 1977. — New species of the radiolarians of the order Nassellaria, Exploration of the Fauna of the Seas – New Species and Genera of Marine Invertebrates. *Zoologicheskii Zhurnal, Akademia Nauk SSSR*, Leningrad 21: 10-19.
- POLUZZI A., PADOVANI M. & ZAMPI M. 1983. — Early Cretaceous Radiolaria from the Montagna dei Fiori Section (Marche region, central Italy). *Giornale di Geologia* 45 (1): 33-56.
- POPOVA-GOLL I., VISHNEVSKAYA V. & BAUMGARTNER P. O. 2005. — Upper Cretaceous (Santonian-Campanian) radiolarians from Voronezh Anticline, southwestern Russia. *Micropaleontology* 51 (1): 1-38.
- PROTESCU O. 1936. — Recherches géologiques et paléontologiques dans la bordure orientale des Monts Bucegi. *Anuarul Institutului Geologic al Romaniei* 17: 527-543.
- PUJANA I. 1989. — Stratigraphical distribution of the multicyrtids Nasselliaria (Radiolaria) at the Jurassic-Cretaceous boundary in the Neuquén Basin, Argentina. *Zentralblatt für Geologie und Paläontologie*, Teil 1 (5/6): 1043-1052.
- PUJANA I. 1991. — Pantanelliidae (Radiolaria) from the Tithonian of the Vaca Muerta Formation, Neuquén, Argentina. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 180 (3): 391-408.
- PUJANA I. 2000. — Lower Jurassic Radiolaria from the Neuquén Basin, West-Central Argentina, in 9th Internat Meeting, Abstracts and Programme, Reno, USA: 57.
- PUJANA I. & QUILTY P. G. 2002. — High latitude, late Campanian (Cretaceous) Radiolaria from offshore southeastern Tasmania. *Alcheringa* 26 (2): 249-260.
- RAMOVŠ A. & GORIČAN Š. 1995. — Late Anisian-Early Ladinian radiolarians and conodonts from Smarna Gora near Ljubljana, Slovenia. *Razprave IV, Razreda SAZU* 36 (9): 179-221.
- RENZ G. W. 1974. — Radiolaria from Leg 27 of the Deep Sea Drilling Project, in VEEVERS J. J., HEITZLER J. R., BOLLI H. M., CARTER A. N., COOK P. J., KRASHENINNIKOV V., MCKNIGHT B. K., PROTO DECIMA F., RENZ G. W., ROBINSON P. T., ROCKER JR., K. & THAYER P. A. (eds), *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 27: 769-841.
- RICHTER M. 1925. — Beiträge zur Kenntnis der Kreide in Feuerland. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Beilagebande A* 52: 524-568.
- RIEDEL W. R. & SANFILIPPO A. 1974. — Radiolaria from the southern Indian Ocean, DSDP Leg 26, in DAVIES T. A., LUYENDYK B. P., RODOLFO K. S., KEMPE D. R. C., MCKELVEY B. C., LEIDY R. D., HORVATH G. J., HYNDMAN R. D., THIERSTEIN H. R., HERB R. C., BOLTOVSKOY E. & DOYLE P. (eds), *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 26: 771-814.
- ROSE G. 1994. — *Late Triassic and Early Jurassic Radiolarians from Timor, Eastern Indonesia*. PhD Thesis, University College, University of London, London, United Kingdom, 413 p. (unpublished).
- RÜST D. 1885. — Beiträge zur Kenntniss der fossilen Radiolaren aus Gesteinen des Jura. *Palaeontographica* 31: 269-321.
- RÜST D. 1888. — Beiträge zur Kenntniss der fossilen Radiolaren aus Gesteinen der Kreide. *Palaeontographica* 34: 181-213.
- RÜST D. 1892a. — Radiolaria from the Pierre Formation of North-Western Manitoba. *Geological and Natural History Survey of Canada, Contributions to Canadian Micropaleontology* 4: 101-110.
- RÜST D. 1892b. — Beiträge zur Kenntnis der fossilen Radiolaren aus Gesteinen der Trias und der palaeozoischen Schichten. *Palaeontographica* 38: 107-179.
- RÜST D. 1898. — Neue Beiträge zur Kenntniss der Fossilen Radiolaren aus Gesteinen des Jura und der Kreide. *Palaeontographica* 45: 1-67.
- SALVINI G. & MARCUCCI PASSERINI M. 1998. — The radiolarian assemblages of the Bonarelli Horizon in the Umbria-Marche Apennines and Southern Alps, Italy. *Cretaceous Research* 19: 777-804.
- SARKISOVA E. 2007. — New radiolarian species from the Upper Cretaceous-Lower Paleogene of the eastern slope of the northern Ural Mountains. *Paleontological Journal* 41 (5): 501-505.
- SASHIDA K. 1983. — Lower Triassic Radiolaria from the Kanto Mountains, Central Japan – Part 1: Palaeoscenediidae. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 131: 168-176.
- SASHIDA K. 1988. — Lower Jurassic multisegmented Nassellaria from the Itsukaichi area, western part of Tokyo Prefecture, central Japan. *Science Reports of the Institute of Geoscience, University of Tsukuba*, Section B: Geological Sciences 9: 1-27.
- SASHIDA K. 1991. — Early Triassic radiolarians from the Ogamata Formation, Kanto Mountains, central Japan; Part 2. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 161: 681-696.
- SASHIDA K. & IGO H. 1992. — Triassic radiolarians from a limestone exposed at Khao Chiak near Phatthalung, southern Thailand. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 168: 1296-1310.
- SASHIDA K. & UEMATSU H. 1996. — Late Jurassic radiolarians from the Torinosu-type limestone embedded in the Early Cretaceous Hinodani Formation of the northern Shimanto Terrane, Shikoku, Japan. *Science*

- Reports of the Institute of Geoscience, University of Tsukuba*, Section B: Geological Sciences 17: 39-69.
- SASHIDA K., KAMATA Y., ADACHI S. & MUNASRI 1999a. — Middle Triassic radiolarians from West Timor, Indonesia. *Journal of Paleontology* 73 (5): 765-786.
- SASHIDA K., MUNASRI, ADACHI S. & KAMATA Y. 1999b. — Middle Jurassic radiolarian fauna from Roti Island, Indonesia. *Journal of Asian Earth Sciences* 17 (4): 561-572.
- SASHIDA K., IGO H., ADACHI S., UENO K., KAJIWARA Y., NAKORNRSRI N. & SARSDUD A. 2000a. — Late Permian to Middle Triassic radiolarian faunas from Northern Thailand. *Journal of Paleontology* 74 (5): 789-811.
- SASHIDA K., NAKORNRSRI N., UENO K. & SARSDUD A. 2000b. — Carboniferous and Triassic radiolarian faunas from the Saba Yoi area, southernmost part of peninsular Thailand and their paleogeographic significance. *Science Reports of the Institute of Geoscience, University of Tsukuba*, Section B: Geological Sciences 21: 71-99.
- SCHAAF A. 1981. — Late Early Cretaceous Radiolaria from Deep Sea Drilling Project Leg 62, in THIEDE J., VALLIER T. L., DEAN W. E., FUJII N., KOPORULIN V. I., REA D. K., SANCETTA C., SAYRE W. O., SEIFERT K., SCHAAF A., SCHMIDT R. R., WINDOM K. & VINCENT E. (eds), *Initial Reports of the Deep Sea Drilling Project*. U.S. Government Printing Office, Washington, DC 62: 419-470.
- SCHAAF A. 1984. — Les radiolaires du Crétacé inférieur et moyen: biologie et systématique. *Sciences géologiques (Strasbourg) Mémoire* 75: 1-189.
- SCHMIDT-EFFING R. 1980. — Radiolarien der Mittelkreide aus dem Santa Elena-Massiv von Costa Rica. *Neue Jahrbuch Geologisch und Paläontologist Abhandlungen* 160 (2): 241-257.
- SHENG J. C. 1976. — Radiolarian fauna from the Jilong Group in the Mount Jolmo Lungma region, in KU S. W. (ed.), *A Report of Scientific Expedition in the Mount Jolmo Lungma Region (1966-1968)*. Science Press, Peking 2: 125-136.
- SQUINABOL S. 1903. — Le Radiolarie dei noduli selciosi nella Scaglia degli Euganei. Contribuzione I. *Rivista Italiana di Paleontologia* 9: 105-151.
- SQUINABOL S. 1904. — Radiolarie cretacee degli Euganei. *Atti e Memorie della reale Accademia di Scienze, Lettere ed Arti in Padova, nuova serie* 20: 171-244.
- SQUINABOL S. 1912. — Radiolari della strada nazionale al Monginervo. *Bollettino del reale Comitato Geologico d'Italia* 43 (2-3): 281-289.
- SQUINABOL S. 1914. — Contributo alla conoscenza dei Radiolari fossili del Veneto. Appendice – Di un genera di Radiolari caratteristico del Secondario. *Memorie dell'Istituto geologico della Reale Università di Padova* 2: 249-306.
- STEIGER E. & STEIGER T. 1994. — New Radiolaria from "Ruhpolding Marmor" of Urschlaue (Late Jurassic, Chiemgau Alps, Bavaria). *Abhandlungen der geologischen Bundesanstalt in Wien* 50: 453-466.
- STEIGER T. 1992. — Systematik, stratigraphie und Palökologie der Radiolarien des Oberjura-Unterkreiden-Grenzbereiches im Osterhorn-Tirolikum (Nördliche Kalkalpen, Salzburg und Bayern). *Zitteliana* 19: 3-188.
- SUBBOTINA N. N. 1960. — Mikrofauna oligotsenovykh i miotsenovykh otlozhenii R. Vorotyschche (Predkarpate). *Trudy vsesoyuznogo neftyanogo nauchno-issledovatel'skogo geologorazvedochnogo instituta (VNIGRI)* 153 (Mikrofauna SSSR, sbornik 11): 157-263 (in Russian).
- SUGIYAMA K. 1992. — Lower and Middle Triassic radiolarians from Mt. Kinkazan, Gifu Prefecture, Central Japan. *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 167: 1180-1223.
- SUGIYAMA K. 1997. — Triassic and Lower Jurassic radiolarian biostratigraphy in the siliceous claystone and bedded chert units of the southeastern Mino Terrane, Central Japan. *Bulletin of the Mizunami Fossil Museum* 24: 79-193.
- SUZUKI H. 1995. — Fröjurassische Radiolarienfauna aus dem mesozoischen akkreierten Komplex von Ost-Shikoku, Südwestjapan. *Neue Jahrbuch Geologisch und Paläontologist Abhandlungen* 3: 275-296.
- SUZUKI H. 1997. — Drei neue Radiolarienarten in der *Canoptum*-Vergesellschaftung aus dem Unterjura des Kanoashi-Komplexes Südwestjapans. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 6: 361-369.
- SUZUKI H., PRINZ-GRIMM P. & SCHMIDT-EFFING R. 2002. — Radiolarien aus dem Grenzbereich Hettangium/sinemurian von Nord-Peru. *Paläontologische Zeitschrift* 76 (2): 163-187.
- SYKORA M. & OZVOLDOVÁ L. 1996. — Lithoclast of Middle Jurassic radiolarians in debris flow sediments from Silica Nappe (locality Bleskovy Pramen, Slovak Karst). *Mineralia Slovaca* 28 (1): 21-25.
- SYKORA M., OZVOLDOVÁ L. & BOOROVÁ D. 1997. — Turonian silicified sediments in the Czorsztyn succession of the Pieniny Klippen Belt (Western Carpathians, Slovakia). *Geologica Carpathica* 48 (4): 243-261.
- TAKAHASHI O. 2004. — Phaeodarian Radiolaria from the Upper Cretaceous beds of central Japan. *Revue de Micropaléontologie* 47 (3): 119-125.
- TAKEMURA A. 1986. — Classification of Jurassic Nassellarians (Radiolaria). *Palaeontographica. Abteilung A: Palaeozoologie-Stratigraphie* 195 (1-3): 29-74.
- TAKEMURA A. & AONO R. 2007. — Systematic Description of some radiolarians from Indian cherts in the ARH and ARF sections of the Oruatemanu formation, Arrow Rocks, New Zealand, in SPÖRLI K. B., TAKEMURA A. & HORI R. S. (eds), *The oceanic Permian/Triassic boundary sequence at Arrow Rocks (Oruatemanu), Northland, New Zealand. GNS Science Monograph*. GNS Science, Lower Hutt, New Zealand, 24: 197-205.
- TAKEMURA A. & NAKASEKO K. 1982. — Two new Juras-



- sic genera of family Palaeoscenediidae (Radiolaria). *Transactions and Proceedings of the Palaeontological Society of Japan*, new series 128: 452-464.
- TAKEMURA A. & NAKASEKO K. 1983. — *Perseus*, a new genus of Jurassic Palaeoscenediidae and the phylogeny of subfamily Hilarisirecinae. *Memoirs of the Faculty of Science, Kyoto University*, Series of Geology and Mineralogy 49: 111-123.
- TAKEMURA A. & NAKASEKO K. 1986. — The cephalic skeletal structure of Jurassic “*Eucyrtidium*” (Radiolaria). *Journal of Paleontology* 60 (5): 1016-1024.
- TAKETANI Y. 1982. — Cretaceous radiolarian biostratigraphy of the Urakawa and Obira areas, Hokkaido. *Science Reports of the Tohoku University*, Series 2: Geology 52 (1-2): 1-75.
- TAN S. H. 1927. — Over de samenstelling en het ontstaan van krijt- en mergel-gesteenten van de Molukken. *Jaarboek van het mijnwezen in Nederlandsch Oost-Indie, jaargang 55, 1926, verhandelungen, 3rd gedeelte*: 5-165.
- TEKIN U. & YURTSEVER T. 2003. — Late Triassic (Early to Middle Norian) radiolarians from the Antalya Nappes, Antalya, SW Turkey. *Journal of Micropaleontology* 22 (2): 147-162.
- TEKIN U. K. 1999. — Biostratigraphy and systematics of late Middle to Late Triassic radiolarians from the Taurus Mountains and Ankara region, Turkey. *Geologisch Paläontologische Mitteilungen Innsbruck, Sonderband 5*: 1-296.
- TEKIN U. K. 2002a. — Lower Jurassic (Hettangian-Sinemurian) radiolarians from the Antalya nappes, central Taurides, southern Turkey. *Micropaleontology* 48 (2): 177-205.
- TEKIN U. K. 2002b. — Late Triassic (late Norian-Rhaetian) radiolarians from the Antalya Nappes, central Taurides, southern Turkey. *Rivista Italiana di Paleontologia e Stratigrafia* 108 (3): 415-440.
- TEKIN U. K. & BEDI Y. 2007a. — Ruesticyrtiidae (Radiolaria) from the middle Carnian (Late Triassic) of Köseyahya Nappe (Elbistan, eastern Turkey). *Geologica Carpathica* 58 (2): 153-167.
- TEKIN U. K. & BEDI Y. 2007b. — Middle Carnian (Late Triassic) Nassellaria (Radiolaria) of Köseyahya Nappe from eastern Taurides, eastern Turkey. *Rivista Italiana di Paleontologia e Stratigrafia* 113 (2): 167-190.
- TEKIN U. K. & GÖNCÜOĞLU M. C. 2007. — Discovery of the oldest (upper Ladinian to middle Carnian) radiolarian assemblages from the Bornova flysch zone in western Turkey: implications for the evolution of the neotethyan Izmir-Ankara ocean. *Ofioliti* 32 (2): 131-150.
- TEKIN U. K. & MOSTLER H. 2005a. — Late Ladinian (Middle Triassic) Spumellaria (Radiolaria) from the Dinarides of Bosnia and Herzegovina. *Rivista italiana di Paleontologia e Stratigrafia* 111 (1): 21-43.
- TEKIN U. K. & MOSTLER H. 2005b. — Longobardian (Middle Triassic) Entactinarian and Nassellarian Radiolaria from the Dinarides of Bosnia and Herzegovina. *Journal of Paleontology* 79 (1): 1-20.
- TIKHOMIROVA L. 1975. — Novyi rod Saturnosphaera (radiolyarii) iz kremnistykh tolshch Sikhote-Alinya, in ZHAMOIDA A. I. (ed.), *Sistematika i stratigraficheskoe znachenie radiolyarii. Trudy vsesoyuznogo nauchno-issledovatel'skogo geologicheskogo instituta (VSEGEI)*, Leningrad, 226: 52-58 (in Russian).
- TIKHOMIROVA L. B. 1983a. — Pozdneuyurskie-rannemelovye radiolyarii Karpat (na territorii SSSR, in RAUZER-CHERNOUSOVA D. M. (ed.), *Voprosy mikropaleontologii. Akademiya Nauk SSSR* 26: 72-86 (in Russian).
- TIKHOMIROVA L. B. 1983b. — Morfologiya novykh predstaviteley yursko-melovykh spongokapsulid (radiolyarii). *Ezhegodnik Vsesoyuznogo Paleontologicheskogo Obshchestva* 26: 48-70 (in Russian).
- TIKHOMIROVA L. B. 1984. — Novye vidy radiolyarii iz verkhnei yury Karpat. *Paleontologicheskii Sbornik Lvovskogo geologicheskogo Obshchestva* 21: 21-27 (in Russian).
- TIKHOMIROVA L. B. 1986. — Parastratigraphic groups of flora and fauna of the Triassic. Marine organic remains. The stratigraphic significance of Triassic Radiolaria. *Trudy Vsesoyuznyi Nauchno-Issledovatel'skii Geologicheskii Institut A P Karpinskogo* 334: 9-30, 226-229.
- TIKHOMIROVA L. B. 1987a. — Archeocyrtidae fam. n. Jurassic radiolarians from Bulgaria and some regions of the USSR. *Geologica Balcanica* 17 (5): 65-84.
- TIKHOMIROVA L. B. 1987b. — New Jurassic radiolarians from Southwest Bulgaria and some regions of the USSR. *Geologica Balcanica* 17 (3): 27-42.
- TIKHOMIROVA L. B. 1989. — New Triassic and Jurassic radiolarians of superfam. Archeocyroidea from Bulgaria and some regions of the USSR. *Geologica Balcanica* 19: 25-44.
- TIKHOMIROVA L. B. & KAZINTSOVA L. I. 1990. — Progress in the studies on Mesozoic radiolarians. *Trudy sessii vsesoyuznogo paleontologicheskogo Obshchestva* 34: 83-96.
- TONIELLI R. 1991. — Associazioni a radiolari dei “Calcarei e Marne a Posidonia” del Monte Terminillette (RI). *Paleopelagos* 1: 18-37.
- TONIELLI R. 1992. — Two new radiolarian species from the “Calcarei Diasprigni” Fm of Mt. Terminillette (RI). *Paleopelagos* 2: 163-173.
- TUMANDA F. 1989. — Cretaceous radiolarian biostratigraphy in the Esashi Mountain area, Northern Hokkaido, Japan. *Science Reports of the Institute of Geoscience, University of Tsukuba*, Section B: Geological Sciences 10: 1-44.
- VINASSA DE REGNY P. E. 1899. — I radiolari delle faniti titoniane di Carpena (Spezia). *Paleontographia Italica* 4: 217-238.
- VINASSA DE REGNY P. E. 1900. — Rocce e fossili dei dintorni di Grizzana e di Lagaro nel Bolognese. *Bollettino della Società Geologica italiana* 19 (2): 321-348.

- VINASSA DE REGNY P. E. 1901. — Radiolari Cretacei dell'Isola di Karpathos. *Memorie della Reale Accademia delle Scienze dell'Istituto di Bologna* 9: 497-512.
- VISHNEVSKAYA V. S. 1986. — Middle to Late Cretaceous radiolarian zonation of the Bering region, U.S.S.R. *Marine Micropaleontology* 11 (1-3): 139-149.
- VISHNEVSKAYA V. S. 1988. — O vozmozhnostyakh rascheleniya yursko-paleotsenovyykh bulkanogenno-kremnistsykh formatsii severo-zapadnogo obramleniya Pacifiki (v predelakh SSSR), in PUSCHAROVSKII Y. M. (ed.), *Ocherki po geologii Kamchatki i Koryakskogo nagorya*. Nauka, Moscow: 8-15 (in Russian).
- VISHNEVSKAYA V. S. 1991a. — Otkrytie yurskikh radiolyarii Amphipyndacidae na dalnem vostokey SSSR, in TOCHILINA S. V. (ed.), *Paleontologo stratigraficheskie issledovaniya fanerozoyn dalnego vostoka (po rezul'tatam radiolyariyevogo analiza dlya kartirovaniya)*. Far East Division of the Academy of Science of the USSR, Pacific Oceanological Institute, Vladivostok: 63-67 (in Russian).
- VISHNEVSKAYA V. S. 1991b. — Novye predstaviteli mezozoya radiolyarii, in TOCHILINA S. V. (ed.), *Paleontologo stratigraficheskie issledovaniya fanerozoyn dalnego vostoka (po rezul'tatam radiolyariyevogo analiza dlya kartirovaniya)*. Far East Division of the Academy of Science of the USSR, Pacific Oceanological Institute, Vladivostok: 89-99 (in Russian).
- VISHNEVSKAYA V. S. 1992. — Significance of Mesozoic radiolarians for tectonostratigraphy in Pacific Rim terranes of the former USSR, in AITCHISON J. C. & MURCHEY B. L. (eds), Significance and application of Radiolaria to terrane analysis. *Palaeogeography, Palaeoclimatology, Palaeoecology*, special issue 96: 23-39.
- VISHNEVSKAYA V. S. 1998. — The domanikoid facies of the Russian platform and basin paleogeography, in CRASQUIN-SOLEAU S. & BARRIER E. (eds), Peri-Tethys Memoir 3: Stratigraphy and evolution of Peri-Tethyan Platforms. *Mémoires du Muséum national d'Histoire naturelle* 177: 45-69.
- VISHNEVSKAYA V. S. 2001. — *Jurassic to Cretaceous Radiolarian Biostratigraphy of Russia*. GEOS, Moscow, 376 p.
- VISHNEVSKAYA V. S. 2002. — New species of Late Cretaceous radiolarians from the southern Koryak Upland (northeastern Russia). *Paleontological Journal* 36 (5): 439-443.
- VISHNEVSKAYA V. S. 2006. — New species of the family Heliodiscidae Haeckel (Radiolaria). *Paleontological Journal* 40 (2): 134-142.
- VISHNEVSKAYA V. S. 2007. — New radiolarian species of the family Pseudoaulophacidae Riedel from the Upper Cretaceous of the Volga Region. *Paleontological Journal* 41 (5): 489-500.
- VISHNEVSKAYA V. S., BOGDANOV N. A. & BONDARENKO G. E. 1999. — Middle Jurassic to Early Cretaceous Radiolaria from the Omgon Range, Western Kamchatka. *Ofoliti* 24 (1): 31-42.
- VISHNEVSKAYA V. S. & DE WEVER P. 1998. — Upper Cretaceous Radiolaria from the Russian Platform (Moscow Basin). *Revue de Micropaléontologie* 41 (3): 235-365.
- VISHNEVSKAYA V. S. & DUMITRICA D. 2003. — *Excentrosphaerella kamchatica* n. sp. The oldest known Heliodiscid Radiolarians in the Upper Cretaceous of Kamchatka. *10th Internat Meeting, Abstracts and Programme*, Lausanne: 110.
- VISHNEVSKAYA V. S. & MURCHEY B. L. 2002. — Climatic affinity and possible correlation of some Jurassic to Lower Cretaceous radiolarian assemblages from Russia and North America, in CARTER E., WHALEN P. & MEKIK F. (eds), *Micropaleontology of radiolarians: Proceedings of Internat IX. Micropaleontology* 48: 89-111.
- WAKITA K. 1988. — Early Cretaceous melange in the Hida-Kanayama area, central Japan. *Bulletin of the Geological Survey of Japan* 39 (6): 367-421.
- WANG Y. J., YANG Q., MATSUOKA A., KOBAYASHI K., NAGAHASHI T. & ZENG Q. G. 2002. — Triassic radiolarians from the Yarlung Zangbo Suture Zone in the Jinlu area, Zetang County, southern Tibet. *Acta Micropalaeontologica Sinica* 19 (3): 215-227.
- WANG Y. J. & SHENG J. Z. 1982. — [Fossil radiolarians from Gyirong and Gyangze Districts of Southern Xizang], in [Palaeontology of Xizang]. Series of the Scientific Expedition to the Qinghai-Xizang Plateau. Science Press, Beijing 4: 81-100 (in Chinese).
- WHALEN P. A. & CARTER E. S. 2002. — Pliensbachian (Lower Jurassic) Radiolaria from Baja California Sur, Mexico. *Micropaleontology* 48 (2): 97-151.
- WHITE M. P. 1928. — Some index foraminifera of the Tampico embayment area of Mexico. *Journal of Paleontology* 2 (4): 280-317.
- WIDZ D. & DE WEVER P. 1993. — Nouveaux Nassellaires (Radiolaria) des radiolarites jurassiques de la coupe de Szeligowy Potok (Zones de Klippes de Pieniny, Carpathes Occidentales, Pologne). *Revue de Micropaléontologie* 36 (1): 77-91.
- WISNIOWSKI T. 1888. — Beitrag zur Kenntniss der Mikrofauna aus den oberjurassischen Feuersteinknollen der Umgegend von Krakau. *Jahrbuch der Kaiserlich-Königlichen geologischen Reichsanstalt* 38 (4): 657-702.
- WU H. R. 1986. — Some new genera and species of Cenomanian Radiolaria from southern Xizang (Tibet). *Acta Micropalaeontologica Sinica* 3 (4): 347-360.
- WU H. R. 1993. — Upper Jurassic and Lower Cretaceous radiolarians of Xialu chert, Yarlung Zangbo ophiolite belt, southern Tibet, in BLUEFORD J. R. & MURCHEY B. L. (eds), *Radiolaria of Giant and Subgiant Fields in Asia. Nazarov Memorial Volume. Micropaleontology*, special publication 6: 115-136.
- WU H. R. 2000. — New data of the Late Jurassic nassellarian (Radiolaria) from the Xialu chert in southern Tibet. *Geoscience* (Beijing) 14 (3): 301-306.
- WU H. R. & LI H. S. 1982. — The Radiolaria of the olisto-

- strome of Zongzhuo Formation, Gyangze, South Xizang, Tibet. *Acta Palaeontologica Sinica* 21 (1): 64-71.
- XIA W. C. & ZHANG N. 2000. — Middle Triassic Radiolaria from turbidites in Ziyun, Guizhou, South China. *Micropaleontology* 46 (1): 73-87.
- XU X. 1992. — Appendix: descriptions of fossils. 1. Radiolarians, in HONGFU Y., YANG F., HUANG Q., YANG H. & LAI X. (eds), *The Triassic of Qinling Mountains and Neighboring Areas*. Press of the China University of Geosciences: 142-147.
- YANG Q. 1993. — Taxonomic Studies of Upper Jurassic (Tithonian) Radiolaria from the Taman Formation, east-central Mexico. *Palaeoworld* 3: 1-164.
- YANG Q. & MIZUTANI S. 1991. — Radiolaria from the Nanhada Terrane, Northeast China. *Journal of Earth Sciences Nagoya University* 38: 49-78.
- YANG Q. & PESSAGNO E. A. 1989. — Upper Tithonian Vallupinae (Radiolaria) from the Taman Formation, east-central Mexico. *Micropaleontology* 32 (2): 114-134.
- YANG Q. & WANG Y. J. 1990. — A taxonomic study of Upper Jurassic radiolarian from Rutog county, Xizang (Tibet). *Acta Micropalaeontologica Sinica* 7 (3): 195-218.
- YAO A. 1972. — Radiolarian fauna from the Mino Belt in the northern part of the Inuyama Area, Central Japan, Part I: Spongosaturalids. *Journal of Geosciences, Osaka City University* 15: 21-65.
- YAO A. 1979. — Radiolarian fauna from the Mino Belt in the northern part of the Inuyama Area, Central Japan, Part II: Nassellaria 1. *Journal of Geosciences, Osaka City University* 22: 21-72.
- YAO A. 1982. — Middle Triassic to Early Jurassic radiolarians from the Inuyama area, central Japan. *Journal of Geosciences, Osaka City University* 25: 53-70.
- YEH K. Y. 1987a. — Taxonomic studies of lower Jurassic Radiolaria from east-central Oregon. *National Museum of Natural Science, Taiwan, Special Publication* 2: 1-169.
- YEH K. Y. 1987b. — A revised classification for the family Canoptidae (Radiolaria). *Memoirs of the Geological Society of China* 8: 63-72.
- YEH K. Y. 1989. — Studies of Radiolaria from Fields Creek Formation, east-central Oregon, U.S.A. *Bulletin of the National Museum of Natural Science, Taiwan* 1: 43-109.
- YEH K. Y. 1990. — Taxonomic studies of Triassic Radiolaria from Busuanga Island, Philippines. *Bulletin of the National Museum of Natural Science, Taiwan* 2: 1-63.
- YEH K. Y. 1992. — Triassic Radiolaria from Uson Island, Philippines. *Bulletin of the National Museum of Natural Science, Taiwan* 3: 51-91.
- YEH K. Y. 1995. — *Fenestrula*, n. gen., Lower Jurassic internal spicule-bearing spherical radiolarians from East-Central Oregon. *Bulletin of the National Museum of Natural Science, Taiwan* 6: 91-105.
- YEH K. Y. & CHENG Y. N. 1996a. — Jurassic radiolarians from the northwest coast of Busuanga Island, North Palawan Block, Philippines. *Micropaleontology* 42 (2): 93-124.
- YEH K. Y. & CHENG Y. N. 1996b. — An Upper Triassic (Rhaetian) radiolarian assemblage from Busuanga Island, Philippines. *Bulletin of the National Museum of Natural Science, Taiwan* 7: 1-43.
- YEH K. Y. & CHENG Y. N. 1998. — Radiolarians from the Lower Jurassic of the Busuanga Island, Philippines. *Bulletin of the National Museum of Natural Science, Taiwan* 11: 1-65.
- YEH K. Y. & YANG Q. 2006. — Radiolarian assemblages from T-J boundary strata, Nanhada terrane, NE China. *Acta Micropalaeontologica Sinica* 23 (4): 317-360.
- YOSHIDA H. 1986. — Upper Triassic to Lower Jurassic radiolarian biostratigraphy in Kagamigahara City, Gifu Prefecture, central Japan. *Journal of Earth Sciences Nagoya University* 34: 1-21.
- ZHAMOIDA A. I. 1961. — O stratigraficheskom znachenii fragmentov skeletov nekotorykh mezozoiskikh radiolyarii pri izuchenii ikh v shlifakh. *Vsesoyuznyi Nauchno-Issledovatel'skii Geologicheskii Institut (VSEGEI), Informatsionnyi Sbornik, Paleontologiya i Stratigrafiya* 47: 23-36 (in Russian).
- ZHAMOIDA A. I. 1968. — Novye mezozoiskie radiolyarii Sikhote-Alinia i nizhnevo Priamuria. Novye vidy drevnikh rastenii i bespozvonochnykh SSSR. *Trudy Vsesoyuznogo Ordena Lenina Nauchno-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI), Izdatel'stvo Nedra* 2 (1): 162-177 (in Russian).
- ZHAMOIDA A. I. 1972. — Biostratigrafiya mezozoiskikh kremenistykh tolshch Vostoka SSSR (na osnove izucheniya radiolyarii). *Trudy Vsesoyuznogo Ordena Lenina Nauchno-Issledovatel'skii Geologicheskii Institut (VSEGEI)*, n. ser. 183: 1-199 (in Russian).
- ZHAMOIDA A. I., KOVTUNOVICH Y. M. & SAVITSKII V. O. 1968. — Kompleksy mezozoiskikh radiolyarii Vostochno-Sakhalinskikh gor. *Ezegodnik Vsesoyuznogo paleontologicheskogo Obshchestva* 18: 24-40 (in Russian).
- ZHANG Q. 1990. — Triassic and Jurassic radiolaria fauna in Nanhada Range, Northeast China. *Bulletin of the Shenyang Institute of Geology and Mineral Resources, Chinese Academy of Geological Sciences* 21: 157-191.
- ZITTEL, K. A. 1876. — Über einige fossile Radiolarien aus der norddeutschen Kreiden. *Zeitschrift der deutschen geologischen Gesellschaft* 28: 75-87.
- ZONOVA T. D., KAZINTSOVA L. I. & YAZYKOVA E. A. 1993. — *Atlas of main fossil groups of Sajalin*. Geological Institute of Scientific Researches of the USSR. Nedra, St. Petersburg (in Russian), 326 p.

Submitted on 2 May 2009;  
accepted on 10 May 2009.