

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|------------|--------|----------------|------------------|-----------------|---------------|---------------|-------|---|---|
| 124 | biMnf | | <1.45 | 1.45 to 1.95 | >1.95 to 2.38 | >2.38 | | | | | |
| 125 | biFmt | | >0.30 | 0.30 to 0.25 | <0.25 to 0.23 | <0.23 to 0.15 | <0.15 to 0.10 | <0.10 | | | |
| 126 | biFt | | >0.05 | ≤ 0.05 | | | | | | | |
| 127 | biSst | | >0.10 | ≤ 0.10 | | | | | | | |
| 128 | biSph | | <0.40 | 0.40 to 0.45 | > 0.45 | | ≥ | ≤ | | | |
| 129 | BSst | | >0.05 | ≤ 0.05 | | | | | | | |
| 130 | BFt | | >0.05 | ≤0.05 | | | | | | | |
| 131 | BSph | | >0.12 | 0.12 to 0.05 | <0.05 | | | | | | |
| 132 | BSg | | <0.05 | ≥0.05 | | | | | | | |
| 133 | BG | | ≥0.05 | <0.05 | | | | | | | |
| 134 | FtFmo | | <0.12 | 0.12 to 0.18 | >0.18 to 0.22 | > 0.22 | | | | | |
| 135 | SgSst | | >0.05 | ≤ 0.05 | | | | | | | |
| 136 | SgFmt | | <0.10 | 0.10 to 0.15 | >0.15 to 0.18 | >0.18 to 0.20 | >0.20 to 0.25 | >0.25 | | | |
| 137 | GFt | | >0.15 | 0.15 to 0.10 | <0.10 | | | | | | |
| 138 | GSph | | <0.21 | 0.21 to 0.25 | >0.25 | | | | | | |
| 139 | GFmt | | <0.13 | 0.13 to 0.20 | >0.20 to 0.25 | >0.25 | | | | | |
| 140 | NFt | | >0.20 | 0.20 to 0.15 | <0.15 to 0.12 | <0.12 | | | | | |
| 141 | NSst | | >0.15 | ≤ 0.15 | | | | | | | |
| 142 | | SstB/SstG | >0.50 | 0.50 to 0.45 | <0.45 to 0.30 | <0.30 to 0.25 | <0.25 to 0.20 | <0.20 | | | |
| 143 | | SstB/SstN | >0.50 | 0.50 to 0.45 | <0.45 to 0.35 | <0.35 to 0.30 | <0.30 to 0.25 | <0.25 to 0.20 | <0.20 | | |
| 144 | | SstSg/SstG | <0.75 | 0.75 to 0.85 | >0.85 | | | | | | |
| 145 | | SstSg/SstN | >0.83 | 0.83 to 0.75 | <0.75 to 0.65 | <0.65 | | | | | |
| 146 | | SstB/SphSg | >0.72 | 0.72 to 0.65 | <0.65 to 0.55 | <0.55 to 0.35 | < 0.35 | | | | |
| 147 | | SstB/SphG | >0.71 | 0.71 to 0.65 | <0.65 to 0.55 | <0.55 to 0.40 | <0.40 to 0.25 | <0.25 | | | |
| 148 | | SstB/SphN | >0.70 | 0.70 to 0.65 | <0.65 to 0.55 | <0.55 to 0.40 | <0.40 to 0.25 | <0.25 | | | |
| 149 | | SstSg/SphG | <0.85 | 0.85 to 0.95 | >0.95 to 1.05 | >1.05 | | | | | |
| 150 | | SstSg/SphN | <0.85 | 0.85 to 0.95 | >0.95 to 1.05 | >1.05 to 1.08 | >1.08 | | | | |
| 151 | | SstB/FtSg | <0.705 | 0.705 to 0.775 | > 0.775 to 0.845 | >0.845 to 0.915 | >0.915 | | | | |
| 152 | | SstB/FtG | >0.78 | 0.78 to 0.60 | <0.68 to 0.50 | <0.50 to 0.45 | <0.45 to 0.30 | <0.30 | | | |
| 153 | | SstB/FtN | >0.90 | 0.90 to 0.80 | <0.80 to 0.60 | <0.60 to 0.50 | <0.50 to 0.30 | < 0.30 | | | |
| 154 | | SstB/FmtSg | >0.81 | 0.81 to 0.70 | <0.70 to 0.50 | 0.49 to 0.29 | <0.29 | | | | |
| 155 | | SstB/FmtG | >0.85 | 0.85 to 0.75 | <0.75 to 0.65 | <0.65 to 0.55 | <0.55 to 0.30 | <0.30 | | | |
| 156 | | SstB/FmtN | >0.85 | 0.85 to 0.75 | <0.75 to 0.65 | <0.65 to 0.55 | <0.55 to 0.35 | <0.35 to 0.25 | <0.25 | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|------------|-------|--------------|---------------|---------------|---------------|--------------|-------|---|---|
| 157 | | SstSg/FmtG | <1.00 | 1.00 to 1.10 | >1.10 to 1.20 | >1.20 to 1.33 | >1.33 | | | | |
| 158 | | SstSg/FmtN | <1.05 | 1.05 to 1.20 | >1.20 to 1.30 | >1.30 to 1.35 | >1.35 | | | | |
| 159 | | SstG/FmtN | <1.30 | 1.30 to 1.39 | >1.39 to 1.44 | >1.44 | | | | | |
| 160 | | SphB/SphSg | <1.05 | 1.05 to 1.14 | >1.14 to 1.21 | >1.21 | | | | | |
| 161 | | SphB/SphG | <0.95 | 0.95 to 1.04 | >1.04 to 1.19 | >1.19 | | | | | |
| 162 | | SphB/SphN | <0.90 | 0.90 to 1.00 | >1.00 to 1.09 | >1.09 to 1.17 | >1.17 | | | | |
| 163 | | SphSg/SphG | >0.93 | 0.93 to 0.85 | <0.85 | | | | | | |
| 164 | | SphSg/SphN | >0.97 | 0.97 to 0.95 | <0.95 to 0.85 | <0.85 | | | | | |
| 165 | | SphB/SstSg | >1.24 | 1.24 to 1.02 | <1.02 to 0.95 | <0.95 | | | | | |
| 166 | | SphB/SstG | >0.94 | 0.94 to 0.90 | <0.90 to 0.85 | <0.85 to 0.80 | <0.80 | | | | |
| 167 | | SphB/SstN | >0.89 | 0.89 to 0.85 | <0.85 to 0.80 | <0.80 to 0.75 | <0.75 | | | | |
| 168 | | SphB/FtSg | <2.15 | 2.15 to 2.60 | >2.60 to 3.60 | >3.60 | | | | | |
| 169 | | SphG/FtN | <1.51 | 1.51 to 1.60 | >1.60 | | | | | | |
| 170 | | SphB/FmtSg | <1.05 | 1.05 to 1.15 | >1.15 to 1.25 | >1.25 to 1.30 | >1.30 to 1.47 | >1.47 | | | |
| 171 | | SphB/FmtG | <1.10 | 1.10 to 1.20 | 1.20 to 1.29 | 1.30 to 1.39 | 1.40 to 1.49 | 1.50 to 1.55 | ≥1.55 | | |
| 172 | | SphB/FmtN | <1.10 | 1.10 to 1.19 | 1.20 to 1.29 | 1.30 to 1.39 | 1.40 to 1.49 | 1.50 to 1.58 | ≥1.58 | | |
| 173 | | SphSg/FmtG | <0.80 | 0.80 to 0.94 | 0.95 to 1.06 | >1.06 | | | | | |
| 174 | | SphSg/FmtN | <0.90 | 0.90 to 1.05 | >1.05 | | | | | | |
| 175 | | FtB/FtSg | <1.40 | 1.40 to 1.55 | >1.55 to 1.61 | >1.61 to 2.16 | >2.16 | | | | |
| 176 | | FtB/FtG | <1.00 | 1.00 to 1.15 | >1.15 to 1.25 | >1.25 to 1.38 | >1.38 | | | | |
| 177 | | FtB/FtN | <1.00 | 1.00 to 1.15 | >1.15 to 1.25 | >1.25 to 1.38 | >1.38 | | | | |
| 178 | | FtSg/FtG | <0.55 | 0.55 to 0.65 | >0.65 to 0.75 | >0.75 to 0.85 | >0.85 to 0.90 | >0.90 | | | |
| 179 | | FtSg/FtN | >0.85 | 0.85 to 0.75 | <0.75 to 0.65 | <0.65 to 0.55 | <0.55 to 0.45 | <0.45 | | | |
| 180 | | FtB/SstSg | >1.03 | 1.03 to 0.95 | <0.95 to 0.85 | <0.85 | | | | | |
| 181 | | FtB/SstG | >0.96 | 0.96 to 0.85 | <0.85 to 0.75 | <0.75 to 0.65 | <0.65 | | | | |
| 182 | | FtB/SstN | >0.93 | 0.93 to 0.85 | <0.85 to 0.75 | <0.75 to 0.65 | <0.65 | | | | |
| 183 | | FtSg/SstG | >0.47 | 0.47 to 0.40 | <0.40 | | | | | | |
| 184 | | FtSg/SstN | >0.47 | 0.47 to 0.40 | <0.40 | | | | | | |
| 185 | | FtB/SphSg | >1.16 | 1.16 to 1.05 | <1.05 to 0.95 | <0.95 | | | | | |
| 186 | | FtB/SphG | >1.14 | 1.14 to 1.05 | <1.05 to 0.95 | <0.95 to 0.75 | <0.75 | | | | |
| 187 | | FtB/SphN | >1.16 | 1.16 to 1.05 | <1.05 to 0.95 | <0.95 to 0.85 | <0.85 to 0.75 | <0.75 | | | |
| 188 | | FtSg/SphG | >0.62 | 0.62 to 0.55 | <0.55 to 0.45 | <0.45 | | | | | |
| 189 | | FtSg/SphN | >0.62 | 0.62 to 0.55 | <0.55 to 0.45 | <0.45 | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|-------------|--------|-----------------|------------------|------------------|------------------|---------------|-------|---|---|
| 190 | | FtB/FmtSg | <0.90 | 0.90 to 1.05 | >1.05 to 1.15 | >1.15 to 1.25 | >1.25 to 1.35 | >1.35 to 1.41 | >1.41 | | |
| 191 | | FtB/FmtG | <0.95 | 0.95 to 1.15 | >1.15 to 1.48 | >1.48 | | | | | |
| 192 | | FtB/FmtN | >1.53 | 1.53 to 1.35 | <1.35 to 1.20 | <1.20 to 0.95 | <0.95 | | | | |
| 193 | | FtSg/FmtG | >0.79 | 0.79 to 0.75 | <0.75 to 0.65 | <0.65 to 0.55 | <0.55 to 0.45 | <0.45 | | | |
| 194 | | FtSg/FmtN | >0.82 | 0.82 to 0.75 | <0.75 to 0.65 | <0.65 to 0.55 | <0.55 to 0.45 | <0.45 | | | |
| 195 | | FtG/FmtN | <0.64 | 0.64 to 0.75 | >0.75 to 0.85 | >0.85 | | | | | |
| 196 | | FmtB/FmtSg | <1.46 | 1.46 to 1.55 | >1.55 to 1.65 | >1.65 to 1.75 | >1.75 | | | | |
| 197 | | FmtB/FmtG | <1.46 | 1.46 to 1.55 | >1.55 to 1.65 | >1.65 to 1.75 | >1.75 to 1.84 | >1.84 | | | |
| 198 | | FmtB/FmtN | <1.45 | 1.45 to 1.55 | >1.55 to 1.65 | >1.65 to 1.75 | >1.75 to 1.85 | >1.85 | | | |
| 199 | | FmtB/SstSg | >1.52 | 1.52 to 1.24 | <1.24 | | | | | | |
| 200 | | FmtB/SstG | >1.10 | 1.10 to 1.05 | <1.05 | | | | | | |
| 201 | | FmtB/SstN | >1.09 | 1.09 to 1.05 | <1.05 | | | | | | |
| 202 | | FmtSg/SstG | >0.80 | 0.80 to 0.74 | <0.74 | | | | | | |
| 203 | | FmtG/SstN | ≥0.70 | <0.70 | | | | | | | |
| 204 | | FmtB/SphSg | <1.44 | 1.44 to 1.80 | >1.80 | | | | | | |
| 205 | | FmtB/SphG | <1.25 | 1.25 to 1.35 | >1.35 to 1.41 | >1.41 | | | | | |
| 206 | | FmtB/SphN | <1.20 | 1.20 to 1.35 | >1.35 to 1.44 | >1.44 | | | | | |
| 207 | | FmtG/SphN | <0.98 | ≥0.98 | | | | | | | |
| 208 | | FmtB/FtSg | <1.97 | 1.97 to 2.50 | >2.50 to 2.80 | >2.80 to 3.90 | >3.90 | | | | |
| 209 | | FmtB/FtG | <1.65 | 1.65 to 1.79 | >1.79 | | | | | | |
| 210 | | FmtB/FtN | <1.60 | 1.60 to 1.70 | >1.70 to 1.80 | >1.80 | | | | | |
| 211 | | FmtSg/FtG | <1.22 | 1.22 to 1.30 | >1.30 to 1.40 | >1.40 | | | | | |
| 212 | | FmtSg/FtN | <1.22 | 1.22 to 1.35 | >1.35 | | | | | | |
| 213 | | FmtG/FtN | <1.17 | 1.17 to 1.25 | >1.25 to 1.35 | >1.35 to 1.45 | >1.45 | | | | |
| 214 | | biSst/biSph | <-0.85 | -.0.85 to -0.50 | > -0.50 to -0.30 | > -0.30 to -0.15 | > -0.15 | | | | |
| 215 | | biSst/biFt | <-0.50 | -.0.50 to -0.15 | > -0.15 to -0.05 | > -0.05 | | | | | |
| 216 | | biSst/biFmt | <-2.10 | -.2.10 to -1.50 | > -1.50 to -1.00 | > -1.00 to -0.35 | > -0.35 to -0.25 | > -0.25 | | | |
| 217 | | biSst/biFmo | <-1.75 | -.1.75 to -1.35 | > -1.35 to -0.50 | > -0.50 to -0.35 | > -0.35 to -0.25 | > -0.25 | | | |
| 218 | | biSst/biMnf | <0.50 | 0.50 to 0.65 | >0.65 to 0.73 | >0.73 | | | | | |
| 219 | | biSph/biFt | <0.23 | 0.23 to 0.30 | >0.30 to 0.60 | >0.60 | | | | | |
| 220 | | biSph/biFmt | <-0.50 | -.0.50 to -0.40 | > -0.40 to -0.30 | > -0.30 to -0.21 | > -0.21 | | | | |
| 221 | | biSph/biFmo | <-0.40 | -.0.40 to -0.25 | > -0.25 to -0.15 | > -0.15 to -0.10 | > -0.10 | | | | |
| 222 | | biSph/biMnf | <0.65 | 0.65 to 0.73 | >0.73 | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|--------------|--------|-----------------|------------------|-----------------|------------------|---------------|---------------|---------------|-------|
| 223 | | biFt/biFmt | <-2.60 | -.2.60 to -1.00 | > -1.00 to -0.60 | > -0.60 to 0.35 | > -0.35 to -0.20 | > -0.20 | | | |
| 224 | | biFt/biFmo | <-2.10 | -.2.10 to -1.00 | > -0.99 to -0.20 | > -0.20 | | | | | |
| 225 | | biFt/biMnf | <0.60 | 0.60 to 0.69 | > 0.69 | | | | | | |
| 226 | | SstSph/BN | <0.57 | 0.57 to 0.65 | >0.65 to 0.70 | >0.70 to 0.80 | >0.80 to 0.90 | >0.90 | | | |
| 227 | | SstSph/BG | <0.59 | 0.59 to 0.65 | >0.65 to 0.70 | >0.70 to 0.80 | >0.80 to 0.90 | >0.90 | | | |
| 228 | | SstSph/BSg | <0.63 | 0.63 to 0.90 | >0.90 to 1.40 | >1.40 | | | | | |
| 229 | | SphFt/SstFt | <0.68 | 0.68 to 0.80 | >0.80 to 0.90 | >0.90 to 1.00 | >1.00 | | | | |
| 230 | | SphFt/BN | <0.30 | 0.30 to 0.35 | >0.35 to 0.50 | >0.50 to 0.60 | >0.60 | | | | |
| 231 | | SphFt/BG | <0.30 | 0.30 to 0.35 | >0.35 to 0.45 | >0.45 | | | | | |
| 232 | | SphFt/BSg | <0.35 | 0.35 to 0.40 | >0.40 to 0.45 | >0.45 to 0.50 | >0.50 to 0.60 | >0.60 to 0.70 | >0.70 to 0.80 | >0.80 to 0.90 | >0.90 |
| 233 | | SphFt/GN | <3.71 | 3.71 to 5.00 | >5.00 to 6.00 | >6.00 to 7.00 | >7.00 | | | | |
| 234 | | FtFmt/SstFmt | <0.42 | 0.42 to 0.50 | >0.50 to 0.60 | >0.60 | | | | | |
| 235 | | FtFmt/SstFt | <0.58 | 0.58 to 0.70 | >0.70 to 0.80 | >0.80 to 0.90 | >0.90 to 1.00 | >1.00 to 1.10 | >1.10 | | |
| 236 | | FtFmt/SphFt | <0.95 | 0.95 to 1.05 | >1.05 to 1.10 | >1.10 to 1.15 | >1.15 to 1.20 | >1.20 | | | |
| 237 | | FtFmt/SstSph | >0.89 | 0.89 to 0.80 | <0.80 to 0.67 | <0.67 | | | | | |
| 238 | | FtFmt/BN | <0.25 | 0.25 to 0.35 | >0.35 to 0.40 | >0.40 to 0.50 | >0.50 | | | | |
| 239 | | FtFmt/BG | <0.25 | 0.25 to 0.35 | >0.35 to 0.45 | >0.45 to 0.55 | >0.55 | | | | |
| 240 | | FtFmt/BSg | <0.30 | 0.30 to 0.40 | >0.40 to 0.50 | >0.50 to 0.60 | >0.60 to 0.70 | >0.70 to 0.80 | >0.80 | | |
| 241 | | FtFmt/SgN | <0.76 | 0.76 to 1.53 | >1.53 to 1.90 | >1.90 | | | | | |
| 242 | | FtFmt/GN | <4.20 | 4.20 to 5.00 | >5.00 to 5.50 | >5.50 to 6.50 | >6.50 to 7.50 | >7.50 | | | |
| 243 | | SstFt/SstFmt | <0.55 | 0.55 to 0.67 | >0.67 to 0.83 | >0.83 to 0.95 | >0.95 | | | | |
| 244 | | SstFt/FtFmt | <1.00 | 1.00 to 1.33 | >1.33 | | | | | | |
| 245 | | SstFt/SphFt | >1.24 | ≤ 1.24 | | | | | | | |
| 246 | | SstFt/SphFmt | <1.00 | 1.00 to 1.09 | 1.10 to 1.19 | 1.20 to 1.29 | >1.29 | | | | |
| 247 | | SstFt/SstSph | >1.02 | 0.91 to 0.86 | 0.85 to 0.76 | 0.75 to 0.70 | <0.70 | | | | |
| 248 | | SstFt/BN | >0.60 | ≤ 0.60 | | | | | | | |
| 249 | | SstFt/BG | <0.53 | 0.53 to 0.60 | >0.60 to 0.65 | >0.65 | | | | | |
| 250 | | SstFt/BSg | <0.59 | 0.59 to 0.70 | >0.70 to 0.75 | >0.75 to 0.80 | >0.80 to 0.90 | >0.90 to 1.00 | >1.00 | | |
| 251 | | SstFt/SgG | <1.30 | 1.30 to 1.40 | >1.40 to 1.50 | >1.50 | | | | | |
| 252 | | SphFmt/SstFt | >0.90 | 0.90 to 0.81 | <0.81 | | | | | | |
| 253 | | SphFmt/BN | <0.30 | 0.30 to 0.35 | >0.35 to 0.40 | >0.40 to 0.45 | >0.45 | | | | |
| 254 | | SphFmt/BG | <0.32 | 0.32 to 0.35 | >0.35 to 0.40 | >0.40 to 0.45 | >0.45 | | | | |
| 255 | | SphFmt/BSg | <0.35 | 0.35 to 0.40 | >0.40 to 0.45 | >0.45 to 0.50 | >0.50 to 0.60 | >0.60 to 0.70 | >0.70 | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|---------|---------------|--------|--------------|---------------|----------------|---------------|---------------|-------|---|---|
| 256 | | SphFmt/GN | <3.25 | 3.25 to 3.50 | >3.50 to 4.00 | >4.00 to 4.50 | >4.50 to 5.50 | >5.50 | | | |
| 257 | | SstFmt/SstFt | >1.80 | 1.80 to 1.75 | <1.75 to 1.65 | <1.65 to 1.50 | <1.50 | | | | |
| 258 | | SstFmt/FtFmt | >1.97 | 1.97 to 1.85 | <1.85 to 1.70 | <1.70 to 1.50 | <1.50 | | | | |
| 259 | | SstFmt/BN | <0.70 | 0.70 to 0.85 | >0.85 to 0.95 | <0.95 to 1.05 | >1.05 | | | | |
| 260 | | SstFmt/BG | <0.67 | 0.67 to 0.80 | >0.80 to 0.90 | >0.90 to 1.00 | >1.00 | | | | |
| 261 | | SstFmt/BSg | <0.79 | 0.79 to 0.85 | >0.85 to 1.05 | >1.05 to 1.35 | >1.35 to 1.50 | >1.50 | | | |
| 262 | | SstFmt/SgG | <1.60 | 1.60 to 2.50 | >2.50 | | | | | | |
| 263 | | SgG/BSg | <0.18 | 0.18 to 0.30 | >0.30 to 0.35 | >0.35 to 0.40 | >0.40 to 0.45 | >0.45 to 0.50 | >0.50 | | |
| 264 | | BSg/BG | <0.40 | 0.40 to 0.50 | >0.50 to 0.70 | >0.70 to 0.80 | >0.80 | | | | |
| 265 | | SgN/BSg | <0.27 | 0.27 to 0.30 | >0.30 to 0.40 | >0.401 to 0.50 | >0.50 | | | | |
| 266 | | BSg/BN | <0.60 | 0.60 to 0.65 | >0.65 to 0.70 | >0.70 to 0.77 | >0.77 | | | | |
| 267 | | GN/SgG | <0.20 | 0.20 to 0.30 | >0.30 to 0.47 | >0.47 | | | | | |
| 268 | | SgG/BG | <0.22 | 0.22 to 0.30 | >0.30 to 0.40 | >0.40 to 0.50 | >0.50 | | | | |
| 269 | | SgG/SgN | <0.71 | 0.71 to 0.80 | >0.80 to 0.90 | >0.90 | | | | | |
| 270 | | SgG/BN | <0.21 | 0.21 to 0.30 | >0.30 | | | | | | |
| 271 | | GN/SgN | <0.20 | 0.20 to 0.33 | >0.33 | | | | | | |
| 272 | | SstSph/SstFt | <1.10 | 1.10 to 1.20 | >1.20 to 1.30 | >1.30 to 1.50 | >1.50 | | | | |
| 273 | | SstSph/SstFmo | <0.76 | 0.76 to 0.85 | >0.85 | | | | | | |
| 274 | | SstSph/SstFmt | <0.81 | 0.81 to 0.85 | >0.85 | | | | | | |
| 275 | | SstFt/FtFmo | <0.90 | 0.90 to 1.03 | >1.03 | | | | | | |
| 276 | | SstFmo/FtFmo | ≤ 1.05 | >1.05 | | | | | | | |
| 277 | | SstFmo/FtFmt | <1.60 | 1.60 to 1.74 | >1.74 | | | | | | |
| 278 | | SphFt/FtFmt | <1.90 | 1.90 to 2.19 | >2.19 | | | | | | |
| 279 | | FtFmo/FtFmt | <0.90 | 0.90 to 1.01 | >1.01 | | | | | | |
| 280 | BL | | <0.95 | 0.95 to 1.06 | >1.06 | | | | | | |
| 281 | BK | | <0.05 | ≥0.05 | | | | | | | |
| 282 | BEn | | <0.06 | 0.06 to 0.10 | >0.10 to 0.13 | >0.13 | | | | | |
| 283 | BAst | | >0.10 | ≤ 0.10 | | | | | | | |
| 284 | LSst | | <0.10 | 0.10 to 0.15 | >0.15 to 0.20 | >0.20 | | | | | |
| 285 | SstSphn | | <0.06 | 0.06 to 0.10 | >0.10 to 0.13 | >0.13 | | | | | |
| 286 | Kast | | <0.09 | 0.09 to 0.13 | >0.13 | | | | | | |
| 287 | | BL/LSph | <0.11 | 0.11 to 0.13 | >0.13 | | | | | | |
| 288 | | BL/LK | <0.70 | ≥0.70 | | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|--------------|-------|--------------|---------------|---------------|---------------|-------|---|---|---|
| 289 | | BL/SstK | <1.74 | ≥1.74 | | | | | | | |
| 290 | | BL/SstAst | <1.50 | 1.50 to 1.90 | >1.90 | | | | | | |
| 291 | | BL/SphEn | <0.80 | 0.80 to 0.85 | >0.85 to 0.90 | >0.90 to 0.95 | >0.95 | | | | |
| 292 | | BL/SphAst | <0.85 | 0.85 to 1.03 | >1.03 to 1.18 | >1.18 | | | | | |
| 293 | | BL/KEn | >0.98 | 0.98 to 0.93 | >0.93 to 0.80 | <0.80 | | | | | |
| 294 | | BL/KAst | >1.22 | 1.22 to 1.05 | <1.05 | | | | | | |
| 295 | | LSst/LSph | >1.05 | 1.05 to 0.95 | <0.95 to 0.85 | <0.85 | | | | | |
| 296 | | LSst/SstEn | >0.80 | 0.80 to 0.70 | <0.70 | | | | | | |
| 297 | | LSst/SstAst | >1.22 | 1.22 to 1.10 | <1.10 to 0.97 | <0.97 | | | | | |
| 298 | | LSst/ShEn | <0.90 | 0.90 to 0.95 | >0.95 | | | | | | |
| 299 | | LSst/SphAst | >1.45 | 1.45 to 1.35 | <1.35 to 1.25 | <1.25 to 1.15 | <1.15 to 0.95 | <0.95 | | | |
| 300 | | LSst/KEn | <1.03 | 1.03 to 0.95 | <0.95 to 0.85 | <0.85 | | | | | |
| 301 | | LSst/KAst | <1.56 | 1.56 to 1.40 | <1.40 to 1.25 | <1.25 to 1.10 | <1.10 | | | | |
| 302 | | SstSph/LK | >1.19 | 1.19 to 1.10 | <1.10 to 1.00 | <1.00 to 0.90 | <0.90 | | | | |
| 303 | | SstSph/LEn | <0.48 | 0.48 to 0.55 | >0.55 | | | | | | |
| 304 | | SstSph/LAst | <0.66 | 0.66 to 0.77 | >0.77 | | | | | | |
| 305 | | SstSph/StEn | <0.79 | 0.79 to 0.93 | >0.93 to 1.04 | >1.04 | | | | | |
| 306 | | SstSph/StAst | <0.63 | 0.63 to 0.70 | >0.70 | | | | | | |
| 307 | | SstSph/SphEn | <0.71 | 0.71 to 0.81 | >0.81 | | | | | | |
| 308 | | SstSph/KAst | <0.80 | ≥0.80 | | | | | | | |
| 309 | | SphK/StSph | <0.70 | 0.70 to 0.80 | <0.80 | | | | | | |
| 310 | | LAst/KAst | ≥0.15 | <0.15 | | | | | | | |
| 311 | | SphK/EnAst | >0.78 | 0.78 to 0.69 | <0.69 | | | | | | |
| 312 | | EnK/LEn | <0.99 | 0.99 to 1.41 | >1.41 | | | | | | |
| 313 | | EnK/LAst | <0.92 | 0.92 to 1.00 | >1.00 | | | | | | |
| 314 | | EnK/SstEn | <0.92 | 0.92 to 1.12 | >1.12 to 1.23 | >1.23 | | | | | |
| 315 | | EnK/SstAst | <0.88 | 0.88 to 0.94 | >0.94 | | | | | | |
| 316 | | EnK/KAst | <0.78 | 0.78 to 0.85 | >0.85 | | | | | | |
| 317 | | LAst/KEn | <0.85 | 0.85 to 0.90 | >0.90 | | | | | | |
| 318 | | BAst/LSph | <0.80 | 0.80 to 0.85 | >0.85 to 0.90 | >0.90 | | | | | |
| 319 | | BAst/LK | <0.84 | 0.84 to 0.90 | >0.90 to 0.95 | >0.95 | | | | | |
| 320 | | BAst/LEn | <1.24 | 1.24 to 1.48 | >1.48 to 1.55 | >1.55 | | | | | |
| 321 | | BAst/SstSph | <1.80 | 1.80 to 2.12 | >2.12 | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|--------------------|--------|--------------|---------------|---------------|-------|---|---|---|---|
| 322 | | BAst/SstK | <1.46 | 1.46 to 1.90 | >1.90 to 2.33 | >2.33 | | | | | |
| 323 | | BAst/SstEn | <1.20 | 1.21 to 1.31 | >1.31 | | | | | | |
| 324 | | BAst/SstAst | <1.15 | ≥ 1.15 | | | | | | | |
| 325 | | BAst/SphAst | <0.90 | 0.90 to 1.10 | >1.10 to 1.28 | >1.28 | | | | | |
| 326 | | BAst/KEn | <1.20 | 1.20 to 1.45 | >1.45 to 1.74 | >1.74 | | | | | |
| 327 | | BAst/KAst | <1.15 | 1.15 to 1.25 | >1.25 to 1.35 | >1.35 | | | | | |
| 328 | | LAst/LSst | <0.72 | 0.72 to 0.79 | >0.79 to 0.85 | >0.85 | | | | | |
| 329 | | LAst/LEn | <0.95 | ≥ 0.95 | | | | | | | |
| 330 | | LAst/SstEn | >0.80 | 0.80 to 0.70 | <0.70 | | | | | | |
| 331 | | LAst/SphEn | <0.66 | 0.66 to 0.78 | >0.78 to 0.90 | >0.90 | | | | | |
| 332 | | EnAu/PoMs | <1.26 | 1.26 to 1.40 | >1.40 to 1.53 | >1.53 | | | | | |
| 333 | | EnAu/SPo | <0.71 | 0.71 to 0.80 | >0.80 to 0.88 | >0.88 | | | | | |
| 334 | | EnAu/APo | <0.90 | 0.90 to 0.96 | >0.96 | | | | | | |
| 335 | | EnAu/SMs | <0.44 | 0.44 to 0.50 | >0.50 to 0.61 | >0.61 | | | | | |
| 336 | | EnAu/PMs | <0.75 | 0.75 to 0.85 | >0.85 to 0.95 | >0.95 | | | | | |
| 337 | | EnPo/AstAu | <0.70 | 0.70 to 0.76 | >0.76 to 0.83 | <0.83 | | | | | |
| 338 | | EnPo/AstPo | <0.49 | 0.49 to 0.71 | >0.71 to 0.77 | >0.77 to 0.88 | >0.88 | | | | |
| 339 | | EnPo/AstMs | <0.755 | ≥ 0.755 | | | | | | | |
| 340 | | EnPo/AuMs | <1.19 | 1.19 to 1.35 | >1.35 | | | | | | |
| 341 | | EnPo/AuS | <0.87 | 0.87 to 0.96 | >0.96 | | | | | | |
| 342 | | EnPo/AuP | <0.78 | 0.78 to 1.03 | >1.03 | | | | | | |
| 343 | | EnPo/PoMs | <1.19 | 1.19 to 1.35 | >1.35 to 1.50 | >1.50 to 1.66 | >1.66 | | | | |
| 344 | | EnPo/SPo | <0.77 | 0.77 to 0.85 | >0.85 to 0.92 | >0.92 | | | | | |
| 345 | | PoK/AstAu | <0.78 | 0.78 to 1.19 | >1.19 | | | | | | |
| 346 | | PoK/AstPo | <0.83 | 0.83 to 1.25 | >1.25 | | | | | | |
| 347 | | PoK/AstMs | <1.19 | 1.19 to 1.28 | >1.28 | | | | | | |
| 348 | | PoK/AuS | <0.98 | ≥ 0.98 | | | | | | | |
| 349 | | PoK/AuA | <0.88 | 0.88 to 0.99 | >0.99 | | | | | | |
| 350 | | PoK/APo | <0.87 | ≥ 0.87 | | | | | | | |
| 351 | | EnAu/EnMs | <0.84 | 0.84 to 0.92 | >0.92 | | | | | | |
| 352 | | EnAu/AstAu | <0.67 | 0.67 to 0.75 | >0.75 | | | | | | |
| 353 | | EnAu/AstPo | <0.68 | 0.68 to 0.73 | >0.73 to 0.79 | >0.79 to 0.85 | >0.85 | | | | |
| 354 | | EnAu/AstMs | <0.69 | 0.69 to 0.74 | >0.74 | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|------------|-------|--------------|---------------|---------------|---------------|-------|---|---|---|
| 355 | | EnAu/AstA | <0.41 | 0.41 to 0.45 | >0.45 | | | | | | |
| 356 | | EnAu/AuMs | <1.02 | 1.02 to 1.25 | >1.25 | | | | | | |
| 357 | | EnAu/Aus | <0.87 | ≥ 0.87 | | | | | | | |
| 358 | | AuK/EnS | <0.55 | 0.55 to 0.62 | >0.62 | | | | | | |
| 359 | | AuK/EnA | <0.57 | ≥ 0.57 | | | | | | | |
| 360 | | AuK/AstAu | <1.15 | ≥ 1.15 | | | | | | | |
| 361 | | AuK/AstPo | <1.07 | ≥ 1.07 | | | | | | | |
| 362 | | AuK/AstMs | <1.16 | 1.16 to 1.36 | >1.36 | | | | | | |
| 363 | | AuK/AuMs | <1.65 | ≥ 1.65 | | | | | | | |
| 364 | | AuK/AuA | <0.84 | 0.84 to 0.94 | >0.94 | | | | | | |
| 365 | | AuK/SPo | <1.08 | 1.08 to 1.18 | >1.18 | | | | | | |
| 366 | | AuK/APo | <0.81 | ≥ 0.81 | | | | | | | |
| 367 | | PoK/EnAu | <1.26 | 1.26 to 1.50 | >1.50 | | | | | | |
| 368 | | PoK/EnPo | <1.24 | 1.24 to 1.45 | >1.45 | | | | | | |
| 369 | | PoK/EnS | <0.64 | 0.64 to 0.74 | >0.74 | | | | | | |
| 370 | | PoK/EnA | <0.54 | 0.54 to 0.59 | >0.59 | | | | | | |
| 371 | | EnK/APo | <1.88 | ≥ 1.88 | | | | | | | |
| 372 | | AstK/EnAu | <2.21 | 2.22 to 2.57 | >2.57 | | | | | | |
| 373 | | AstK/EnPo | <2.01 | 2.02 to 2.34 | >2.34 | | | | | | |
| 374 | | AstK/EnMs | <1.53 | 1.53 to 2.05 | >2.05 to 2.27 | >2.27 to 2.50 | >2.50 to 2.72 | >2.72 | | | |
| 375 | | AstK/EnS | <1.24 | ≥ 1.24 | | | | | | | |
| 376 | | AstK/EnA | <0.95 | 0.95 to 1.06 | >1.06 to 1.17 | >1.17 | | | | | |
| 377 | | AstK/AstMs | <1.41 | 1.41 to 1.53 | >1.53 to 2.05 | >2.05 | | | | | |
| 378 | | AstK/AuS | <1.75 | ≥ 1.75 | | | | | | | |
| 379 | | AstK/AuP | <1.70 | 1.70 to 2.04 | >2.04 | | | | | | |
| 380 | | AstK/AuA | <1.45 | 1.45 to 1.62 | >1.62 | | | | | | |
| 381 | | AstK/SPo | <1.43 | 1.43 to 1.55 | >1.55 to 2.01 | >2.01 to 2.13 | >2.13 | | | | |
| 382 | | AstK/PPo | <1.94 | 1.94 to 2.40 | >2.40 to 2.74 | >2.74 | | | | | |
| 383 | | AstK/APo | <1.42 | 1.42 to 1.60 | >1.60 to 2.40 | >2.40 to 2.59 | >2.59 | | | | |
| 384 | | EnPo/PPo | >1.08 | 1.08 to 1.00 | <1.00 | | | | | | |
| 385 | | EnPo/PMs | <0.78 | 0.78 to 0.88 | >0.88 to 0.97 | >0.97 | | | | | |
| 386 | | EnMs/EnS | <0.50 | ≥ 0.50 | | | | | | | |
| 387 | | EnMs/EnA | <0.50 | ≥ 0.50 | | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|-------------|-------|--------------|---------------|---------------|---------------|-------|---|---|---|
| 388 | | EnMs/AstAu | <0.50 | 0.50 to 0.60 | >0.60 to 0.68 | >0.68 | | | | | |
| 389 | | EnMs/AstPo | <0.59 | 0.58 to 0.68 | >0.68 | | | | | | |
| 390 | | EnMs/AstMs | <1.04 | 1.04 to 1.11 | >1.11 to 1.24 | >1.24 | | | | | |
| 391 | | EnMs/AstS | <0.44 | 0.44 to 0.75 | >0.75 | | | | | | |
| 392 | | EnMs/AstP | <2.16 | ≥ 2.16 | | | | | | | |
| 393 | | EnS/AstAu | <1.60 | ≥ 1.60 | | | | | | | |
| 394 | | EnS/AstPo | <1.69 | ≥ 1.69 | | | | | | | |
| 395 | | EnS/AstMs | <1.38 | 1.39 to 1.47 | >1.47 to 1.62 | >1.62 | | | | | |
| 396 | | EnS/AstP | <3.01 | 3.01 to 3.58 | >3.58 to 4.09 | >4.09 | | | | | |
| 397 | | EnS/AstA | <0.77 | ≥ 0.77 | | | | | | | |
| 398 | | EnS/AuMs | <2.09 | 2.09 to 3.00 | >3.00 to 3.42 | >3.42 to 3.84 | >3.84 to 4.06 | >4.06 | | | |
| 399 | | EnS/AuS | <0.95 | 0.95 to 1.52 | >1.52 to 1.68 | >1.68 | | | | | |
| 400 | | EnS/AuP | <2.08 | 2.09 to 2.31 | >2.31 to 2.54 | >2.54 | | | | | |
| 401 | | EnS/PoMs | <2.29 | 2.29 to 2.50 | >2.50 to 2.70 | >2.70 to 2.91 | >2.91 | | | | |
| 402 | | EnS/SPo | <1.55 | 1.55 to 1.69 | >1.69 | | | | | | |
| 403 | | EnS/PPo | <2.11 | 2.11 to 2.35 | >2.35 to 2.60 | >2.60 | | | | | |
| 404 | | EnS/APo | <1.62 | 1.62 to 1.80 | >1.80 | | | | | | |
| 405 | | EnS/SMs | <0.87 | 0.87 to 0.93 | >0.93 to 1.02 | >1.02 | | | | | |
| 406 | | EnS/PMs | <1.54 | 1.54 to 1.73 | >1.73 to 1.90 | >1.90 | | | | | |
| 407 | | EnA/AstAu | <1.60 | 1.60 to 1.86 | >1.86 | | | | | | |
| 408 | | EnA/AstPo | <1.75 | 1.75 to 1.90 | >1.90 | | | | | | |
| 409 | | EnA/AstMs | <1.75 | 1.75 to 1.90 | >1.90 | | | | | | |
| 410 | | EnA/AstP | <3.57 | 3.57 to 4.10 | >4.10 to 5.17 | >5.17 | | | | | |
| 411 | | EnA/AstA | <0.84 | 0.84 to 0.91 | >0.91 to 0.99 | >0.99 | | | | | |
| 412 | | EnA/AuMs | <2.46 | 2.46 to 2.70 | >2.70 to 2.95 | >2.95 | | | | | |
| 413 | | EnA/PoMs | <2.97 | ≥ 2.97 | | | | | | | |
| 414 | | EnA/SPo | <1.61 | 1.61 to 1.73 | >1.73 to 1.98 | >1.98 | | | | | |
| 415 | | EnA/PPo | <2.34 | 2.34 to 2.57 | >2.57 to 2.81 | >2.81 | | | | | |
| 416 | | AstAu/AstMs | <0.90 | 0.90 to 1.10 | >1.10 to 1.31 | >1.31 | | | | | |
| 417 | | AstAu/AstS | <0.60 | ≥ 0.60 | | | | | | | |
| 418 | | AstAu/AstP | <2.96 | 2.96 to 3.36 | >3.36 | | | | | | |
| 419 | | AstAu/AuS | <0.85 | 0.85 to 0.95 | >0.95 | | | | | | |
| 420 | | AstAu/AuP | <1.12 | ≥ 1.12 | | | | | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|-------------|-------|--------------|---------------|---------------|----------------|---------------|-------|---|---|
| 421 | | AstAu/PPo | <1.10 | ≥1.10 | | | | | | | |
| 422 | | AstAu/APo | <0.79 | 0.80 to 0.93 | >0.93 to 1.07 | >1.07 | | | | | |
| 423 | | AstAu/PMs | >1.41 | 1.41 to 1.28 | <1.28 to 1.15 | <1.15 | | | | | |
| 424 | | AstPo/AstMs | >1.21 | 1.21 to 1.10 | <1.10 to 1.01 | <1.00 to 0.91 | <0.91 | | | | |
| 425 | | AstPo/AuP | <0.92 | 0.92 to 1.15 | >1.15 | | | | | | |
| 426 | | AstPo/PPo | <1.07 | ≥1.07 | | | | | | | |
| 427 | | AstPo/APo | <.78 | 0.78 to 1.49 | >1.49 to 1.63 | >1.63 to 1.78 | >1.78 | | | | |
| 428 | | biAu/AuBAu | <0.46 | 0.46 to 0.55 | >0.55 | | | | | | |
| 429 | LO | | <0.24 | 0.24 to 0.30 | >0.30 to 0.35 | >0.35 to 0.40 | >0.40 | | | | |
| 430 | LIn | | <0.16 | 0.16 to 0.20 | >0.20 to 0.25 | >0.25 to 0.30 | >0.30 | | | | |
| 431 | LAst | | <0.11 | 0.11 to 0.15 | >0.15 to 0.20 | >0.20 | | | | | |
| 432 | OPIn | | <0.15 | 0.15 to 0.20 | >0.20 to 0.30 | >0.30 | | | | | |
| 433 | | LAst/LIn | >2.21 | 2.21 to 1.95 | <1.95 to 1.70 | <1.70 to 1.44 | <1.44 to 1.31 | <1.31 | | | |
| 434 | | LAst/LO | <0.93 | 0.93 to 1.01 | >1.01 to 1.10 | >1.10 | | | | | |
| 435 | | LAst/LMs | >0.75 | 0.75 to 0.71 | <0.71 | | | | | | |
| 436 | | LAst/AstIn | <0.90 | 0.90 to 1.07 | >1.07 to 1.16 | >1.16 to 1.24 | >1.24 | | | | |
| 437 | | LAst/AstO | >1.09 | 1.09 to 1.00 | <1.00 to 0.90 | <0.90 | | | | | |
| 438 | | LAst/AstOp | <0.93 | 0.93 to 1.00 | >1.00 to 1.09 | >1.09 | | | | | |
| 439 | | LAst/InO | <1.00 | 1.00 to 1.42 | >1.42 to 1.91 | >1.91 | | | | | |
| 440 | | LAst/InMs | <0.65 | 0.65 to 0.75 | >0.75 to 0.84 | >0.84 | | | | | |
| 441 | | LAst/OMs | <0.98 | 0.98 to 1.11 | >1.11 to 1.26 | >1.26 | | | | | |
| 442 | | LAst/OOp | <1.31 | 1.31 to 1.47 | >1.47 to 1.65 | >1.65 to 1.82 | >1.82 | | | | |
| 443 | | LAst/MsOp | <0.62 | 0.62 to 0.70 | >0.70 to 0.83 | >0.83 to 0.90 | >0.90 | | | | |
| 444 | | LIn/LMs | <0.28 | 0.28 to 0.41 | >0.41 | | | | | | |
| 445 | | LIn/AstIn | <0.62 | 0.62 to 0.77 | >0.77 | | | | | | |
| 446 | | LIn/AstO | <0.42 | 0.42 to 0.60 | >0.60 to 0.78 | >0.78 | | | | | |
| 447 | | LIn/AstOp | <0.70 | ≥0.70 | | | | | | | |
| 448 | | LIn/InO | <0.51 | 0.51 to 0.84 | >0.84 | | | | | | |
| 449 | | LIn/InMs | <0.54 | ≥0.54 | | | | | | | |
| 450 | | LIn/OMs | <0.43 | 0.43 to 0.57 | >0.57 to 0.73 | >0.73 to 0.88 | >0.88 | | | | |
| 451 | | LIn/MsOp | <0.32 | 0.32 to 0.48 | >0.48 | | | | | | |
| 452 | | LO/AstIn | <0.85 | 0.85 to 0.96 | >0.96 to 1.07 | >1.07 to 1.18 | >1.18 to 1.29 | >1.29 to 1.44 | >1.44 | | |
| 453 | | LO/AstO | <1.00 | 1.00 to 1.10 | >1.10 to 1.20 | >1.20 to 1.30 | >1.301 to 1.40 | >1.40 | | | |

| feature | type I | type II | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|---------|--------|-------------|-------|--------------|---------------|---------------|---------------|---------------|-------|---|---|
| 454 | | LO/InO | <1.20 | 1.20 to 1.40 | >1.40 to 1.50 | >1.50 to 1.63 | >1.63 | | | | |
| 455 | | LO/InMs | <0.60 | 0.60 to 0.80 | >0.80 to 0.90 | >0.90 to 1.03 | >1.03 | | | | |
| 456 | | LO/OMs | <0.90 | 0.90 to 1.00 | >1.00 to 1.20 | >1.20 to 1.30 | >1.30 to 1.44 | >1.44 | | | |
| 457 | | AstIn/AstOp | <0.97 | 0.97 to 1.02 | >1.02 to 1.08 | >1.08 | | | | | |
| 458 | | AstIn/OOp | <1.18 | 1.18 to 1.30 | >1.30 | | | | | | |
| 459 | | AstIn/MsOp | <0.65 | 0.65 to 0.75 | >0.75 to 0.85 | >0.85 to 0.95 | >0.95 | | | | |
| 460 | | AstO/OOp | <1.18 | 1.18 to 1.33 | >1.33 to 1.48 | >1.48 to 1.63 | >1.63 | | | | |
| 461 | | AstO/MsOp | <0.68 | 0.68 to 0.79 | >0.79 | | | | | | |
| 462 | | AstOp/OOp | <1.21 | 1.21 to 1.25 | >1.25 to 1.31 | >1.31 to 1.37 | >1.37 to 1.48 | >1.48 to 1.58 | >1.58 | | |
| 463 | | AstOp/MsOp | <0.71 | 0.71 to 0.75 | >0.75 to 0.81 | >0.81 | | | | | |
| 464 | | InO/OOp | <0.86 | 0.86 to 0.98 | >0.98 to 1.10 | >1.10 to 1.22 | >1.22 | | | | |
| 465 | | InO/MsOp | <0.45 | 0.45 to 0.55 | >0.55 to 0.77 | >0.77 | | | | | |
| 466 | | InMs/OOp | <1.12 | 1.12 to 1.50 | >1.50 to 1.70 | >1.70 to 1.90 | >1.90 to 2.10 | >2.10 | | | |
| 467 | | InMs/MsOp | <0.94 | ≥0.94 | | | | | | | |
| 468 | | LIn/LOp | <1.15 | ≥1.15 | | | | | | | |